

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Hagerstown Canteen Service, Inc	Facility Type Vending Machine	
Licensee Name Hagerstown Canteen Service, Inc	Facility Telephone # 301 223-8000	
Facility Address 10500 Governor Lane Blvd Williamsport , MD	Licensee Address 10500 Governor Lane Blvd Williamsport , MD 21795	
Inspection Information		
Inspection Type Routine	Inspection Date 05/02/2018	Total Time Spent 2.95

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Aker/Maax-Fresh	39
Aker/Maax-milk	37
Macy's Milk(front)	37
Macy's fresh(front)	37
Macy's Fresh(front)	36
Macy's Fresh (middle)	36
Macy's Fresh (back)	38
Macy's Milk (back)	40
Lowe's Milk	41
Lowe's Fresh	40.5
Argos-Fresh	38
Argos-Milk	37
Knauf-Sandwich refrigerator(milk)	37
Knauf-freezer	-7
Orgill-freezer	-17
Orgill-sandwich	38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): 3 expired products in sandwich unit-Macy's back breakroom

Observed Non-Critical Violations
Total # 0 Repeated # 0

Inspection Outcome

Comments

*Be sure permits are displayed on machines


*Possibility of adding Procter and Gamble machines. Let our office know when this happens for permitting

Disclaimer

Person in Charge

On file

Sanitarian



Amy ARE Edwards