



6-Ton Equipment Trailer
Model BRO-EQ6

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net

6-Ton Equipment Trailer-Model BRD-EQ6

STANDARD FEATURES

GVWR	12000 pounds
Empty Weight	2100 pounds
Overall Width	101.5"
Overall Length	23'
Deck Width	80" Between Fenders
Deck Length	16'-22'
Deck Height	Approx. 26" Unloaded
Dovetail	2' Wood Filled
Decking	1 1/2" x 8" Oak
Main Frame	6" Channel
Tongue	6" Channel, Full Wrap
Cross Members	3" Channel on 24" Centers
Fenders	10.75" Teardrop Diamond Tread
Coupler	Adjustable 2-5/16 or Pintle
Landing Gear	12000 lb. Drop Leg Jack
Tires	235-85R16 Uniroyal Laredos
Chain Tray	In Tongue w/ Locking Lid
Axles	Dexter 6000lb.
Jack Capacity	7.5K Static Load
Suspension	Slipper Spring
Brakes	All Wheel Electric
Ramps	4' Pin Up
Tie Downs	Rub Rail & Cuffs in Front
Lights	LED Rubber Mounted
Wiring	Wire Harness System w/ Breakaway
Safety Chains	Separately Mounted
Paint	Sand Blasted, Primed, and Painted
Colors	Black or Yellow



OPTIONAL FEATURES

- ◆ Pressure Treated Pine Decking
- ◆ Rubber Decking
- ◆ Spring Assisted Ramps
- ◆ Wood Filled Ramps
- ◆ Additional Ramp Length
- ◆ Cleated Dovetail and Ramps
- ◆ Custom Colors
- ◆ Torflex Axles
- ◆ Drop Axles
- ◆ Dual Speed Landing Gear
- ◆ Up to 84" Between Fenders
- ◆ Deck as Wide as Fenders
- ◆ D-Rings in Lieu of Rub Rail
- ◆ Gooseneck
- ◆ Spare Tire Mounted
- ◆ Hydraulic Surge Brakes

McLendon Trailers, LLC

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net

All specifications are subject to change without notice.