

2018/2019 Hampton City Schools Health Inspections

ABERDEEN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/19/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Ceiling of the walk-in cooler noted in need of cleaning. Observed ceiling covered in soilage.
11/19/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Physical structures are not maintained in good repair: 1) Light bulb blown out in walk-in cooler; observed the light in the walk-in cooler blown out. 2) Ceiling tiles damaged in kitchen and office area of facility.

ANDREWS COMBINED

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

ARMSTRONG SCHOOL FOR THE ARTS

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster or outside refuse container was open or uncovered. Noted that trashcan is shared.
9/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Single service items observed unprotected from contamination. Observed styrofoam trays with the food-contact surface facing up.
9/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Improper methods used to thaw italian sausage. Observed italian sausage sitting in prep sink i sitting water. Employee corrected by continuing running water to unthaw meat.
9/25/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The Hotdogs were not reheated to 165F within 2 hours to eliminate pathogenic bacteria. Observed hot dogs sitting in the hot holding unit at 109-110°F; PIC corrected by discarding the food.
9/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead or trapped pests was found on the premises. Also observed flies flying around the facility.

ASBURY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Single styrofoam trays observed unprotected from contamination at the service line.
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	EHS could not determine if this the PIC has completed an approved Certified Food Protection Manager (CFPM) course since the certificate is not provided at this location.
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few dead flying insects (flies, dragonfly) observed on the window sill that runs above the three compartment sink.
10/24/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The ambient air thermometer on the hot holding cabinet is not accurate (reading 120°F and dial has not moved when door is opened; EHS measured ambient air at 177°F).

BARRON ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/29/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BASSETTE ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BETHEL HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/10/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BLUE PHANTOM INN

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The physical structures are not maintained in good repair: 1) cove molding not secured to floor-wall juncture below three compartment sink and two compartment sink 2) floor tile damaged at door frame to prep area 3) one floor tile damaged below three compartment sink
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The nonfood contact surfaces are not clean: 1) shelves in cabinet to the right of the oven 2) the power box to the dish machine
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The floors are not clean: 1) below centerline prep table 2) cook line equipment
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Toilet room door is propped open.
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Scoop handle stored in bulk dry food contents.
11/26/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sanitizer test strips could not be located during evaluation.
11/26/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	An irreversible registering temperature indicator is not provided for the high temperature dish machine.
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Signage reminding staff to wash hands not posted at each hand sink.

BOOKER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BRYAN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster is overfilled and in need of emptying.
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The following equipment are in poor repair: 1) Door gasket torn, multiple sections, on the walk-in cooler. 2) Trim on exterior ice machine lid.
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The nonfood contact surfaces are not clean: 1) oscillating fan dusty above storeroom entry 2) window sills in kitchen dusty

BURBANK ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/9/2018	Risk Category 2	Risk Factor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cream Cheese stored on the grab and go cold bar was cold holding at improper temperatures.

CARY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster doors are open (unit shared with school).
10/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead flying insects observed on window sill and trim in storeroom.

CARY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The physical structures are not maintained in good repair: 1) cracks in the wall in the restroom and along wall where three compartment sink, prep table, and 2-compartment sink located 2) wall vent in employee restroom is corroded 3) door frame trim at kitchen-hall juncture is scored 4) gaps exist along floor-wall juncture in storeroom behind/below the storage racks 5) paint flaking, blistering, and cracking along wall where three compartment sink, prep sink, and two compartment sink installed
10/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few rodent droppings observed floor below the dish machine.
10/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed employees wearing watches on their wrists while preparing food.

COOPER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed the metal panel on the door frame at the dry storage room entryway is heavily corroded and flaking rust and is not smooth and easily cleanable.

DARLING STADIUM

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
8/22/2018	Risk Category 1	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

EATON MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/1/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

FORREST ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/22/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed heavy peeling paint on the wall near the dish machine, the wall near the food prep sink, and the wall at the serving line.
10/22/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Ceiling tiles above serving line noted in need of cleaning (dusty).

HAMPTON CITY SCHOOLS ADULT AND ALTERNATIVE LEARNING CENTER

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

HAMPTON HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/26/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

JONES MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Physical structures are not maintained in good repair: 1) Observed seal on 3-compartment sink peeling off wall. Re-apply sealant to ensure 3-compartment sink is sealed to wall. 2) Missing ceiling tiles; place ceiling back in correct places.

KECOUGHTAN HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
--------------------	-------------	-----------------	----------	--------	--------

KECOUGHTAN HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/27/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

KRAFT ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/15/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The ceiling in the walk-in refrigerator is in need of cleaning.
10/15/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The handwashing sink in the kitchen is not sealed to the adjoining wall.
10/15/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed peeling paint/corrosion on hood system surfaces (perimeter and especially above stove and steamer and where steam condensation builds up).

LANGLEY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

LINDSAY MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/19/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

MACHEN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/17/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

MOTON PREK

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster doors left open. Dumpster shared with other school departments.
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few dead flying insects observed on window sill right of the kitchen door and in the laundry room.

PHENIX COMBINED

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/10/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

PHILLIPS ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/27/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

PHOEBUS HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	One of the dumpsters is missing a drain plug.

SMITH ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/30/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

SPRATLEY GIFTED CENTER

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
--------------------	-------------	-----------------	----------	--------	--------

SPRATLEY GIFTED CENTER

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/20/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

SYMS MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/27/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

TARRANT MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed peeling paint on ceiling throughout kitchen.
10/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The ceiling in the walk-in refrigerator (refrigerator #1) noted in need of cleaning.

TUCKER-CAPPS ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

TYLER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/5/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found