

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Mountaineer Grill and Pub	Facility Type Food Service Establishment	
Licensee Name Club Dub V LLC	Facility Telephone # 304	
Facility Address 214 Mid-Atlantic Parkway Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 12/11/2018	Total Time Spent 1.65

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Cooler drawers	41
Dinner case	40
Refrigerator	41
Salad prep case	39
Small juice cooler	41
Beer cooler 1	39
Beer cooler 2	38
Small cooler silver	40
Heat lamp	143
Walk in cooler	40
Second refrigerator	
Hot box	

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine3bay sink	chemchem				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 8</b></p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> REPEAT OBSERVATION (<b>CORRECTED DURING INSPECTION</b>): Slicer needs cleaned</p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> REPEAT OBSERVATION Walk in cooler shelves and speed rack needs cleaned</p>

**Observed Non-Critical Violations**

**Total # 15**

**Repeated # 8**

**4-501.12 - CUTTING SURFACES**

REPEAT OBSERVATION Cuttingboards need bleached or resurfaced

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Small alcohol cooler and several keg coolers have standing water, needs repaired

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Several floor freezers need defrosted

**4-601.11(B) - COOKING EQUIPMENT AND UTENSILS**

**OBSERVATION:** Outside of the cooking equipment need cleaned, grease

**4-601.11(B) - COOKING EQUIPMENT AND UTENSILS**

**OBSERVATION:** Inside the alto sham needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION Dry stock shelves need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): Top of the coolers in the kitchen need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Several liquor wells need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Outside of the refrigerators need cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Holes in mens room walls and missing door on a stall, need repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Toilet needs repaired ion the gambling womans room

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floor drains need cleaned, mold

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Hoods and filters in the kitchen need cleaned, grease.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors need cleaned under the bar

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors need cleaned in the kitchen

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



H D Boyd

Sanitarian



Glenn GCO Ondick