

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Burger King-Inwood	Facility Type Food Service Establishment	
Licensee Name Western Maryland Fast Foods, LP	Facility Telephone # 304 229-7992	
Facility Address 4859 Gerrardstown Rd Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 11/30/2017	Total Time Spent 3.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	36
Salad cooler	40
Hot hold Fry	174
Sandwich line cooler	36
Beverage cooler-undercounter	temp of orange juice-40
Sandwich hot hold	168-190
soft serve refrig	product temping 46
sandwich heat lamp area	
hot hold front	152-189 scan
ice cream hopper	36
topping refrigerator	32

Food Temperatures	
Description	Temperature (Fahrenheit)
burgers	139-163 scan
eggs	168
soft serve sample	25

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Grillsanitizer3bays	chemchemicalch		10010050	chlorinechlorin	
inkdiningareabuck	emicalchemical		100ppm	echlorinechlori	
etandbottlebevera				ne	
gestationbucket					

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 3

Repeated # 9

3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING

This is a critical violation

OBSERVATION: refrigerator beneath soft serve not holding 41 or lower-product temped at 46-11:30 control turned down Temp taken of unit at start of day 5:30 and at 37d; 12:20 pm temp of creamer at 41 but temp of coffee mix remains at 46 1:15-temps of 4 products taken ranging from 41.5-45d

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): dining area soda machine nozzles need cleaned and Dr Pepper nozzle on drive thru machine

7-201.11 - SEPARATION

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): 2 chemical spray bottles stored on shelving with soda syrup boxes

Observed Non-Critical Violations

Total # 37

Repeated # 9

2-402.11 - HAIR RESTRAINTS

REPEAT OBSERVATION employees with pony tails sweeping shoulders-hair should be restrained effectively

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

OBSERVATION: (CORRECTED DURING INSPECTION): bottle of clear liquid on bacon table needs to be labeled

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): Thermometer used in front milk cooler broken-needs replaced-temp of orange juice 40

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: top door of Icee machine not closing tightly

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: soft serve refrigerator-corner of door gasket torn

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION amber colored pan inserts no longer cleanable need to be replaced and any stained equipment should be discarded

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION tan cart found in freezer in poor repair and needs replaced

4-501.12 - CUTTING SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): green cutting board needs replaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: outside of ice machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: few areas of walkin shelving need cleaned more thoroughly

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: tray cart needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: outside of topping bottles need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: undercounter green wire shelving needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION diningroom-splash area of soda machines, lip behind ice chute on each machine and right side crevice along right soda machine

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: beverage station-drip tray rail needs cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: dining area-ketchup bag container needs cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: area between topping prep unit and ice bin needs cleaned-debris

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION back fans inside front undercounter unit need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: broken tan cart found in freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: hamburger freezer and onion ring freezer inside door track corners need cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: pans need to air dry before stacking

5-501.116 - CLEANING RECEPTACLES

REPEAT OBSERVATION mop sink needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: caulk needs replaced behind 3 bay sink-center area and upper wall of mop sink needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: 3 bay sink faucets dripping/running

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: ceiling light bulb out in paper storage room.

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: unused equipment should be discarded

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION ceiling monitors dusty

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: back drive thru corner needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION all ceiling light covers and air intakes/vents need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: 3 bay sink-plumbing pipes need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: step stool needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: restrooms-inside ceiling vents need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: beverage station-floor drain needs cleaned and floor drain beside walkin needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: wheels on icee and soft serve machine need cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: freezer floor needs cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor needs cleaned behind equipment and along wall perimeters

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION hood over deep fryer needs cleaned

Inspection Outcome

Comments

Soft serve refrigerator-temps not holding below 41-At end of inspection ranging from 41.5 -45 --Management noted that items do freeze if turned down too low-Have unit serviced-Management discarding product today Fax invoice to Health Dept: 304-263-8274 as soon as serviced

Disclaimer

Person in Charge

Sanitarian



George



Amy ARE Edwards