

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Sheetz-Edwin Miller	Facility Type Food Service Establishment	
Licensee Name Sheetz Inc.	Facility Telephone # 304	
Facility Address 1465 Edwin Miller Blvd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/12/2018	Total Time Spent 1.70

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	36
MTO cooler-starter	38
Magicow-drive thru	
Bev Air freezer	
MTO-finishing	
cheese machine	137
Duke	
SBC(coffee)	
fryer cooler	38
fryer freezer	
freezer	
Fry warmer	168
Drink cooler	39
True cooler carry out	
Creamer left	40
Creamer right	39
Hot Dog cooker	101
Breakfst cooler	39

Food Temperatures	
Description	Temperature (Fahrenheit)
Hot dogs prepped	138
Hot dogs on cooker	95
Hot food warmer	141

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
dishmachine3bay sink	chemicalSani-T-10Plus		0	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 1

Repeated # 0

4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 0 ppm sanitizer in the dish machine

Observed Non-Critical Violations

Total # 1

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Higher equipment in the drive thru area needs dusted

Inspection Outcome

Comments

Disclaimer

Person in Charge


chelsea wells

Sanitarian


Glenn GCO Ondick