

Ripplefold™ Overview

Collection Overview

Ripplefold™ Collection Updates for 2020

Ripplefold™ Collection Updates for 2020


- Newly designed Butt Master Carrier
 - Creates consistent spacing on first pleat regardless of fullness
 - Allows Butt Master to travel to end of rod on one-way draw



Ripplefold™ Collection Overview

What is the Ripplefold™ Drapery System?

- Drapery header style invented and trademarked by Kirsch.
- Unique traversing treatment with soft ripple like folds.
 - Offers contemporary drapery look
- Flat drapery panels
 - Attached to rod carriers using snaps
 - Treatment ALWAYS hangs below rod
- Works with three rod types for a variety of applications



Why Ripplefold™?

- Contemporary look
- Uses up to 25% less fabric than pleated
- Less expensive to fabricate draperies
- Fold and carrier spacing is consistent
 - Less dressing of drapery
- Smaller stackback than pleated
- Ceiling or wall mount
- Two master carrier options
 - Overlap or Butt Master
- Easy to remove draperies for flat laundering



Ripplefold™ Overview

- Master carrier type
- Fullness and carrier type
- Stack control and preference




Ripplefold™ Master Carrier Options


- Overlap Master Carrier
 - Ensures closure, light control and privacy on split draw draperies
 - Available with cord, hand/ baton or Briza™ Motorization control options
 - Note: Wheeled overlap master carrier offer smoother function



Cord




84103xxx
RH




84104xxx
LH

Baton



84203xxx
RH



84204xxx
LH

Ripplefold™ Master Carrier Options


- Butt Master Carrier
 - Continues soft, flowing appearance of draperies
 - Available with cord, hand/ baton or Briza™ Motorization control options
 - Note: Certain fabrics are prone to “tenting” which can create a loss of privacy and light control




Cord




84110xxx
RH



84111xxx
LH




84101xxx
RH




84102xxx
LH

Baton







84211xxx
RH



84212xxx
LH





Ripplefold™ Fullness and Carrier Types

- Connected carriers dictate the fullness of draperies
- Wheeled carriers offer smoother function
- Wheeled carriers have removable pendant for easier installation
- Four fullness factors available. Carrier spacing determines drapery fullness and stackback width. For stackback chart please reference the Ripplefold Fabrication Manual on the Resource Library on kirsch.com

↑ FULLEST	FULLNESS		APPEARANCE OF	WHEELED CARRIER SPACING
	120%		2.5 x Fullness	1 7/8"
	100%		2 x Fullness	2 1/8"
	80%		1.8 x Fullness	2 3/8"
	60%		1.6 x Fullness	2 5/8"

Ripplefold™ Fullness and Carrier Types

- Wheeled carriers come in two colors; white or black
- Two sided snap pendant comes in four colors; white, black, bronze or grey
- One inch snap tape comes in three colors' white, black or clear



Ripplefold™ Stack

- Stack
 - One way left
 - One way right
 - Split draw



Ripplefold™ Rod Types

- Estate™ Traverse Rods
 - cord, baton/ hand and Briza™ Motorization control options
- Architrac® Series 94001 Traverse Rods
 - cord, baton/ hand and Briza™ Motorization control options



Ripplefold™ Rod Types

- Estate™ Traverse Rods
 - Five collections; Buckingham®, Designer Metals™, Wood Trends™ Varia and Chroma
 - Track in anodized or bronze
 - Cord, baton/ hand or Briza™ Motorization control options



Ripplefold™ Ordering for Estate™ Traverse Rods

- Order form is located at the back of the Estate section of the price list

Estate™ 1½ inch & 2 inch Decorative Traverse Rods Order Form

ORDER DATE ACCOUNT # P.O. # SIDEMARK

Account Information

COMPANY NAME

CONTACT FULL NAME

EMAIL PHONE

SHIP TO/ATTENTION

ADDRESS

CITY STATE ZIP

Drop Ship Address (if different from above)

NAME OR COMPANY PHONE

ADDRESS

CITY STATE ZIP

Ordering Guidelines

- Use this order form for detailed instructions
- Maximum assembled set width is 16 feet
- Minimum assembled set width is 18 inches
- Designer Metals™ Estate™ Traverse Rods over 8 feet will be spliced. Add price of keystone(s) to order amount to cover splices. See pages 101-103
- Other Estate™ Traverse Rods can be spliced upon request
- Assembled sets do not come with finials and must be purchased separately
- Finials may be selected from the 1½ inch or 2 inch Buckingham®, Designer Metals™ or Wood Trends™ Collections
- For pleated or Ripplefold™ draperies only
- Set includes 4 rings/slides per foot – for additional rings/slides see pricelist
- Any additional rings/slides must be ordered at time of purchase for an additional cost
- For mounting options, see page 93-94
- Rod manufactured to specific width dimensions cannot be cut down after produced

* Assembled sets do not include finials. Additional rings/slides can be ordered at a charge. Otherwise, a standard set includes 4 rings/slides per foot.

/ 163

Estate™ 1½ inch & 2 inch Decorative Traverse Rods Order Form

ORDER DATE ACCOUNT # P.O. # SIDEMARK

1. Order Specifications

ORDER QTY PRODUCT NUMBER LENGTH (Inches) (Rings maximum) (16 foot maximum)

Draw Preference

☐ ONE-WAY DRAW | STACK LEFT

☐ ONE-WAY DRAW | STACK RIGHT

☐ TWO-WAY DRAW

Control Location

☐ LEFT ☐ RIGHT

Cord Length

* CORD LENGTH (Inches) (Maximum 8 ft. 8 in.)

Control Type

☐ CORD ☐ HAND ☐ BATON

☐ BRIZA™ MOTORIZATION

☐ BRIZA™ MOTORIZATION WITH NEO SMART CONTROLLER

☐ BRIZA™ MOTORIZATION WITH SOMFY™ MOTOR ADAPTER

Control Location

☐ LEFT ☐ RIGHT

Drapery/Master Carrier Style

☐ RIPPLEFOLD™ | OVERLAP

☐ RIPPLEFOLD™ | BUTT MASTER

☐ PLEATED | OVERLAP

Ripplefold™ Fullness

☐ 120% ☐ 100% ☐ 80% ☐ 60%

Mount Style

☐ WALL MOUNT

☐ CEILING MOUNT

Return Size

☐ 2 1/2" ☐ 2 1/4" ☐ 2 1/8" ☐ 2 1/16"

Extra Parts

☐ RINGS

☐ SLIDES

☐ BRACKETS

☐ KEYSTONES

Total Pricing

(By set or individual ring/slides if requested)

TOTAL ROD COST \$

TOTAL COMPONENT COST \$

PACKING FEE** \$

TOTAL COST \$

Splicing Instructions

If a splice is preferred on your Estate™ Traverse Rod, indicate location on splice instructions below.

Please note that Designer Metals™ Rods over 8 feet are automatically spliced in the center unless instructions are given below.



Coordinating Accessories

Please be sure to order all accessories needed including remote controls for Briza™ Motorized Estate™ Traverse Rods.

ORDER QTY	PRODUCT NUMBER	PART COST	ORDER QTY	PRODUCT NUMBER	PART COST
		\$			\$
		\$			\$
		\$			\$
		\$			\$


Ripplefold™ Rod Types

- Architrac® Traverse Rods, Cord Draw
 - Series 94001
 - Available with Briza™ Motorization
 - Basic rod profile and heavy duty wheeled carriers
 - Overlap or butt master carriers
 - Four colors available
 - Series 93001
 - Low profile rod (5/8")
 - Overlap or butt master carriers
 - White color only



Ripplefold™ Rod Types

- Architrac® Traverse Rods, Baton/ Hand Draw
 - Series 94003
 - Basic rod profile and heavy duty wheeled carriers
 - Overlap or butt master carriers
 - Four colors available
 - Series 94004
 - Low profile rod (3/4")
 - Overlap or butt master carriers
 - Four colors available
 - Series 94005
 - Overlap or butt master carriers
 - Four color available



Ripplefold™ Ordering for Architrac® Series Traverse Rods

- Order form is located at the back of the Architrac section of the price list

K-Rail and Architrac® Order Form

ORDER DATE: _____ ACCOUNT #: _____ P.O. #: _____ SIDEMARK: _____

Account Information

COMPANY NAME: _____
 CONTACT FULL NAME: _____
 EMAIL: _____ PHONE: _____
 SHIP TO/ATTENTION: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____

Drop Ship Address (if different from above)

NAME OR COMPANY: _____ PHONE: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____

Order Specifications

ORDER QTY: _____ PRODUCT NUMBER: _____ LENGTH (inches): _____

Draw Preference

☐ ONE-WAY DRAW | STACK LEFT
☐ ONE-WAY DRAW | STACK RIGHT
☐ TWO-WAY DRAW

Control Type

☐ CORD ☐ HAND ☐ BATON

Briz™ Motorization for Architrac® Series 94001 only. Max cord length 20 ft.

☐ BRIZA™-MOTORIZATION
☐ BRIZA™-MOTORIZATION WITH NEO SMART CONTROLLER
☐ BRIZA™-MOTORIZATION WITH SONY™ MOTOR ADAPTER

Control Location

☐ LEFT ☐ RIGHT

Cord Length

CORD LENGTH (inches) (standard is 8' long)

☐ 120" ☐ 100" ☐ 80" ☐ 60"

Mount Style

☐ WALL MOUNT
☐ CEILING MOUNT

Return Size

☐ 3 1/4" ☐ 4" ☐ OTHER (inches)

Extra Parts

☐ SLIDES
☐ BRACKETS

Ripplefold™ Fullness

☐ 120% ☐ 100% ☐ 80% ☐ 60%

Track Only

Select this option below if you only need a track with no components.

☐ TRACK ONLY - NO COMPONENTS

Splicing

Rods over 8 ft can be spliced. Please see splice instructions.

Bend Style

Architrac® 9046 & 94001 only

☐ STYLE 1: RECESS
☐ STYLE 2: BOW
☐ STYLE 3: BAY
☐ STYLE 4: CORNER
☐ STYLE 5: CURVED

Cubicle Bend Style

Architrac® 9046 & 94001 only

☐ CUBICLE STYLE 1: L-SHAPED
☐ CUBICLE STYLE 2: LONG-U
☐ CUBICLE STYLE 3: J-TRACK
☐ CUBICLE STYLE 4: J-TRACK OFFSET | RIGHT
☐ CUBICLE STYLE 5: J-TRACK OFFSET | LEFT
☐ CUBICLE STYLE 6: J-TRACK OFFSET | RIGHT
☐ CUBICLE STYLE 7: J-TRACK OFFSET | LEFT
☐ CUBICLE STYLE 8: STRAIGHT OFFSET | RIGHT
☐ CUBICLE STYLE 9: STRAIGHT OFFSET | LEFT
☐ CUBICLE STYLE 10: CURVED

Measurements

A _____ B _____ C _____ D _____ E _____ F _____ G _____ H _____

Degree of Bend

AB _____ BC _____ CD _____ DE _____

Wall/Rod Measurement

WALL _____ ROD _____

Total Pricing

(Prices from back end)

TOTAL ROD COST \$ _____
 TOTAL COMPONENT COST \$ _____
 PACKING FEE** \$ _____
 TOTAL COST \$ _____

* Bend/Curve Fee: Any bent or curve will have a flat fee of \$25 per track.

/ 165

K-Rail and Architrac® Order Form

ORDER DATE: _____ ACCOUNT #: _____ P.O. #: _____ SIDEMARK: _____

IMPORTANT: Please Read Before Placing Order

How to Order

- Dimensions are shown from top view of rod
- Illustrations are of various wall designs
- Select the design that fits your room
- Provide all the measurements requested
- Indicate degree measurements of all angles (angle measuring protractor, order 23573C21)
- All Briz™ Motorized tracks and Briz™ Motorized with Sony™ adapter tracks cannot be bent or curved.

Custom Styles

For all styles you must provide a drawing with necessary measurements plus a full size pattern of the wall area to which the rod is to be mounted. Be sure to locate each end of the rod on your pattern. Give style track and set number. Unless stated, measurements given are wall measurements and the factory will make allowances.

ALL ORDERS MUST INCLUDE RETURNS, EXCEPT STYLE 4: CORNER, WITH A 90° BEND

- The definition of return is the distance from the wall to the front side of the rod
- On double rod sets, provide return measurements for both rods

Order Specifications

Bend Style

Architrac® 9046 & 94001 only

☐ STYLE 1: RECESS
☐ STYLE 2: BOW
☐ STYLE 3: BAY
☐ STYLE 4: CORNER
☐ STYLE 5: CURVED

Cubicle Bend Style

Architrac® 9046 & 94001 only

☐ CUBICLE STYLE 1: L-SHAPED
☐ CUBICLE STYLE 2: LONG-U
☐ CUBICLE STYLE 3: J-TRACK
☐ CUBICLE STYLE 4: J-TRACK OFFSET | RIGHT
☐ CUBICLE STYLE 5: J-TRACK OFFSET | LEFT
☐ CUBICLE STYLE 6: J-TRACK OFFSET | RIGHT
☐ CUBICLE STYLE 7: J-TRACK OFFSET | LEFT
☐ CUBICLE STYLE 8: STRAIGHT OFFSET | RIGHT
☐ CUBICLE STYLE 9: STRAIGHT OFFSET | LEFT
☐ CUBICLE STYLE 10: CURVED

Measurements

A _____ B _____ C _____ D _____ E _____ F _____ G _____ H _____

Degree of Bend

AB _____ BC _____ CD _____ DE _____

Wall/Rod Measurement

WALL _____ ROD _____

Bend Styles

STYLE 1: RECESS

For pricing add A, B & C

STYLE 2: BOW

For pricing add A, B, C, D & E

STYLE 3: BAY

For pricing add A, B & C

STYLE 4: CORNER

For pricing add A & B

STYLE 5: CURVED

For pricing add A & B

Cubicle Bend Styles

(Architrac® 9046 & 94001 only)

CUBICLE STYLE 1: L-SHAPED

For pricing add A & B

CUBICLE STYLE 2: LONG-U

For pricing add A, B & C

CUBICLE STYLE 3: J-TRACK

For pricing add A, B & C

CUBICLE STYLE 4: J-TRACK OFFSET RIGHT

For pricing add A, B & C

CUBICLE STYLE 5: J-TRACK OFFSET LEFT

For pricing add A, B & C

CUBICLE STYLE 6: OBTRUSE J-TRACK RIGHT

For pricing add A, B, C & D

CUBICLE STYLE 7: OBTRUSE J-TRACK LEFT

For pricing add A, B, C & D

CUBICLE STYLE 8: STRAIGHT OFFSET RIGHT

For pricing add A & B

CUBICLE STYLE 9: STRAIGHT OFFSET LEFT

For pricing add A & B

CUBICLE STYLE 10: CURVED

For pricing add A & B

/ 166

Ripplefold™ Guides

- Two helpful guides to help choose the right track.

Architrac® at a Glance















To help determine which system is right for your project, use the guideline below to select the best fit.

ARCHITRAC® SERIES	94001 BEST SELLER	93001	94003	94004 BEST SELLER	94005	94046	9600	K-RAIL
What is your preferred Draw type?								
Cord Draw	•	•						
Hand / Baton Draw			•	•	•	•	•	•
Briza™ Motorized	•							
What is your preferred Drapery Heading type?								
Pleated	•	•	•	•	•	•	•	•
Cubicle			•	•	•	•	•	•
Ripplefold™	•	•	•	•	•			•
What is your mounting location?								
Ceiling Mount	•	•	•	•	•	•	•	•
Wall Mount	•	•	•	•	•	•	•	•
Recessed Mount	•	•	•	•	•	•	•	
Suspension Mount						•	•	
Is an Angular Bend or Curve needed?								
Can be bent*	•	•	•		•	•	•	
Can be curved*	•	•	•		•	•	•	
What is the Track Length?								
One-Way Draw Max Track Length	UP TO 20'	UP TO 16'	UP TO 20'	UP TO 16'	UP TO 16'	UP TO 16'	UP TO 20'	UP TO 16'
Two-Way Draw Max Track Length	UP TO 40'	UP TO 32'	UP TO 20'	UP TO 32'	UP TO 32'	UP TO 32'	UP TO 40'	UP TO 16'
* Architrac Series 94001 with Briza™ Motorization max track length is 20'.								
What are the Fabric Weight requirements? (Weight shown is pounds per linear foot)								
One-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
Two-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
One-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Two-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A

* Architrac Series 94001 with Briza™ Motorization cannot be bent or curved.

ARCHITRAC™

Track Performance Data

STYLE	DESCRIPTION	HEADING STYLE	MOUNT	DRAW	MAX. TRACK LENGTH (FT.)	MAX. FABRIC WEIGHT (LBS.)	LBS. PER FT.
	Superfine® Cord Draw	Pleated	Ceiling, Wall	One-Way	15	15	1
				Two-Way	25	20	0.8
	9000 Regular Cord Draw Can be angular bent using 6" radius or circular curved	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	32	1.0
	9003 Heavy Duty Cord Draw	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	30	1.0
	93001 Cord Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	16	32	2
				Two-Way	32	32	2
	94001 Cord Draw, Hand/Baton Draw, Briza™ can be angular bent using 12" radius or circular curved (max) with Briza™ cannot be bent or curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	100
				Two-Way	40	160	100
	93601 2" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
	9046 Cubicle Hand/Baton Draw can be angular bent using 6" or 12" radius or circular curved	Pleated	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	9600 Cubicle Hand/Baton Draw can be angular bent using 12" or 14" radius or circular curved	Pleated	Ceiling, Wall, Recessed, Suspended	One-Way	20	80	4
				Two-Way	40	160	4
	94003 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	4
				Two-Way	40	160	4
	94004 Cubicle Hand/Baton Draw cannot be curved or bent	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	94005 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	94003 1 1/4" K-Rail Hand/Baton Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	4
				Two-Way	16	64	4
	83601 2" Estate™ for Chroma Facia Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
	83611 1 1/4" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.

APPENDIX

/ 109

/ 160

Ripplefold™ Architrac® Selection Guide

- The selection guide asks six questions to help choose the right track
 - Draw?
 - Heading?
 - Mount location?
 - Bent or curved?
 - Track length?
 - Fabric weight?
- Asking these questions narrows down the options.
- This guide is located at the front of the Architrac section of the price list.

Architrac® at a Glance

To help determine which system is right for your project, use the guideline below to select the best fit.















ARCHITRAC® SERIES	94001 BEST SELLER	93001	94003	94004 BEST SELLER	94005	9046	9600	K-RAIL
What is your preferred Draw type?								
Cord Draw	*	*						
Hand Baton Draw	*		*	*	*	*	*	*
Briza™ Motorized	*							
What is your preferred Drapery Heading type?								
Pleated	*	*	*	*	*	*	*	*
Cubicle			*	*	*	*	*	*
Ripplefold*	*	*	*	*	*			*
What is your mounting location?								
Ceiling Mount	*	*	*	*	*	*	*	*
Wall Mount	*	*	*				*	*
Recessed Mount	*	*	*	*	*	*	*	
Suspension Mount						*	*	
Is an Angular Bend or Curve needed?								
Can be bent*	*	*	*	*	*	*	*	
Can be curved*	*	*	*		*	*	*	
What is the Track Length?								
One-Way Draw Max Track Length	UP TO 20'	UP TO 16'	UP TO 20'	UP TO 16'	UP TO 16'	UP TO 16'	UP TO 20'	UP TO 16'
Two-Way Draw Max Track Length	UP TO 40'	UP TO 32'	UP TO 20'	UP TO 32'	UP TO 32'	UP TO 32'	UP TO 40'	UP TO 16'
* Architrac Series 94001 with Briza™ Motorization max track length is 20'.								
What are the Fabric Weight requirements? (Weight shown is pounds per linear foot)								
One-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
Two-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
One-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Two-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A

* Architrac Series 94001 with Briza™ Motorization cannot be bent or curved.

Ripplefold™ Track System Selection & Performance Data

- Highlight performance details
 - Draw options
 - Mounting options
 - Max track length
 - Max fabric weight
 - Pounds per foot
 - Located in the appendix of the price list

Track Performance Data

STYLE	DESCRIPTION	HEADING STYLE	MOUNT	DRAW	MAX. TRACK LENGTH (FT.)	MAX. FABRIC WEIGHT (LBS.)	LBS. PER FT.			
	Superfine® Cord Draw	Pleated	Ceiling, Wall	One-Way	15	15	1			
				Two-Way	25	20	0.8			
	9000 Regular Cord Draw Can be angular bent using 8" radius or circular curved	Pleated	Ceiling, Wall	One-Way	16	20	1.25			
				Two-Way	32	32	1.0			
	9003 Heavy Duty Cord Draw	Pleated	Ceiling, Wall	One-Way	16	20	1.25			
				Two-Way	32	30	1.0			
	93001 Cord Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	-	-	1 1/2" Pulley	lbs. per ft.	1 1/4" Pulley	lbs. per ft.	
				One-Way	16	32	2	32	2	
				Two-Way	32	32	1	64	2	
	94001 Cord Draw, Hand/Baton Draw, Briza™ can be angular bent using 12" radius or circular curved (2001 with Briza™ cannot be bent or curved)	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	100	4	6.25	
				Two-Way	40	160	100	4	2.5	
	93601 2" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100	4	6.25	
				Two-Way	16	64	100	4	6.25	
	9046 Cubicle Hand/Baton Draw can be angular bent using 8" or 12" radius or circular curved	Pleated	Ceiling, Recessed	One-Way	16	64	4			
				Two-Way	32	128	4			
	9600 Cubicle Hand/Baton Draw can be angular bent using 12" or 14" radius or circular curved	Pleated	Ceiling, Wall, Recessed, Suspended	One-Way	20	80	4			
				Two-Way	40	160	4			
	94003 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	4			
				Two-Way	40	160	4			
	94004 Cubicle Hand/Baton Draw cannot be curved or bent	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4			
				Two-Way	32	128	4			
	94005 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4			
				Two-Way	32	128	4			
	84003 1 1/4" K-Rail Hand/Baton Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	4			
				Two-Way	16	64	4			
	83601 2" Estate™ for Chroma Fascia Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100	4	6.25	
				Two-Way	16	64	100	4	6.25	
	83611 1 1/4" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100	4	6.25	
				Two-Way	16	64	100	4	6.25	

APPENDIX

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.



@kirsch

Experience more, visit kirsch.com