2022 BC-5 (HD) SW & DW

BY BCROASTERS.COM

THE 2021 BC-5 COMES IN YOUR CHOICE OF SINGLE OR DOUBLE WALL DRUM MODELS. THE BIGGEST ADVANTAGE OF THE DW MODELS IS ITS ABILITY TO DO SMALLER BATCHES FOR SAMPLES. THE BC-5 IS OUR BEST SELLING ROASTER GREAT FOR A COFFEE SHOP OR A HOME STARTUP BUSINESS. IT CAN ROAST FROM 80Z. TO 5LB. PER ROAST ON THE DOUBLE WALL UNIT (160Z.-5LB. ON SW) AND UP TO 5 ROASTS PER HOUR ON THE GAS MODELS. MANY ARE ROASTING OVER 5LB. PER ROAST IN THE GAS MODELS. IT HAS ALL THE FEATURES MOST COMPANIES CHARGE EXTRA FOR BUILT INTO THE BASE PRICE. PRECISE AIRFLOW CONTROL VIA THE MDDS (MANUAL DAMPER) SYSTEM. SOLID HEAVY-DUTY STAINLESS STEEL DRUM AND BUILT IN PROFILING SYSTEM VIA ARTISAN OR CROPSTER FOR BT & ET. DIRECT-CONNECT CHAFF UNIT FOR GREATER EFFICIENCY & REDUCED FOOTPRINT. COMES IN CHOICE OF GAS OR ALL ELECTRIC. NOW IN BLACK, RED & WHITE BODY COLORS! THE NEW HD 2022 SERIES ARE ARRIVING AHEAD OF ITS TIME IN MARCH 2021 TO OFFER ALL THE GREAT FEATURES THE BC'S ARE KNOWN FOR PLUS A NEW HEAVY DUTY CHAFF FAN & GAS GAUGE SYSTEM! BRING ON 2022!







NEW 3MM THERMOCOUPLES FOR 2021 MODELS LOOK FOR THE 2022 HD SERIES IN SPRING 2021!

NEW 2022 HD LINEUP FEATURES A NEW HD CHAFF FAN & HD GAS GAUGE

FEATURES

DRUM TYPE
DATA LOGGING
THERMOCOUPLES
CONTROL PANEL
WARRANTY
PARTS AVAILABLE
110V CONVERTER

Single Wall 4mm or Double 8mm
2 OMRON CONTROLS
K-TYPE for BT (3mm thick)
BT&ET VEIW ON PANEL
1 YEAR PARTS & INSTRUCTION
10 Year Parts Available Guarantee
110V Voltage Converter included.

BC-5MD	GAS TYPE	ELECTRIC
Batch Size	8oz-5lb.	8oz-4.4lb
Roasting Time	9-14 minutes	15min.
Production	20-25lb.hr	20lb. hr.
Heat Source	NG/LPG	electric
Voltage	220V	220V
Wattage	295W	5295W
Drum Motor	90W	60W
Chaff Fan Motor	45W	45W
Cooling Fan Motor	90W	90W
MIXING ARM	15W	15W
BTU	45,000	
NG PRESSURE	7-12WC	
LPG PRESSURE	MAX. 16-20WC	
Gas Consumption	0.4kg/hr	
Roaster Dim.	42x27x39	42x27x39
Roaster Weight	353lb.	353lb.
Package Dimensions	48x32x44 408lb.	48x32x44 408lb.

NEW HD LINE FEATURES 60W CHAFF FAN= 310W TOTAL ON GAS MODELS & 5310W ON ELECTRIC

BC ROASTER COLORS

BC ROASTERS NOW COME IN 3 BODY COLORS: BLACK, RED & WHITE



BLACK BODY WITH BLACK CHECKERED HOUSING



RED BODY WITH GOLD CHECKERED HOUSING



WHITE BODY WITH ROSE GOLD HOUSING

TWO NEW TEXTURED HOUSINGS AVAILABLE FOR 2021& 2022 Models:

HOUSING COLORS INCLUDE 3 SOLID COLORS:

ROSE GOLD, BLACK TITANIUM, STAINLESS

(COLORS MAY VARY FROM PICTURES SLIGHTLY)









ROSE GOLD

STAINLESS

BLACK TITANIUM

ALSO HOUSING COLORS IN TEXTURED CHECKERED COLORS: CHECKERED BLACK, SILVER OR GOLD:



CHECKERED BLACK



CHECKERED GOLD



CHECKERED SILVER



BODY COLORS:

BLACK, RED OR WHITE

SOLID HOUSING COLORS: ROSE GOLD, BLACK TITANIUM, STAINLESS


TEXTURE HOUSINGS: CHECKERED GOLD, CHECKERED BLACK OR CHECKERED SILVER

NEW FOR THE HD LINEUP:


THE NEW 2022 HD LINE FEATURES A NEW HEAVY DUTY CHAFF FAN. THIS FAN REQUIRES A 120MM (5") EXHAUST CONNECTION. (OLDER BC MODELS & EARLY 2021 MODELS THAT WERE NOT HD USED A 3" EXHAUST)
THE SAME SIZE 4" EXHAUST COMES OFF THE COOLING TRAY


NEW 2021 & 2022 FEATURES & OPTIONS:


- COOLING TRAY FAN IS VERTICAL FOR EASY VENTING
- NEW 3MM THICK THERMOCOUPLES
- OPTIONAL COOLING TRAY COVER NEW FOR 2021!
- + 2022 HD SERIES AVAILABLE IN MARCH 2021
- NEW HD LINE FEATURE A HD CHAFF
 FAN w/5" exhaust
- HD Line feature a HD GAS GAUGE




2021 & 2022 MODELS HAVE COOLING TRAY FANS THAT ARE VERTICAL FOR EASY VENTING









BC-5 COMMERCIAL COFFEE ROASTER	*TABLETOP OR STAND MODEL (18-24" STAND SUGGESTED) *DIRECT CONNECT CHAFF UNIT FOR SMALLER FOOTPRINT *CHOICE OF ALL ELECTRIC OR GAS MODELS
SIZE SETUP (LXWXH)	42x27x39" (INCLUDES DIRECT CONNECT CHAFF UNIT IN MEASUREMENT)
WEIGHT	353LB
MINIMUM CLEARANCE FROM COMBUSTABLE MATERIALS	18-24"
ROASTING CAPACITY	1-5LB SINGLE WALL 80Z TO 5LB DOUBLE WALL
ROAST TIME & ROASTS PER HOUR	9-14 MINUTES (5 ROASTS PER HOUR GAS. 3.5 PER HOUR ELECTRIC)
DRUM INFORMATION	SW DRUM: 4MM SUPERIOR 304SS CONTAINS 18% CHROMIUM AND 8% NICKEL DW DRUM: HAS TWO LAYERS OF 2MM 304SS WITH 4MM OF AIR CUSHION. SS WELDING
ELECTRIC STATS:	GAS MODEL: SINGLE PHASE 220V 50/60HZ 295W REQUIRES STANDARD 15A BREAKER ALL ELECTRIC MODELS: SINGLE PHASE 220V 50/60HZ 5295W REQUIRES 30A DEDICATED BREAKER
ELECTRICAL PLUG TYPE	GAS MODELS: 20A 250V 3 WIRE NEMA 6-20P ELECTRIC TYPE: LOCKING PLUG 250V 30A NEMA L6-30P
FUEL CHOICES ON GAS MODELS	LPG GAS STANDARD WITH MODELS. NATURAL GAS CONVERSION KITS OFFERED FOR CUSTOMER INSTALLATION ONLY.
BURNER INFORMATION ON GAS MODELS	SW BURNERS: 8 STANDARD HD BURNERS DW B <mark>URNERS: 10 STANDARD HD BURNERS</mark>
BTU REQUIRMENTS	40,000 BTU MINIMUM REQUIRED FOR NG LINE
GAS PRESSURE	LPG: 12-16WC (3-4KPA) MARSHALL 1912/197 REGULATOR RECOMMENDED NG: 7-14WC

IMPORTANT NOTE ON EXHAUST SETUP OF THE NEW HD LINE OF ROASTERS:

THE NEW 2022 HD LINE OF ROASTERS INTRODUCED IN 2021 FEATURE A NEW HEAVY DUTY CHAFF FAN. THIS FAN HAS AN EXHAUST PIPE OF 120MM. THEREFORE IT REQUIRES A 5" PIPE TO ATTACH TO THE CHAFF EXHAUST (OTHER MODELS THAT ARE NOT THE NEW HD LINE USE A 3" PIPE) YOU MAY CHOOSE TO GET A 5 TO 6 IN. REDUCER PIPE TO RUN A 6" LINE AS MAIN EXHAUST OFF CHAFF UNIT.

EXHAUST SETUP	
EXHAUST PIPE REQUIREMENTS	POSITIVE PRESSURE EXHAUST VENTING WITH MINIMUM CLEARANCE 18-24" FROM COMBUSTABLE MATERIALS
MAXIMUM VENTING LENGTHS	20-25' FROM CHAFF UNIT. DEDUCT 3-5' FOR 45-90 DEGREE PIPE ELBOWS. IF YOU MUST VENT AT LONGER LENGTHS CONSULT A LOCAL TECHNICIAN ON USE OF POSSIBLE BOOSTER FANS
MAXIMUM EXHAUST TEMPERATURES	425-475F
CHAFF UNIT HIGH TEMP.	300-350F
COOLING TRAY HIGH TEMP.	200F
DATA LOGGING VIA ARTISAN OR CROPSTER	BUILT IN DATA LOGGER ATTACHES TO COMPUTER (PC OR MAC) VIA USB OR BLUETOOTH
K TYPE THERMOCOUPLES	BT & ET WITH TWO ADDITIONAL PREDRILLED CAPPED THREADED HOLES TO ADD OR ADJUST LOCATION OF PROBES
MANUFACTURED IN CHINA FOR BC ROASTERS	CUSTOM BUILT FOR BC SPECS IN USA AND OVER 200 LANDS

FOR MORE INFORMATION SEE:

BCROASTERS.COM

HTTP://WWW.BUCKEYECOFFEE.COM/BC-COFFEE-ROASTERS.HTML

BC ROASTERS BUCKEYE, ARIZONA 85326 TONOPAH, ARIZONA 85354

TOLL FREE: 844.522.6333
INFO@BUCKEYECOFFEE.COM
INFO@BCROASTERS.COM