

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Tiki's	Facility Type Food Service Establishment	
Licensee Name Wendy Keller	Facility Telephone # 304	
Facility Address 7247 Winchester Ave Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/18/2018	Total Time Spent 1.47

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Sandwich cooler	40
Salad cooler	39
Beer cooler	38
Supior 3 door cooler	40
Walk in cooler	41
Small bar cooler	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Pickles	40
Pot pie filling	143
Cheese sauce	138
Brown gravey	141
Soup	135

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 4

Repeated # 4

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): Salad case rack needs cleaned, food hanging off rack over ready to eat food

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): Several wisks, pans and sharp kitchen knives need recleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

REPEAT OBSERVATION Ice machine needs cleaned inside

6-501.111 - CONTROLLING PESTS

This is a critical violation

REPEAT OBSERVATION Mouse feces found in multiple areas of the unit

ObservedNon-CriticalViolations

Total # 10

Repeated # 4

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Small floor freezer needs reattached to the door hinge and defrosted.

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

REPEAT OBSERVATION Sides of grill, fryer and piping needs cleaned, grease

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Spice racks need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside the bottom of the sandwich cooler needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Plastic rack in the walk in cooler needs cleaned, non food contact area

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor needs repaired in the ice room, and dish area, floor has sunk

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor tile needs replaced in several areas of the unit.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Lower racks, soda 3 bay ect needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned behind and under equipment].

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned under bar areas

Inspection Outcome

Comments

Disclaimer

Person in Charge



wendykeller

Sanitarian



Glenn GCO Ondick