

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Boys and Girls of Eastern Panhandle	Facility Type Food Service Establishment
Licensee Name Boys and Girls of Eastern Panhandle- Martinsburg/Berkeley County Unit	Facility Telephone # 304 263-2696
Facility Address 105 W John St Martinsburg , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 03/24/2017	Total Time Spent 1.30

Equipment Temperatures	
Description	Temperature (Fahrenheit)
3 door cooler	39
Out side cooler 1	39
Outside cooler 2	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bayfaucet					

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 4</p> <p>Repeated # 1</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): .refried beans, out of date 3-15-17, enchiladas 3-20, tomato sauce 3-20, salsa 3-15,, pineapple 3-22, raspberries 3-19 shredded cheese 3-1,</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): Power mixer needs cleaned</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS <i>This is a critical violation</i> REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Can opener and blade needs cleaned</p> <p>6-501.111 - CONTROLLING PESTS <i>This is a critical violation</i> OBSERVATION: Mouse feces found next to the cooler</p>

Observed Non-Critical Violations

Total # 6

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Gray buscart needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Blender base needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: 3 bay sink spray hose needs repaired.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Wall needs cleaned around the ovens

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor needs cleaned behind the equipment and in the corner closet.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Stockroom freezer needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Amber Glennon-Beahan

Sanitarian



Glenn GCO Ondick