

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Little Eagles IRS</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Little Eagles, Inc</b>	Facility Telephone # <b>304 264-7132</b>	
Facility Address <b>250 Murall Drive Kearneysville , WV</b>	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>11/21/2018</b>	Total Time Spent <b>1.00</b>

<b><i>Equipment Temperatures</i></b>	
Description <b>Refrigerator</b>	Temperature (Fahrenheit) <b>40</b>

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher3-BaySink	HeatChemical		50	Chlorine	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<p><b>Total # 1</b> <b>Repeated # 3</b></p> <p><b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Mouse droppings under wire shelving/can opener station.</p>

**Observed Non-Critical Violations**

**Total # 4**

**Repeated # 3**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Dishmachine needs replaced or repaired

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Wire shelving under prep table needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Flashing on cabinets needs replaced (peeling).

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Bleach cabinet needs repaired/replaced (leak damage)

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Ruth Jones**



**Keith Allison**