



# FAUX WOOD

## BLINDS

Effective February 4, 2019 (Revised 5/20/19)

*design simplified™*

---

## TABLE OF CONTENTS

---

### Product Overview

- Features & Benefits . . . . . 2
- Color Charts . . . . . 3

### Pricing Information

- 2" Faux – Whites & Neutrals Price Chart and Surcharges . . . . . 4
- 2" Faux – Wood Tones Price Chart and Surcharges . . . . . 5
- 2-1/2" Faux – Whites & Neutrals Price Chart and Surcharges. . . . . 6
- 2-1/2" Faux – Wood Tones Price Chart and Surcharges . . . . . 7
- 2" Faux – Premium Grain Price Chart and Surcharges . . . . . 8
- RemoteTilt™ System and Option Surcharges . . . . . 9

### Valance Information

- Individual Valance Ordering and Pricing/Tape Valance Option and Color Chart . . . . . 10
- Valances and Valance Return Information and Specifications . . . . . 11

### Cordless Lift & Lock Bottomrail Color Coordination . . . . . 12

### Solid and Decorative Tape Option and Listing . . . . . 13

### Product and Specifications

- Product Specifications . . . . . 14
- Size Specifications . . . . . 15
- Finished Dimensions and Mounting Requirements. . . . . 15

### Controls, Components, Ladder/Tape Placement & Stack-up Charts

- Standard Rectangular . . . . . 16
- Cordless . . . . . 17
- RemoteTilt. . . . . 18
- Cordless Lift & Lock™ . . . . . 19
- Component Diagrams . . . . . 20-22

### RemoteTilt Motorization

- RemoteTilt Motorization – Overview. . . . . 23
- Radio Frequency (RF) Features, Options and Part Numbers . . . . . 24

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.



---

## FEATURES & BENEFITS

---

- Durable engineered material that won't crack, chip, or peel.
- Offered in a wide selection of whites, neutrals and wood tones, including the rich colors and wood grain patterns of the Premium Grain collection.
- Whites, Neutrals and Woodtones available in 2" and 2-1/2" slat styles, Premium Grain available in 2" slats.
- Come standard with a 3" decorative valance and trapezoid bottomrail. Contemporary Crescent or simply elegant Modern valance profiles are optional.
- Heavy-duty slim design headrail and crash-proof cordlock that provide smooth, reliable operation.
- Decorative tassels and lift cord with a unique Stop Ball that breaks apart under pressure to help protect children and pets.
- A wide selection of solid and decorative tapes that add a stylish accent.
- Optional LightsOut routeless feature that blocks additional light and enhances privacy.
- Available with upgraded operating systems including Cordless Lift & Lock™, Cordless Lift and RemoteTilt™ for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt.
- Limited Lifetime Warranty ensures your customers' satisfaction.

---

## COLOR CHART

---

### 2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

### 2-1/2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

### 2" PREMIUM GRAIN

Espresso	PG507
Harvest	PG504
Heathered	PG500
Peppercorn	PG503

Slate	PG501
Sterling Gray	PG502
Tawny	PG506
Toasted Almond	PG505

---

## CHARACTERISTICS OF FAUX WOOD BLINDS

---

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer long lasting performance. The Whites and Neutrals and the Wood Tones colors are constructed of a durable engineered polymer material, and the Premium Grain colors are constructed of a non-PVC acrylic-based material. Both materials will not crack, chip or fade – perfect for high traffic areas. They are also easy to clean and are moisture resistant for placement in kitchens and bathrooms.

Faux wood blinds are not intended for installation near heat sources such as radiators and heat registers which can potentially compromise the integrity of the faux wood material, or in locations where temperatures within the window casing will exceed 120 degrees Fahrenheit, including older single pane or aluminum frame windows that conduct and amplify outside heat into the window casing.

Faux wood blinds in all colors are certified GOLD for Greenguard Indoor Air Quality. The Whites and Neutrals colors and the Wood Tone colors are FR Certified NFPA 701 (Premium Grain colors are not FR certified).



**GROUP 1 – 2" WHITES & NEUTRALS**

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$83	92	98	109	116	129	141	162	172	188	199	211	228
36"	90	97	103	115	126	137	150	172	185	204	211	228	246
42"	96	103	112	125	136	148	163	187	200	218	232	247	269
48"	102	109	117	133	143	159	173	199	215	236	245	266	288
54"	109	121	131	147	160	173	192	218	236	256	273	290	312
61"	116	128	139	155	169	183	203	234	249	273	289	312	338
66"	124	134	145	166	178	196	216	247	267	294	309	332	359
73"	132	142	154	177	190	210	232	267	285	312	331	358	386
78"	137	149	163	182	199	218	243	279	301	330	348	375	
84"	142	155	171	194	210	232	258	293	317	350	366	388	
90"	149	163	178	203	220	243	268	305	331	365	375		
96"	154	172	188	211	232	256	283	322	348	384			
102"	161	177	195	218	238	266	294	338	362				
108"	175	192	209	239	262	286	316	361	382				

 Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail

 Cordless Lift & Lock not available  
in sizes over 40 sq ft outside the  
thick black line

**SOLID & DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes &amp; availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift &amp; Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>Solid</b>	<b>\$24</b>	<b>24</b>	<b>24</b>	<b>24</b>	<b>29</b>	<b>29</b>	<b>35</b>	<b>35</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>51</b>
<b>Decorative</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>62</b>	<b>62</b>	<b>76</b>	<b>76</b>	<b>88</b>	<b>88</b>	<b>100</b>	<b>100</b>	<b>108</b>

**NO CHARGE OPTIONS**

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$74 each
- Cordless Lift System.....add \$106 each
- Blinds Under 12" Wide.....add \$14 each
- Tape Valance .....add \$13 each
- Keystone Valance Option (for blinds under 102" wide) .....add \$13

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization <sup>1</sup>
Minimum Width (Net)	8" 12" with Tapes	18" 20" with Remote Tilt	10-1/2"	20" 22" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) <sup>2</sup>	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" <sup>3</sup>	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

<sup>1</sup> RemoteTilt Motorization is not available with Cordless Lift & Lock

<sup>2</sup> Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

<sup>3</sup> Cordless Lift & Lock™ not available as a 3 on 1 headrail

## GROUP 2 – 2" WOOD TONES

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$90	97	105	117	129	141	155	177	195	207	224	236	255
36"	96	104	113	128	138	152	168	192	209	224	243	256	275
42"	103	113	124	138	150	167	181	209	229	244	267	279	302
48"	109	119	131	145	161	177	196	223	245	266	285	300	324
54"	121	133	144	163	177	196	216	245	273	292	316	331	358
61"	128	141	154	173	190	207	229	264	291	313	339	357	384
66"	136	149	166	183	202	222	247	285	312	338	366	384	414
73"	144	161	173	199	217	241	267	305	337	360	392	416	450
78"	154	169	183	211	233	255	281	323	361	389	423	444	
84"	166	179	199	226	247	275	304	348	389	417	458	461	
90"	172	190	210	241	264	292	326	375	414	443	469		
96"	182	200	223	253	278	308	344	393	439	472			
102"	190	210	233	263	291	322	360	411	459				
108"	206	227	251	286	314	347	389	442	476				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

### SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$24	24	24	24	29	29	35	35	40	40	47	47	51
Decorative	51	51	51	51	62	62	76	76	88	88	100	100	108

### NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- 3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

### OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ System .....add \$74 each
- Cordless Lift System .....add \$106 each
- Blinds Under 12" Wide .....add \$14 each
- Tape Valance .....add \$13 each
- Keystone Valance Option (for blinds under 102" wide) .....add \$13

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization <sup>1</sup>
Minimum Width (Net)	8" 12" with Tapes	18" 20" with Remote Tilt	10-1/2"	20" 22" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) <sup>2</sup>	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" <sup>3</sup>	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

<sup>1</sup> RemoteTilt Motorization is not available with Cordless Lift & Lock

<sup>2</sup> Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

<sup>3</sup> Cordless Lift & Lock™ not available as a 3 on 1 headrail

**GROUP 3 – 2-1/2" WHITES & NEUTRALS**

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>HEIGHT TO:</b>													
30"	\$93	101	109	120	132	148	160	184	198	219	235	252	273
36"	101	108	117	130	143	159	176	200	218	239	257	276	298
42"	111	115	123	139	152	172	186	212	233	256	276	295	320
48"	115	123	132	150	164	184	202	230	251	279	300	323	348
54"	121	131	143	160	177	199	218	252	276	304	326	355	383
61"	128	141	151	171	189	216	236	270	297	327	357	384	415
66"	146	159	172	194	213	241	266	304	335	366	393	428	461
73"	155	170	184	207	229	258	285	327	357	397	427	461	498
78"	162	177	193	218	243	275	302	344	378	420	455	496	
84"	172	189	207	233	261	294	326	373	408	451	495	514	
90"	184	201	221	247	277	313	346	397	441	486	519		
96"	192	212	234	264	297	336	372	428	472	521			
102"	205	226	250	280	315	361	398	455	507				
108"	216	238	263	300	340	383	426	494	521				

 Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail

 Cordless Lift & Lock not available  
in sizes over 31 sq ft outside the  
thick black line

**SOLID & DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes &amp; availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift &amp; Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>Solid</b>	<b>\$24</b>	<b>24</b>	<b>24</b>	<b>24</b>	<b>29</b>	<b>29</b>	<b>35</b>	<b>35</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>51</b>
<b>Decorative</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>62</b>	<b>62</b>	<b>76</b>	<b>76</b>	<b>88</b>	<b>88</b>	<b>100</b>	<b>100</b>	<b>108</b>

**NO CHARGE OPTIONS**

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Cord Tilter (please see available lengths on p.16)
- Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds)
- Special Wand and Cord Length (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$74 each
- Cordless Lift System.....add \$106 each
- Blinds Under 12" Wide.....add \$14 each
- Tape Valance .....add \$13 each
- Keystone Valance Option (for blinds under 102" wide) .....add \$13

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" Remote Tilt Motorization <sup>1</sup>
Minimum Width (Net)	12"	18" 20" with Remote Tilt	10-1/2"	20" 22" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) <sup>2</sup>	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" <sup>3</sup>	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

<sup>1</sup> RemoteTilt Motorization is not available with Cordless Lift & Lock

<sup>2</sup> Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

<sup>3</sup> Cordless Lift & Lock™ not available as a 3 on 1 headrail

**GROUP 4 – 2-1/2" WOOD TONES**

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>HEIGHT TO:</b>													
30"	\$103	109	120	133	144	163	176	202	217	241	259	277	300
36"	109	119	128	143	158	175	194	221	240	263	283	303	327
42"	121	126	136	153	167	189	205	234	256	282	303	324	350
48"	125	135	144	165	181	202	222	254	276	309	331	356	384
54"	134	144	158	176	194	219	240	277	303	335	359	390	421
61"	141	155	167	188	208	236	260	297	326	361	392	423	458
66"	160	175	189	212	235	265	292	335	369	404	432	470	507
73"	172	187	202	227	253	285	313	361	392	437	469	507	547
78"	177	195	212	240	268	302	332	379	415	462	499	545	
84"	189	207	228	256	287	323	359	411	449	497	544	566	
90"	202	221	243	273	304	344	381	438	485	535	569		
96"	211	234	256	291	326	370	410	472	518	574			
102"	225	247	274	309	347	397	439	499	558				
108"	237	262	290	331	374	421	467	544	574				

 Note: Blinds over 50 sq. ft.  
require 2 or 3 on 1 Headrail

 Cordless Lift & Lock not available  
in sizes over 31 sq ft outside the  
thick black line

**SOLID & DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes &amp; availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift &amp; Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>Solid</b>	<b>\$24</b>	<b>24</b>	<b>24</b>	<b>24</b>	<b>29</b>	<b>29</b>	<b>35</b>	<b>35</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>51</b>
<b>Decorative</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>62</b>	<b>62</b>	<b>76</b>	<b>76</b>	<b>88</b>	<b>88</b>	<b>100</b>	<b>100</b>	<b>108</b>

**NO CHARGE OPTIONS**

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – either LR, RL or Grouped
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Cord Tilter (please see available lengths on p.16)
- Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds)
- Special Wand and Cord Length (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$74 each
- Cordless Lift System.....add \$106 each
- Blinds Under 12" Wide.....add \$14 each
- Tape Valance .....add \$13 each
- Keystone Valance Option (for blinds under 102" wide) .....add \$13

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" Remote Tilt Motorization <sup>1</sup>
Minimum Width (Net)	12"	18" 20" with Remote Tilt	10-1/2"	20" 22" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) <sup>2</sup>	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" <sup>3</sup>	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

<sup>1</sup> RemoteTilt Motorization is not available with Cordless Lift & Lock

<sup>2</sup> Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

<sup>3</sup> Cordless Lift & Lock™ not available as a 3 on 1 headrail



**GROUP 5 – 2" PREMIUM GRAIN**

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$103	112	120	135	148	161	177	203	225	238	257	271	293
36"	110	119	130	147	159	175	193	221	241	257	278	294	316
42"	119	130	142	159	172	191	207	241	263	281	307	321	347
48"	124	137	150	168	185	204	225	256	282	306	327	344	373
54"	139	153	167	188	204	225	247	282	313	336	363	381	412
61"	147	161	177	200	218	238	263	304	335	360	389	410	441
66"	156	171	190	210	233	255	284	327	359	388	422	441	476
73"	167	185	200	228	250	277	307	352	388	414	450	479	516
78"	177	194	210	243	267	293	323	372	414	447	486	511	
84"	190	206	228	260	286	316	350	401	447	480	526	530	
90"	199	220	242	277	304	336	374	431	476	510	540		
96"	209	229	256	291	320	353	396	452	503	543			
102"	218	242	267	303	335	371	414	473	528				
108"	237	261	287	328	362	399	447	508	547				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift &amp; Lock not available in sizes over 40 sq ft outside the thick black line

**SOLID & DECORATIVE TAPE SURCHARGE**

NOTE: See Tape section for sizes &amp; availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift &amp; Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>Solid</b>	<b>\$24</b>	<b>24</b>	<b>24</b>	<b>24</b>	<b>29</b>	<b>29</b>	<b>35</b>	<b>35</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>51</b>
<b>Decorative</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>51</b>	<b>62</b>	<b>62</b>	<b>76</b>	<b>76</b>	<b>88</b>	<b>88</b>	<b>100</b>	<b>100</b>	<b>108</b>

**NO CHARGE OPTIONS**

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

**OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

- Cordless Lift & Lock™ System .....add \$74 each
- Cordless Lift System .....add \$106 each
- Blinds Under 12" Wide.....add \$14 each
- Tape Valance .....add \$13 each
- Keystone Valance Option (for blinds under 102" wide) .....add \$13

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization <sup>1</sup>
Minimum Width (Net)	8" 12" with Tapes	18" 20" with Remote Tilt	10-1/2"	20" 22" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) <sup>2</sup>	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" <sup>3</sup>	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

<sup>1</sup> RemoteTilt Motorization is not available with Cordless Lift & Lock

<sup>2</sup> Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

<sup>3</sup> Cordless Lift & Lock™ not available as a 3 on 1 headrail

## REMOTETILT™ – Tilt Motorization System

NOTE: Must select RF RemoteTilt power source when ordering.

**Radio Frequency (RF) RemoteTilt power options are:** Single Battery Wand (reloadable), Dual Battery Wand (reloadable), and Transformer (plugs into wall outlet). Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders at the prices shown below. The part # below references the battery wand only.

### OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteTilt power source when ordering)

#### RADIO FREQUENCY (RF) MOTORIZATION

- Radio Frequency (RF) Tilt Motor .....add \$294 per blind
- Radio Frequency (RF) Remote Control Unit – 1 Channel ..... Part #RC445069..... add \$107 each
- Radio Frequency (RF) Remote Control Unit – 5 Channel ..... Part #RC445079..... add \$137 each
- Radio Frequency (RF) Wireless Wall Switch – 1 Channel..... Part #RC445135..... add \$272 each
- Radio Frequency (RF) Wireless Wall Switch – 5 Channel..... Part #RC445136..... add \$272 each
- Radio Frequency (RF) Programmable Timer – 1 Channel ..... Part #1805237A..... add \$432 each
  
- Radio Frequency (RF) Single Battery Wand – Reloadable (Includes 8 AA)..... Part #RC445268..... add \$146 each
- Radio Frequency (RF) Dual Battery Wand – Reloadable (Includes 16 AA) ..... Part #RC445268..... add \$294 each
- Radio Frequency (RF) Transformer ..... Part #1822192 ..... add \$146 each
- Radio Frequency (RF) 10" Battery Wand Extension Cable ..... Part #9013282 ..... add \$11 each
- Radio Frequency (RF) 48" Battery Wand Extension Cable ..... Part #9013279 ..... add \$16 each
- Radio Frequency (RF) 96" Battery Wand Extension Cable ..... Part #9013277 ..... add \$21 each
- Radio Frequency (RF) 8 AA Lithium Batteries – Reloadable Wand Replacements ..... Part #9014834 ..... add \$49 each
  
- Solar Recharge Kit (**batteries NOT included** if ordered as a stand alone kit) ..... Part #9019034 .....add \$267 each  
*(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)*
- NiMh Rechargeable Batteries (quantity of 10)..... Part #9018621 .....add \$75 each
- Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) ..... Part #9018620 .....add \$265 each
- 48" Extension Cable for Y Harness..... Part #9016736 .....add \$18 each

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

REMOTETILT MOTORIZATION	2"	2-1/2"
Minimum Width (Net)	20" 22" with Solid or Decorative Tapes	20" 22" with Solid or Decorative Tapes
Maximum Width (One blind)	96"	96"
Maximum Height	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"

Note: RemoteTilt not available with Cordless Lift & Lock.

## INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.)

### Valance Deductions for Faux Wood Blinds

Order Configuration		How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	CONTINUOUS	Inside miter to miter valance will be exact ordered width

2" & 2-1/2" FAUX WOOD COLOR NAMES	3" STANDARD DECORATIVE, 3" CRESCENT, AND 3" MODERN VALANCE COLOR #
Burmese Teak	P925
Dolphin	S921
Eggshell	S904
Espresso	PG507
Gobi	S920
Harvest	PG504
Heathered	PG500
Honey Maple	P924
Light Oak	P913
Pearl	S903
Peppercorn	PG503
Slate	PG501
Smoke	S922
Snow	S901
Sterling Gray	PG502
Tawny	PG506
Textured Pearl	T903
Textured Pure White	T901
Toasted Almond	PG505
Ultra White	S951

\*NOTE: When ordering Textured White and Textured Pearl, the Decorative Valance will be textured; Crescent Valance and Modern Valance will be smooth.

### INDIVIDUAL VALANCE PRICING (FOR 3" STANDARD DECO, CRESCENT AND MODERN VALANCE)

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Standard Deco, Crescent, and Modern Valance	\$22	22	22	22	34	34	34	34	47	47	47	47	56	56	56	73	73	73	93	114

## TAPE VALANCE OPTION



With this option, the 1" or 1-1/8" Tape is attached (glued) across the flat section of the 3" Standard Deco Valance. Refer to the faux wood/tape sample deck to coordinate faux wood and tape colors to your customer's liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)

SOLID TAPE NAMES	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861

SOLID TAPE NAMES	Color Number
Pecan	1334
Steel	1867
Taupe	1302
White	1100
DECORATIVE TAPE NAMES	Color Number
Gray Cream Band	5007
Gray Gold Band	5006

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone, as it will butt up to it on each side.

# VALANCES


## VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile

Crescent Valance - 3" Profile (optional)

Modern Valance - 3" Profile (optional)



NOTE: Outside mount returns are adjusted longer by the factory when short or long (1-3/8" or 3-1/2") extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom return lengths when ordering if additional spacer blocks will be used.

### Slat Size/Style

- 2" Faux Wood Blinds
- 2-1/2" Faux Wood Blinds

### Standard OB Returns

3"  
3-3/8"

**NOTE: Inside mount blind valances do not come with returns unless specified on the order.**


## KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.





## VALANCE / RETURN SPECIFICATIONS

- **Custom valance widths** are available upon request. Maximum widths for valance are as follows:  
The maximum Continuous Valance width is **102"**  
The maximum Spliced Valance width is **168"**. (See note below).
- **Custom return lengths** are available upon request.  
The minimum return length is **1/2"**  
The maximum return length is **6"**
- **3" Return lengths** are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.  
Short Extension Brackets = **4-1/4"**  
Long Extension Brackets = **6-1/4"**  
Small Spacer Blocks (1st Set) = **3-3/8"**  
Large Spacer Blocks (1st Set) = **3-3/4"**

**NOTE:** Valances over 102" will be spliced in the middle. **A decorative keystone will be supplied at no charge to join the sides and conceal the splice.**

### CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

- **NOTE:** Valances are cut to measure from the **inside** miter to insure the most accurate fit when installed over the headrail or window frame.





## CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Whites & Neutrals	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail	
			Color	Color #
Dolphin	S921	S921	Pearl Gray	879
Eggshell	S904	S904	Antique White	973
Gobi	S920	S920	Antique White	973
Pearl	S903	S903	Antique White	973
Smoke	S922	S922	Gray Flannel	405
Snow	S901	S901	Flex White	885
Textured Pearl	T903	T903	Antique White	973
Textured Pure White	T901	T901	Gloss White	110
Ultra White	S951	S951	Pearl	974

Wood Tones	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail	
			Color	Color #
Burmese Teak	P925	P925	Wild Ginger	463
Honey Maple	P924	P924	Camel	082
Light Oak	P913	P913	Camel	082

Premium Grain	2" Color #		Cordless Lift & Lock Bottomrail	
			Color	Color #
Espresso	PG507	N/A	Venetian Bronze	234
Harvest	PG504	N/A	Cocoa	083
Heathered	PG500	N/A	Smokey Gray	443
Peppercorn	PG503	N/A	Bronze	064
Slate	PG501	N/A	Smokey Gray	443
Sterling Gray	PG502	N/A	Pearl Gray	879
Tawny	PG506	N/A	Sweet Chocolate	378
Toated Almond	PG505	N/A	Bronze	064

**NOTE:** Bottomrail colors are pre-selected. Hardware color override is not available.  
Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

# SOLID AND DECORATIVE TAPES

## TAPES



## TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-1/2" faux wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- *Lifetime Guarantee*
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

### Solid Tapes

1" Solid Tape	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861
Pecan	1334
Steel	1867
Taupe	1302
White	1100

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

### Decorative Tapes

1-1/8" Deco Tape		Attached To
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

1-1/2" Deco Tape		Attached To
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White

**Solid and Decorative Tapes are not available with:**

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™

# PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	20	12
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - Standard/Cordless	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock	Aluminum Bottomrail made in 1 of 18 colors - see listing on Page 12 for color name and Wood/Faux Wood bottomrail color guide for color sample	
Ladder Space	44 mm	54 mm
Wand Tilt - not available with RemoteTilt option	Yes	Yes
Decorative Valance	Yes – 3"	Yes – 3"
Crescent Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Decorative Tassel	Yes	Yes
Headrail End Stiffener	Yes	Yes
Break-Away Stop Ball	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless Lift - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
Cordless Lift & Lock™ - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
RemoteTilt System <sup>1</sup> - not available with cordless Lift & Lock™	Yes	Yes
LightsOut Routeless Slats <sup>2</sup> - not available with tapes - not available with cordless lift - not available with cordless Lift & Lock™	Yes	Yes
2 or 3 On 1 Headrail <sup>3</sup> - 2-on-1 or 3-on-1 headrail not available with cordless lift - 3-on-1 headrail not available with cordless Lift & Lock™	Yes	Yes
Tapes <sup>4</sup> (not available with LightsOut feature) - not available with cordless lift - not available with cordless Lift & Lock™ - not available with LightsOut Routeless feature	Yes	Yes
Tape Valance – Standard Decorative Valance Only	Yes	Yes
Crescent Valance Option <sup>5</sup>	Yes	Yes
Modern Valance Option <sup>5</sup>	Yes	Yes
Keystone Valance Option	Yes	Yes

CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Cord Tilt	Yes	Yes
Wand/Cord – Custom Lengths	Yes	Yes (Cord Only)
Control Positions	LR, RL or Grouped	LR, RL or Grouped
Tilt Control Position – Cordless	Left Tilt Only	Left Tilt Only
Tilt Control Position – Cordless Lift & Lock™	L or R Under 12-1/2" net - center tilt only	L or R Under 12-1/2" net - center tilt only
Lift Control Position – RemoteTilt (Motor will be on opposite side)	L or R	L or R
Tile Cut-out(s) - not available with cordless Lift & Lock™	Yes	Yes
Spacer Blocks <sup>6</sup> (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - not available with 2-1/2" cordless Lift & Lock	Yes	Yes

FOOTNOTES (FEATURES & SPECIFICATIONS)
<sup>1</sup> RemoteTilt motorization system requires a hand-held REMOTE CONTROL unit. <b>The quantity of remote control units must be specified when ordering. RemoteTilt requires both a remote and a power source. Please specify when ordering.</b>
<sup>2</sup> <b>The LightsOut configuration</b> may cause slight "puckering" of the <b>lift cords</b> on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering.
<sup>3</sup> The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.
<sup>4</sup> There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the RemoteTilt upgrades.
<sup>5</sup> Wood tone blinds will include Antique Brass tape clamps and White/Neutral tone blinds will include White tape clamps on the bottomrail.
<sup>6</sup> When ordered with T901 Textured Pure White or T903 Textured Pearl, the Crescent Valance and Modern Valance will be a smooth finish.
<sup>7</sup> On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".

## SIZE SPECIFICATIONS

STANDARD RECTANGULAR	2"	2-1/2"
Minimum Width (Net)	8" 12" with Tapes	12" 12" with Tapes
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	108"	108"
Max. AREA (SQ/FT) (Blinds over 50 SQ/FT require 2 or 3 on 1 headrail)	50 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

CORDLESS LIFT	2"	2-1/2"
Minimum Width (Net)	18"	18"
Maximum Width (One blind)	78"	78"
Minimum Height	12"	12"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	10-1/2"
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	84"	84"
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

REMOTETILT MOTORIZATION	2"	2-1/2"
Minimum Width (Net)	20" 22" with Tapes	20" 22" with Tapes
Maximum Width (One blind)	96"	96"
Maximum Height	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width <sup>1</sup>	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width <sup>1</sup>	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	- 1/2"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 2" Slat:	3-1/2"
Minimum mounting depth, flush mount - 2-1/2" Slat:	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

### FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.



# CONTROL CHARTS – STANDARD CORD LIFT

## TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum tilt cord length is 6". For blinds under 15" in height, a tilt cord length override to at least 6" must be requested.
- For RemoteTilt**, the **tilt** function is controlled by remote unit

### CONTROL POSITIONS:

Tilt Cord center and no Lift Cord\*  
 Tilt Cord **left** / Lift Cord **right** (standard)  
 Lift Cord **left** / Tilt Cord **right**  
 Tilt & Lift Cords **grouped left**  
 Tilt & Lift Cords **grouped right**

Min. Width (NET)
Under 12"
12"
12"
18-1/8"
18-1/8"

\* Available on 2" blinds only

## TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- For RemoteTilt**, tilt function is controlled by remote unit
- Tilt Length Override – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".  
 Wand length optional. Specify above optional lengths when ordering.

2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 108"

Lift Cord Control – Standard lift cord length is 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.

## Ladder/Tape Placement Charts

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 20" **	2	2
20-1/8" to 32"	3	2
32-1/8" to 44"	4	4
44-1/8" to 56"	5	4
56-1/8" to 68"	6	4
68-1/8" to 80"	7	4
80-1/8" to 96"	8	4


\*\*Under 12" NET for 2" slats only

\*\*Routes are positioned approximately 2" from the end of the slat for blinds less than 12 1/8" wide, and 4" from the end of the slat for all others. Exceptions are standard and LightsOut blinds with grouped controls will be approximately 4 1/2" from end of slat, and 4 3/4" for blinds with cloth tapes and grouped controls.

## BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.




## BOTTOMRAIL - Standard

- 2" Trapezoid** bottomrails are standard on faux wood blinds with **standard lift cords**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



## Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS + 2-1/2"

# CONTROL CHARTS – CORDLESS

## TILT CORD (OPTIONAL)

- Tilt cords are **color coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
- LIFT** function is controlled from the bottom rail

### TILT CONTROL POSITIONS - LEFT ONLY

Tilt Wand (Standard), Tilt Cords (Optional)  
or RemoteTilt (Optional)

Min. Width (NET)
18"
20" with Remote Tilt

## TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- For RemoteTilt**, tilt function is controlled by remote unit
- Tilt Length Override – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".  
Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"

## Ladder Placement Charts

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4


\*\*Routes are positioned approximately 6" from the end of the slat for all blinds.

## BOTTOMRAIL - Cordless Lift

- 2" Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



## Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS + 2-1/2"

## CONTROL CHARTS – REMOTETILT

### CONTROLS

- Lift cords are **color coordinated** with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
- **TILT** function is motor controlled from remote unit

#### CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**


Min. Width
20"
22" with Tapes

Motor position will be on the opposite side of Lift Cord

### BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



### LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" FAUX		
Blind Width	# of Ladders	# of Routes
12" to 18"	2	2
18-1/8" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

\*\*Routes are positioned approximately 5" from the end of the slat for blinds less than 18 1/8" wide, and 6" from the end of the slat for all others.

### STACK-UP CHART (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

2 1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

# CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

## TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
- For **cordless Lift & Lock** the **lift** function is controlled by the bottomrail

### CONTROL POSITIONS:

Tilt Cord **center ONLY**

Tilt **Left or Right ONLY**

### Min. Width (NET)

10-1/2" to 12-3/8"

12-1/2" and more

## TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override (Optional) – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120". Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"



## Ladder Placement Charts

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4


\*\*Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

## BOTTOMRAIL - Cordless Lift & Lock™

- A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 12. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.

Aluminum Bottomrail



**NOTE:** Bottomrail colors are pre-selected. Hardware color override is not available.

## Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"


PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

PLUS + 2-1/2"




# PRODUCT COMPONENTS – STANDARD RECTANGULAR




**\*NOTE:** 1 Center Support Bracket required for blind sizes 48-1/8" to 60" and 2 brackets required for blind sizes 60-1/8" and over.

# PRODUCT COMPONENTS – CORDLESS LIFT & LOCK™ SYSTEM



\*when ordered with wand tilt

## PRODUCT COMPONENTS – CORDLESS LIFT SYSTEM



---

## REMOTETILT™ MOTORIZATION: OVERVIEW

---

With RemoteTilt motorized blinds, a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteTilt hand-held remote control. At the simple touch of a button, blinds will tilt open or closed to adjust to the changing sunlight in a room.



RemoteTilt motorized blinds provide ultra-quiet operation. This RF system can operate blinds from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. It is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual blinds and/or group control.

---

The RemoteTilt motorization system provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

---



The RemoteTilt RF timer allows users to program specific times of the day to automatically adjust blinds in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteTilt RF wireless wall switch allows blinds to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

---

Alta RemoteTilt motorized blinds are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.





# RADIO FREQUENCY REMOTETILT™ MOTORIZATION: FEATURES & OPTIONS














## RADIO FREQUENCY (RF) REMOTETILT FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor with quiet operation
- Motor is fully enclosed within the headrail
- RemoteTilt blinds install with standard installation hardware
- RF motor is programmable with 1-channel and 5-channel versions

Note: The power source must be selected when ordering. The options are: reloadable and non-reloadable single or dual battery wand, and the plug-in transformer.



 <p><b>Radio Frequency (RF) RemoteTilt Motor</b>          Motor (Part #1002822)          Headrail Adapter (Part #9014528)          Tilt Hex Rod Adapter – Standard (Part #9014535)          Tilt D Rod Adapter – Cordless Lift (Part #9014536)</p>	<ul style="list-style-type: none"> <li>• Fully concealed motor unit</li> <li>• Flexible and programmable operation</li> <li>• 12 Volt System</li> </ul>
 <p><b>Radio Frequency (RF) Remote Control</b>          (must order separately)          Color: 2 tone white and gray          2 Types: programmable 1-channel and programmable 5-channel          (1-Channel: Part #RC445069)          (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> <li>• Controls tilting operation</li> <li>• Programmable features</li> <li>• Easy blind tilting up to 90 feet away</li> <li>• 5-channel remote allows for multiple and independent blind operation</li> </ul>
 <p><b>Single Battery Wand (reloadable) and Installation Clips</b>          Wand (Part #RC445268)          Clips (Part #9013263)          8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> <li>• On initial blind orders, the reloadable wand comes with 8 AA lithium batteries</li> <li>• Comes with wall mounting installation clips</li> <li>• For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s</li> <li>• Replacement 8 AA lithium batteries may also be ordered separately</li> </ul>
 <p><b>Optional, Dual Battery Wand (reloadable) &amp; Installation Clips (RF)</b>          (Clips: Part #9013263)          (Wand: Part #RC445268) x2          (Y-Harness: Part #9018625)          (Y-Harness Ext. Cable: Part #9016374)</p>	<ul style="list-style-type: none"> <li>• On initial shade orders, the reloadable wands come with 16 AA lithium batteries</li> <li>• Combines (reloadable) Single Battery Wands for extended life</li> <li>• Comes with wall mounting installation clips</li> </ul>
 <p><b>Transformer 10' Cable</b>          (Part #1822445)</p>	<ul style="list-style-type: none"> <li>• Plug-in operation, no batteries required</li> <li>• Works in standard wall outlet (10' wire length)</li> </ul>
 <p><b>Battery Wand Extension Cables (RF)</b>          Color: White          (10" Cable: Part #9013282)          (48" Cable: Part #9013279)          (96" Cable: Part #9013277)</p>	<ul style="list-style-type: none"> <li>• Available in 10", 48" and 96"</li> <li>• Allows battery wand installation away from headrail</li> </ul>
 <p><b>Wireless Wall Switch (RF)</b>          Color: white          2 Types: programmable 1-channel and 5-channel          (1 Channel: Part #RC445135)          (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> <li>• Control wireless operation from the wall up to 90 feet away</li> <li>• Works like turning a light on/off</li> </ul>
 <p><b>Programmable Timer (RF)</b>          1 Type: programmable 1-channel          (Part #1805237A)</p>	<ul style="list-style-type: none"> <li>• Program operation based on pre-set times</li> <li>• Excellent home security feature</li> </ul>
<p><b>WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034)</b></p> <p>Photovoltaic Panel </p> <p>48" Extension Cable for Y Harness (Part #9016736)</p> <p>Batteries (Part #9018621) </p> <p><b>Accessories</b>          Plug-in AC battery (Part #9018620) rapid charger (required for charging battery prior to installation) </p>	<ul style="list-style-type: none"> <li>• Uses sunlight to power a motorized shade.</li> <li>• Easy to install. Low profile, easy to conceal.</li> <li>• Solar Recharge Kit (<b>batteries NOT included</b> if ordered as a stand alone kit) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)</li> <li>• NiMh Rechargeable Batteries (quantity of 10) (Part #9018621)</li> <li>• Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9018620)</li> <li>• 48" Extension Cable for Y Harness (Part #9016736)</li> </ul>