



4"x4'-0" 8 STRAND

CONCRETE STRENGTH = 6,000 PSI @ 28 DAYS

STRAND - 1/2" 270k LO LAX UNIT WT (LB/SF) - 48 AREA (SQ. IN.) - 192

CAST IN ITEMS

MARK	QTY.	DESCRIPTION
X 6		L 2 1/2" x 2" x 1/4" x 0'-7"
404	2	#4 x 3'-7"

SECTION PROPERTIES

AREA (SQ IN)	192	WEIGHT (LB)	50 lbs / sf
--------------	-----	-------------	-------------

RJW Consulting International, Inc.
 2518 Catalina Dr. Orlando, FL 32805
 (407) 493-7573 rick@rjwconsultinginc.com
 www.rjwconsultinginc.com

Prepared For:

**HENDERSON
 PRESTRESSED
 CONCRETE, INC.**
 822 ANCLOTE RD.
 TARPON SPRINGS, FL 34689
 727-938-2828

Drawn : **RJW** Issued (Prelim.): **03/19/14**

Checked : Issued (Production) :

Project :

4" x 4'-0" SLAB (8) STRAND

REVISIONS			QUANTITY
REV.	DATE	DESCRIPTION	MARK NO.

NOTE: THIS DRAWING IS THE PROPERTY OF HENDERSON PRESTRESSED CONCRETE, INC. (HPC) AND SHALL NOT BE REPRODUCED BY ANY MEANS WITHOUT THE EXPRESSED WRITTEN CONSENT OF HPC.

DWG. NO.