

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>	
Facility Name Domino's Williamsport Pike	Facility Type Food Service Establishment
Licensee Name M. Pizza Inc	Facility Telephone # 304 263-3000
Facility Address 502 Williamsport Pike Martinsburg , WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 01/30/2017	Total Time Spent 1.30

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	40
Pizza cooler	39
Soda/salad cooler	38
Pizza warmer	172
Sandwich cooler	40
True cooler	39

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem		300-	quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b>  <b>Repeated # 5</b>  <b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b>  <i>This is a critical violation</i>  <b>REPEAT OBSERVATION</b> <i>Pizza cutter handles need cleaned</i></p>

**Observed Non-Critical Violations**

**Total # 12**

**Repeated # 5**

**4-502.11 - GOOD REPAIR AND CALIBRATION**

*OBSERVATION: Cuttingboards need bleached or resurfaced*

**4-601.11(B) - COOKING EQUIPMENT AND UTENSILS**

*OBSERVATION: Top of the oven needs cleaned, dust*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: Stainless steel shelves need cleaned, corn meal dust*

**4-602.13 - NONFOOD CONTACT SURFACES**

*REPEAT OBSERVATION Dry stock shelves need cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*REPEAT OBSERVATION Deep dish speed rack needs cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*REPEAT OBSERVATION Inside the blue dressing holders need cleaned inside*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: Outside the corn meal holder and cart needs cleaned*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: Wall and caulking around the 3 bay sink needs cleaned*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: Water faucet guard needs replaced at the water fountain*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: Sanitizer chemical dispenser needs repaired, leaking solution*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*REPEAT OBSERVATION Gray cart needs cleaned*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*REPEAT OBSERVATION The [area] is [describe]. Pizza hood and filters need cleaned*

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Rob Bennett**

Sanitarian



**Glenn GCO Ondick**