

ALL BI-METAL SAW BLADE



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>
2	1333-0460	1/4	0.035	6	0.058	16,800	FT	MATRIX	D6A
3	1303-0110	3/8	0.035	6	0.058	10,900	FT	M42	3% Cr.
13	1303-0170	1/2	0.025	10	0.043	2,500	FT	M42	3% Cr.
14	1303-0180	1/2	0.035	10	0.058	500	FT	M42	3% Cr.
15	1303-0190	1/2	0.025	14	0.043	12,500	FT	M42	3% Cr.
16	1303-0260	1/2	0.025	18	0.043	15,700	FT	M42	3% Cr.
17	1303-9320	1/2	0.035	5-8	0.058	2,700	FT	MATRIX	D6A
18	1303-9340	1/2	0.035	6-10	0.058	8,000	FT	MATRIX	D6A
19	1303-9350	1/2	0.025	8-12	0.044	8,300	FT	MATRIX	D6A
20	1303-9360	1/2	0.035	8-12	0.058	17,000	FT	MATRIX	D6A
23	1333-0260	1/2	0.035	6	0.058	9,200	FT	MATRIX	D6A
40	1303-1820	3/4	0.035	5-8	0.058	1,250	FT	MATRIX	D6A
41	1303-3000	3/4	0.035	8-12	0.058	1,700	FT	MATRIX	D6A
42	1303-4100	3/4	0.035	4-6	0.058	7,000	FT	M42	3% Cr.
43	1303-4150	3/4	0.035	6-10	0.058	2,000	FT	M42	3% Cr.
47	1333-1580	3/4	0.035	5-8	0.058	4,500	FT	MATRIX	D6A
51	1302-9510	1	0.035	4-6	0.058	8,231	FT	MATRIX	D6A
52	1302-9520	1	0.035	5-8	0.058	4,824	FT	MATRIX	D6A
53	1302-9530	1	0.035	6-10	0.058	9,136	FT	MATRIX	D6A
54	1303-4750	1	0.035	5-8	0.075	10,283	FT	MATRIX	D6A
55	1303-5960	1	0.042	5-8	0.085	260	FT	MATRIX	D6A
57	1303-7690	1	0.035	10-14	0.058	3,664	FT	M42	3% Cr.
58	1303-9000	1	0.035	4-6	0.058	13,037	FT	M42	3% Cr.
61	1307-6700	1	0.035	5-8	0.055	5,849	FT	PM	3% Cr.
66	1320-2340	1	0.035	3-4	0.065	4,617	FT	M42	3% Cr.
67	1320-2580	1	0.035	5-8	0.065	6,231	FT	M42	3% Cr.

ALL BI-METAL SAW BLADE



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>
70	1333-2230	1	0.035	2-3	0.058	765	FT	MATRIX	D6A
74	1381-2340	1	0.035	3-4	0.065	75	FT	PM	3% Cr.
75	1381-2460	1	0.035	4-6	0.065	16,572	FT	PM	3% Cr.
76	1381-2580	1	0.035	5-8	0.055	8,638	FT	PM	3% Cr.
78	1301-3750	1 1/5	0.050	4-6	0.078	10	FT	M42	3% Cr.
79	1301-5930	1 1/4	0.042	1.15	0.085	3,150	FT	M42	3% Cr.
80	1301-5940	1 1/4	0.042	1.3	0.072	3,191	FT	M42	3% Cr.
81	1301-6110	1 1/4	0.042	4-6	0.065	5,300	FT	M42	3% Cr.
82	1301-8420	1 1/4	0.042	2	0.072	6,395	FT	M42	3% Cr.
83	1302-9610	1 1/4	0.042	3-4	0.065	13,679	FT	MATRIX	D6A
84	1302-9620	1 1/4	0.042	4-6	0.065	9,439	FT	MATRIX	D6A
85	1303-0990	1 1/4	0.042	4-6	0.080	4,114	FT	M42	3% Cr.
86	1303-7700	1 1/4	0.042	6	0.065	3,069	FT	M42	3% Cr.
88	1306-4660	1 1/4	0.042	4-6	0.065	196	FT	M42	3% Cr.
90	1319-5330	1 1/4	0.042	3-4	0.065	2,077	FT	M42	3% Cr.
91	1319-5580	1 1/4	0.042	2-3	0.065	806	FT	M42	3% Cr.
96	1333-3460	1 1/4	0.042	4-6	0.065	551	FT	MATRIX	D6A
98	1381-3230	1 1/4	0.042	2-3	0.065	1,012	FT	PM	3% Cr.
99	1381-3460	1 1/4	0.042	4-6	0.070	770	FT	PM	3% Cr.
100	1381-3580	1 1/4	0.042	5-8	0.062	4,699	FT	PM	3% Cr.
103	1302-5390	1 1/4	0.042	5-8	0.065	3,000	FT	MTX	D6A
104	1301-8870	1 1/2	0.050	3-4	0.080	2,333	FT	M42	3% Cr.
105	1304-8140	1 1/2	0.050	3-4	0.085	270	FT	PM	3% Cr.
107	1307-8870	1 1/2	0.050	3-4	0.080	34	FT	PM	3% Cr.
109	1319-3750	1 1/2	0.050	4-6	0.078	505	FT	M42	3% Cr.
110	1320-4230	1 1/2	0.050	2-3	0.100	5,140	FT	M42	3% Cr.

ALL BI-METAL SAW BLADE



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>
111	1320-4580	1 1/2	0.050	5-8	0.100	1,976	FT	M42	3% Cr.
120	1381-4120	1 1/2	0.050	1.5-2	0.000	1,755	FT	PM	3% Cr.
122	1301-0700	2	0.063	1.5-2	0.100	1,634	FT	M42	3% Cr.
123	1301-0720	2	0.063	.8-1.2	0.100	212	FT	M42	3% Cr.
124	1301-3840	2	0.063	4-6	0.090	1,998	FT	M42	3% Cr.
125	1304-8460	2	0.063	1-1.5	0.105	988	FT	PM	3% Cr.
127	1306-4450	2	0.063	1.5-2	0.080	387	FT	M42	3% Cr.
128	1306-5120	2	0.063	1.5-2	0.110	1,337	FT	M42	3% Cr.
129	1307-9020	2	0.063	2-3	0.100	255	FT	PM	3% Cr.
130	1319-3270	2	0.063	2-3	0.100	231	FT	M42	3% Cr.
131	1320-5230	2	0.063	2-3	0.120	729	FT	M42	3% Cr.
132	1320-5340	2	0.063	3-4	0.120	947	FT	M42	3% Cr.
133	1320-5460	2	0.063	4-6	0.110	945	FT	M42	3% Cr.
137	1333-5460	2	0.063	4-6	0.100	1,823	FT	MATRIX	D6A
138	1333-5460	2	0.063	4-6	0.100	1,823	FT	MATRIX	D6A
139	1336-5230	2	0.050	2-3	0.080	2,165	FT	MATRIX	D6A
140	1336-5460	2	0.050	4-6	0.080	1,220	FT	MATRIX	D6A
141	1340-5460	2	0.050	4-6	0.100	3,399	FT	M42	3% Cr.
143	1381-5110	2	0.063	1-1.3	0.100	1,355	FT	PM	3% Cr.
144	1381-5120	2	0.063	1.5-2	0.100	46	FT	PM	3% Cr.
145	1381-5810	2	0.063	.8-1.2	0.100	946	FT	PM	3% Cr.
146	1301-1830	2 5/8	0.063	.8-1.2	0.100	890	FT	M42	3% Cr.
147	1301-1850	2 5/8	0.063	1-1.5	0.100	200	FT	M42	3% Cr.
148	1301-1860	2 5/8	0.063	1-1.5	0.100	2,628	FT	M42	3% Cr.
149	1301-6110	2 5/8	0.063	1-1.3	0.100	49	FT	M42	3% Cr.

ALL BI-METAL SAW BLADE



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>
150	1301-9660	2 5/8	0.063	1.3	0.100	1,865	FT	M42	3% Cr.
152	1306-6120	2 5/8	0.063	1.5-2	0.110	64	FT	M42	3% Cr.
153	1320-6230	2 5/8	0.063	2-3	0.120	7	FT	M42	3% Cr.
154	1320-6250	2 5/8	0.063	2-3	0.135	81	FT	M42	3% Cr.
155	1320-6340	2 5/8	0.063	3-4	0.120	932	FT	M42	3% Cr.
159	1301-4300	3 1/7	0.063	.8-1.2	0.100	40	FT	M42	3% Cr.
160	1301-9900	3 1/7	0.063	3-4	0.095	460	FT	M42	3% Cr.
161	1306-7110	3 1/7	0.063	1-1.3	0.110	185	FT	M42	3% Cr.
162	1381-7810	3 1/7	0.063	.8-1.2	0.100	2,499	FT	PM	3% Cr.