

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Popeye's	Facility Type Food Service Establishment	
Licensee Name Martinsburg favorite Chicken LLC	Facility Telephone # 304 267-9888	
Facility Address 23 Elwood St Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 06/07/2018	Total Time Spent 2.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Biscuit cooler	40
Chicken hot hold	173
Walk in cooler	36

<i>Food Temperatures</i>	
Description	Temperature (Fahrenheit)
Rice	143
Mashed pot.	139
Corn	162
Gravy	141
Chicken on cold table	40

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Frylinebucket	chem		0	quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 0

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Walk in cooler shelves need cleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Chicken mixer needs cleaned inside, water and chicken juice needs recleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Several lids and pans, and utensils stored unclean

4-703.11 - HOT WATER AND CHEMICAL

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 0 ppm in the fry line bucket

6-501.111 - CONTROLLING PESTS

This is a critical violation

OBSERVATION: Flies observed in multiple areas of the unit

Observed Non-Critical Violations

Total # 21

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Gaskets need repaired in the fry line freezer

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Soda rack needs cleaned, dust

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Dry stock racks need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Breader tables and cooler need cleaned, flour

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving and stand under the steamer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Tops of the oven and cooler needs dusted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Fry line needs freezer cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelf in the fry line needs dusted, flour

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of 2 and 3 bay sinks and surrounding legs need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Chicken trough needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Out side of the chicken containers(stainless) need cleaned, including the lids

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Tops of tea machine and microwave need cleaned, dust

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Wall by the back door needs repaired, criling in back room above the freezer needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Walk in cooler shelves need repaired, rust.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Server side hoods need placed back in or area needs sealed off to only one side for hoods.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Standing water by the softner area, possible leak, needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Moldy ceiling tiles above the ice machine an dback mop sink needs changed including the one with a hole in it

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors need cleaned behind and under equipment on the fry line and server lines

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: SHelf above melted butter needs dusted

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Server side hoods need cleaned grease dripping on top of the front steamer

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: TV monitors above the counter need dusted


Inspection Outcome

Comments

Sewer smell observed in the seating area, might need to jet out lines or check with public sewer about the issue

Disclaimer

Person in Charge



mohammed a karim

Sanitarian



Glenn GCO Ondick