

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Green Frog	Facility Type Food Service Establishment	
Licensee Name Green Frog LLC	Facility Telephone # 304 229-2999	
Facility Address 7113 Winchester Ave Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/20/2018	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Frigidaire 1	38
Milk	40
Beer cooler 1	39
Frigidaire 2	38
Beer Cooler 2	39
Small White Refrigerator	40
Prep Unit	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay3-BaySinkBar	ChemicalChemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 10</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation REPEAT OBSERVATION Undated cut vegetables in prep unit</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation REPEAT OBSERVATION Popcorn machine needs cleaned</p>

Observed Non-Critical Violations
<p>Total # 23 Repeated # 10</p> <p>4-302.12 - TEMPERATURE MEASURING DEVICES</p>

REPEAT OBSERVATION Thermometers needed in prep unit and small white refrigerator

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: All 3 upright freezers need defrosted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of small refrigerator at bar needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Shelving in Milk refrigerator needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Oven drawer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Drawers under popcorn machine need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Prep table shelving needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of Frigidaire refrigerator 1 needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of Budlight beer cooler needs cleaned

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Outside of utensil storage needs cleaned

5-205.11 - USING A HANDWASHING SINK

REPEAT OBSERVATION Handsink should be used for handwashing only

6-301.12 - HAND DRYING PROVISION

OBSERVATION: No papertowels available at handsink for hand drying.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor in pool table area needs repaired (cracked/broken tiles)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Screws on shelving need shortened (can cut if not paying attention)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Lattice on smoking area needs removed (cracking)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Corner wrap needs repaired walking into kitchen

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Corners of bar need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Vents on all beer coolers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor fans need cleaned in kitchen

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under and behind equipment in office area needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling vents in bathrooms need cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION Hood vents need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Kevin Duvall



Keith Allison