

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | |
|--|---|
| Facility Name RESA 8 Hack Wilson Way | Facility Type Food Service Establishment |
| Licensee Name RESA VIII Head Start | Facility Telephone # 304 263-6222 |
| Facility Address 750 Hack Wilson Way Martinsburg, WV | Licensee Address , |

| Inspection Information | | |
|-------------------------------|-------------------------------|--------------------------|
| Inspection Type Routine | Inspection Date 05/17/2017 | Total Time Spent 0.25 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| milk cooler | 37 |
| refrigerator | 36 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|--------|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| quatspray-Fullcount | chemical | | 200ppm | | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|-------------------------------------|
| Total # 0 |
| Repeated # 0 |

| Observed Non-Critical Violations |
|--|
| Total # 1 |
| Repeated # 0 |
| 4-602.13 - NONFOOD CONTACT SURFACES |
| OBSERVATION: 3 bay sink needs cleaned(not used much-food from school kitchen) |

| Inspection Outcome |
|---------------------------|
| |

| Comments |
|-----------------|
| |

Disclaimer

Person in Charge

Sanitarian

Amy ARE Edwards