

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Subway	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 1691 Valley Rd. Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date October 31, 2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Meatballs	180
Cooler	41
Walk-In Cooler	41
Walk-In Freezer	9

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 1
Repeated # 0
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Floor drain underneath 3 bay sink needs cleaned. Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian

Tim Zeigler

