

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name 7-11 Hedgesville	Facility Type Retail Food Store	
Licensee Name 7-11 Inc.	Facility Telephone # 304	
Facility Address 4716 Hedgesville Rd Hedgesville, WV	Licensee Address 8949 Williamsport Pike 28320 Falling Waters, WV 25419	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 03/30/2018	Total Time Spent 1.75

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Vault	40
Grab n Go units	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

<i>Observed Non-Critical Violations</i>
Total # 4
Repeated # 0
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Milk/Beer shelving needs cleaned (mold)
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Inside of G Series refrigerator needs cleaned
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Inside bottom fan covers in energy drink/water/sweet tea refrigerator need cleaned
 6-501.16 - DRYING MOPS OBSERVATION: Mop needs to air dry

<i>Inspection Outcome</i>

<i>Comments</i>

Disclaimer

Person in Charge



Jodi Cook

Sanitarian



Keith Allison