

Jackson Township Board of Fire Commissioners District #2
785 Miller Avenue
Jackson, NJ 08527
732-928-9100

Regular Business Meeting September 10, 2020

- Meeting called to order at 8PM by Commissioner Rubio
 - In attendance:
 - Commissioner Rubio
 - Commissioner Ryan
 - Commissioner Redington
 - Commissioner Kerian Flemming
 - Absent
 - Commissioner Alchevsky
 - Also in attendance
 - District Administrator Scott Rauch
 - Board Attorney Rich Braslow via speaker telephone
 - Neil Braslow via speaker telephone
 - Cassville Fire Chief Bunnell
 - Cassville Assistant Chief Poppe Jr
 - Whitesville Fire Chief Martin Flemming IV
 - Whitesville Assistant Fire Chief Tim Flemming
- Moment of Silence
- Attorney Braslow noted this meeting was duly advertised as required
- Attorney's report
 - Mr. Braslow indicates NJ Legislators may consider doing away with voter approval regarding capital improvement projects. DCA is not in favor of this idea.
 - Due to the recent Covid 19 pandemic and the given time as well as the considerable expense of the special election Mr Braslow noted the board may wish to defer the special election for the new fire engine until February 2021, the next regular Fire District Election.
- Administrators report
 - Scott Rauch submitted his monthly report outlining calls for service for the month of August 2020, fire truck service and a short up-date on the newly acquired brush truck (Cassville FC), equipment purchases, EMT CORE Training to be held at Whitesville Station, Continuing work on COVID19 FEMA grant for

financial relief for COVID expenses, updating of District SOG's as well as fire station parking lots and pavement needs.

- Also updated were Fire Bureau inspections, billing, violations and case investigations.
- Reports by Whitesville Fire Company Officers and Cassville Fire Company Officers
 - Cassville
 - Chief: no negative issues
 - Assistant Chief Poppe commented that the recent oil change completed on the 5610 vehicle failed to include a reset of the "OIL CHANGE REQUIRED" indicator. The Board instructed Chief Poppe Jr to return the vehicle to the service company for the reset.
 - Whitesville
 - Chief no negative issues
- As the September bills were reviewed by each Commissioner, Commissioner Rubio asked for a motion to pay the September bills.
 - Motion was made by Commissioner Km Flemming to pay the September bills.
 - The motion was seconded by Commissioner Ryan.
 - Commissioner Rubio Yes
 - Commissioner Ryan Yes
 - Commissioner Redington Yes
 - Commissioner Flemming Yes
 - Commissioner Alchevsky Absent
- Commissioner Rubio noted that the minutes of the August meeting were sent to all Commissioners for review and he asked for a motion to accept those minutes.
 - Motion was made by Commissioner Ryan to accept the August Minutes.
 - The motion was seconded by Commissioner Km Flemming.
 - Commissioner Rubio Yes
 - Commissioner Ryan Yes
 - Commissioner Redington Yes
 - Commissioner Flemming Yes
 - Commissioner Alchevsky Absent
- With no public present for comment Commissioner Rubio asked for a motion to go to closed session at 8:20 PM.
 - Motion was made by Commissioner Redington to go to closed session.
 - The motion was seconded by Commissioner Km Flemming.
- At the conclusion of the closed session meeting Commissioner Ryan made a motion to come out of closed session at 8:49 PM.
 - The motion was seconded by Commissioner Km Flemming.

- With no further business before the Board Commissioner Rubio asked for a motion to end the meeting.
 - Motion was made by Commissioner Km Flemming to end the September meeting.
 - The motion was seconded by Commissioner Redington
 - Commissioner Rubio Yes
 - Commissioner Ryan Yes
 - Commissioner Redington Yes
 - Commissioner Flemming Yes
 - Commissioner Alchevsky Absent

The meeting concluded at 8:53 PM.

District 2 Monthly Report for September 2020

Runs for August 2020

Districtwide: Fires – 109, EMS – 16

Day Shift

Station 56-1

Total Runs: 54
EMS: 8
Fire: 46
Still: 0
Out of First Due Area: 4, 1 out of town
Drills: 4

Station 57

Total Runs: 35
EMS: 8
Fire: 27
Still: 1
Out of First Due Area: 12, 0 Out of Town
Drills: 5

Companies;

Station 56

Total Runs: 63
Out of First Due Area: 7, 3 Out of Town
Drills: 1

Station 57

Total Runs: 54
Out of First Due Area: 19, 1 Out of Town
Drills: 2

Company Reports;

Station 56

See Chief for further details

Station 57

See Chief for further details

Station Needs;

Miller Avenue Station

Apparatus bay ceiling to be completed

Continuing with the tree removal project

S Hope Chapel Road Station

Training Room to be completed

LOSAP;

Apparatus;

Finishing up with repairs on 5705

Explorer has been ordered

Bayville brush truck being worked on mechanically at shop. Once completed will go to Tiltons for quote on installation of lighting needs and paint. It will then be returned to the Miller Avenue Station where installation of hose reel will begin

Awaiting to schedule wrapping and re-lettering until after apparatus repairs completed for the District

Equipment;

Correction to nozzle order for new truck was made

Ram for new truck ordered

Insurance payment for lost TIC has been received. Replacement camera being ordered

Training;

EMT Core classes to take place next weekend and following Saturday at S Hope Chapel Rd Station

Coronavirus response;

Working on Request for Public Assistance Grant with FEMA for possible 75% reimbursement on COVID expenses

Looking to enter OCCaresGrant Agreement with County to reclaim 25% balance on COVID expenses and other related expenses not covered by FEMA

Other:

Career staff SOGs are progressing. Most of the Organization & Personnel and Command Procedures sections are completed. Beginning to turn out the Fire Operation section.

AFG grant request is submitted.

Parking lots at both Stations are failing and need to be worked on.

Audit should be completed for October meeting

Bureau;

Station 56 Area

Inspections: 13
Reinspections: 42
Complaints: 0
Spot Checks: 0
Permits: 0
Follow-Up: 1

Station 57 Area

Inspections: 13
Reinspections: 49
Complaints: 0
Spot Checks: 0
Permits: 2
Follow-Up: 1

SFGA/Outlet Mall:

Inspections: 43
Reinspections: 71
Complaint: 0
Spot Checks: 2
Permits: 4
Follow-Up: 0

2020 Totals:

LHU Annual Inspections: 55
LHU Quarterly Inspections: 32
LHU – Semi Annual Inspections: 45
NLHU Inspections: 406
Complaints: 5
Permits: 59
Spot Checks: 18
Follow-Ups: 33
Reinspections: 713
PrePlan Updates: 0

Violations Cited: 994
Violations Cleared: 730

Plan Reviews Billed: \$750.00
Plan Reviews Collected: \$750.00

Plan Review Resubmitted Billed: \$35.00

Plan Review Resubmitted Collected: \$35.00

Total Permits Billed: \$17,545.00

Total Permits Collected: \$16,678.00

Total Penalties Issued: \$4,250.00

Total Penalties Collected: \$4,250.00

Total Dedicated Penalties Issued: \$2,250.00

Total Dedicated Penalties Collected: \$2,250.00

Total Local Registrations Fees Billed: \$40,369.15

Total Local Registration Fees Collected: \$35,307.00

Total LHU Registration Fees Billed: \$25,504.43

Total LHU Registration Fees Collected: \$24,698.75

Voided: \$1,207.98

Write-Offs: \$7,270.50

Total Amount Billed: \$89,992.60

Total Amount Collected: \$84,168.80

Referral Follow-ups: 4

Origin and Cause Investigations: 12

Purchases;

Requests to Purchase;

District 2 Board of Fire Commissioners Vendor Balance Summary

As of September 3, 2020

Sep 3, 20

A T & T	53.27
A T & T Mobility	409.81
Attention to Detail	325.00
Braslow, Richard	1,500.00
Cablevision	270.24
Cablevision - Optimum	70.60
Cablevision - Optimum Miller	185.60
Custom Bandag Inc	1,207.00
CVFC	7,500.00
Electronic Measurement Labs	305.57
Emergency Equipment Sales LLc	11,812.23
FF1 Professional Safety Services	18,757.50
GPS Trackit	220.80
Jackson Municipal Utilities Authority	10,680.80
Jerry's Towing and Diesel Repair	4,919.09
Jersey Central Power & Light	787.13
JLK Automotive	2,021.11
Leaf Capital Funding	165.22
NJ Fire Equipment	6,353.00
NJSHBP	18,056.57
NJ Natural Gas	355.93
Rauch, S	250.00
Ryan, John	875.00
Travelers	7,032.10
Twin Rocks Spring Water	40.80
VFIS	782.67
Wex Fleet Universal	2,103.12
Witmer Public Safety Group/The Fire Store	310.00
TOTAL	<u>97,350.16</u>

Whitesville Vol Fire Co #1

Jackson, NJ



Daily Log Items for Date Range

Start Date: 08/01/2020 | End Date: 08/31/2020

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/03/2020 06:35	08/03/2020 11:45	Administration		Rauch, Scott	Review timecards, prepare payroll. Complete weekend and morning paperwork. Complete month end numbers and distribute. Policy review
08/03/2020 06:55	08/03/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/03/2020 07:00	08/03/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/03/2020 07:00	08/03/2020 15:30	On Duty	18207	Rauch, Scott	
08/03/2020 07:30	08/03/2020 08:15	Phys	F5701	Hanson, Justin; Schulte, Ryan	
08/03/2020 08:45	08/03/2020 10:15	Administration		Hanson, Justin	Policy review and formulation: COVID-19
08/03/2020 10:00	08/03/2020 12:30	Lawn		Schulte, Ryan	
08/03/2020 10:40	08/03/2020 11:30	Runup	F5701	Hanson, Justin	
08/03/2020 11:40	08/03/2020 12:00	Monthly SCBA Inspection	F5701	Hanson, Justin	
08/03/2020 11:50	08/03/2020 12:44	Origin and Cause Investigation	18207	Rauch, Scott	Incident 2020-00188 - Passenger vehicle fire: Apparatus 18207 responded to 29 PARK AVE
08/03/2020 12:00	08/03/2020 12:20	Monthly Ground Ladder Inspection	F5701	Hanson, Justin	
08/03/2020 12:20	08/03/2020 13:05	Repair	F5701	Hanson, Justin	Irons Marriage Mount
08/03/2020 12:55	08/03/2020 13:20	Kitchen		Hanson, Justin; Rauch, Scott; Schulte, Ryan	
08/03/2020 13:35	08/03/2020 15:05	Administration		Rauch, Scott	UUpdate logs, NIFRS
08/03/2020 13:40	08/03/2020 13:55	In Quarters		Poppe III, John	5690, drop off supplies, paperwork
08/03/2020 14:00	08/03/2020 15:30	Lawn		Schulte, Ryan	Cleaned off sidewalks, apron, and parking lots
08/03/2020 15:10	08/03/2020 16:15	Bureau Work		Rauch, Scott	Write FB20-008
08/03/2020 15:35	08/03/2020 16:20	Repair		Hanson, Justin; Schulte, Ryan	Scraped and cleaned underside of mower deck, transmissions, and engine.
08/03/2020 16:20	08/03/2020 16:30	Housekeeping		Rauch, Scott	Kitchen
08/03/2020 16:40	08/03/2020 17:15	Administration		Rauch, Scott	St 56-1, pick up mail. Review various items with Supervisory commissioners
08/03/2020 16:55	08/03/2020 17:00	Housekeeping	F5701	Hanson, Justin	disinfectant spray
08/03/2020 19:25	08/03/2020 19:50	Runup	F5708	Flemming IV, Martin; Rauch, Larry; Rauch, Scott	
08/03/2020 19:30	08/03/2020 19:50	Runup	F5705	Blasi Jr, Glenn; Bradley, Dan; Dziedzic, Dylan; Wojtulewicz, Raf	
08/04/2020 06:40	08/04/2020 06:50	Fuel	18207	Rauch, Scott	12.158 gals
08/04/2020 06:50	08/04/2020 07:05	Morning Checks	F5701	Hanson, Justin; Zimmerman, Jason	
08/04/2020 06:55	08/04/2020 08:00	Administration		Rauch, Scott	Complete previous evening and morning paperwork

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/04/2020 07:00	08/04/2020 17:00	On Duty	F5701	Hanson, Justin; Zimmerman, Jason	
08/04/2020 07:00	08/04/2020 15:30	On Duty	18207	Rauch, Scott	
08/04/2020 07:30	08/04/2020 08:15	Phys	F5701	Hanson, Justin; Zimmerman, Jason	
08/04/2020 08:10	08/04/2020 08:30	Bureau Work	18207	Rauch, Scott	65 Don Connor Blvd, meet with Subcodes. Pickup NJ Register
08/04/2020 10:10	08/04/2020 11:10	Training	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Pump Operations: Hydrant / Water Supply Demands and Water Loss
08/04/2020 11:09	08/04/2020 11:45	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00189 - Power line down: Apparatus F5701 responded to 595 BASSO ST
08/04/2020 12:08	08/04/2020 12:30	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00190 - Public service: Apparatus F5701 responded to 301 S HOPE CHAPEL RD
08/04/2020 13:19	08/04/2020 13:34	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00191 - Power line down: Apparatus F5701 responded to 450 FARADAY AVE
08/04/2020 13:19	08/04/2020 13:34	Fire Run	F5710	Flemming, Timothy	Incident 2020-00191 - Power line down: Apparatus F5710 responded to 450 FARADAY AVE
08/04/2020 13:36	08/04/2020 13:49	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00192 - Power line down: Apparatus F5701 responded to 347 NEW CENTRAL AVE
08/04/2020 13:36	08/04/2020 13:49	Fire Run	F5710	Flemming, Timothy	Incident 2020-00192 - Power line down: Apparatus F5710 responded to 347 NEW CENTRAL AVE
08/04/2020 13:45	08/04/2020 14:08	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00193 - Smoke detector activation due to malfunction: Apparatus F5701 responded to 57 CROOKED STICK RD
08/04/2020 13:45	08/04/2020 14:09	Fire Run	F5710	Flemming, Timothy	Incident 2020-00193 - Smoke detector activation due to malfunction: Apparatus F5710 responded to 57 CROOKED STICK RD
08/04/2020 14:08	08/04/2020 14:16	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Incident 2020-00194 - Public service: Apparatus F5701 responded to 48 CROOKED STICK RD
08/04/2020 14:08	08/04/2020 14:16	Fire Run	F5710	Flemming, Timothy	Incident 2020-00194 - Public service: Apparatus F5710 responded to 48 CROOKED STICK RD
08/04/2020 14:52	08/04/2020 15:47	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Rubio Jr, Vincent; Zimmerman, Jason	Incident 2020-00195 - Power line down: Apparatus F5701 responded to 943 E VETERANS HWY
08/04/2020 14:52	08/04/2020 15:47	Fire Run	F5710	Flemming, Timothy	Incident 2020-00195 - Power line down: Apparatus F5710 responded to 943 E VETERANS HWY
08/04/2020 16:10	08/04/2020 16:35	Runup	F5709	Hanson, Justin; Zimmerman, Jason	
08/04/2020 16:37	08/04/2020 17:00	Fuel	F5701	Hanson, Justin; Zimmerman, Jason	Wawa, Speedway, QuickChek all closed.
08/04/2020 18:47	08/04/2020 18:58	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00196 - Dispatched & cancelled en route: Apparatus F5700 responded to 10 BALTUSROL DR
08/04/2020 18:47	08/04/2020 18:58	Fire Run	F5710	Flemming, Timothy	Incident 2020-00196 - Dispatched & cancelled en route: Apparatus F5710 responded to 10 BALTUSROL DR

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/04/2020 19:01	08/04/2020 19:15	Fire Run	F5705	Flemming, Kieran; Rauch, Scott	Incident 2020-00197 - Smoke detector activation, no fire - unintentional: Apparatus F5705 responded to 4 ZENGEL CT
08/04/2020 19:01	08/04/2020 19:15	Fire Run	F5710	Flemming, Timothy	Incident 2020-00197 - Smoke detector activation, no fire - unintentional: Apparatus F5710 responded to 4 ZENGEL CT
08/04/2020 19:19	08/04/2020 19:34	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00198 - CO detector activation due to malfunction: Apparatus F5700 responded to 4 CALENDULA CT
08/04/2020 19:19	08/04/2020 19:34	Fire Run	F5705	Flemming, Keenan; Flemming, Kieran; Flemming III, Martin; Quackenbush, Bryan	Incident 2020-00198 - CO detector activation due to malfunction: Apparatus F5705 responded to 4 CALENDULA CT
08/04/2020 19:19	08/04/2020 19:34	Fire Run	F5710	Flemming, Timothy	Incident 2020-00198 - CO detector activation due to malfunction: Apparatus F5710 responded to 4 CALENDULA CT
08/04/2020 19:38	08/04/2020 20:06	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00199 - Detector activation, no fire - unintentional: Apparatus F5700 responded to 255 N HOPE CHAPEL RD
08/04/2020 19:38	08/04/2020 20:06	Fire Run	F5705	Dziedzic, Dylan; Flemming, Kieran; Flemming, Keenan; Flemming III, Martin	Incident 2020-00199 - Detector activation, no fire - unintentional: Apparatus F5705 responded to 255 N HOPE CHAPEL RD
08/04/2020 19:38	08/04/2020 20:06	Fire Run	F5708	Esposito, Mark; Rauch, Scott; Redington, Robert	Incident 2020-00199 - Detector activation, no fire - unintentional: Apparatus F5708 responded to 255 N HOPE CHAPEL RD
08/04/2020 19:38	08/04/2020 20:06	Fire Run	F5790	Bradley, Dan	Incident 2020-00199 - Detector activation, no fire - unintentional: Apparatus F5790 responded to 255 N HOPE CHAPEL RD
08/04/2020 20:02	08/04/2020 20:21	Fire Run	F5701	Esposito, Mark; Flemming, Keenan; Quackenbush, Bryan; Rauch, Scott	Incident 2020-00200 - Power line down: Apparatus F5701 responded to 279 NEW CENTRAL AVE
08/04/2020 20:02	08/04/2020 20:21	Fire Run	F5710	Flemming, Timothy	Incident 2020-00200 - Power line down: Apparatus F5710 responded to 279 NEW CENTRAL AVE
08/04/2020 20:56	08/04/2020 22:21	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00202 - Building fire: Apparatus F5700 responded to 1525 PROSPECT ST
08/04/2020 20:56	08/04/2020 22:39	Fire Run	F5701	Dziedzic, Dylan; Flemming, Keenan; Flemming III, Martin; Quackenbush, Bryan	Incident 2020-00202 - Building fire: Apparatus F5701 responded to 1525 PROSPECT ST
08/04/2020 21:04	08/04/2020 21:11	Fire Run	F5705	Esposito, Mark; Flemming, Keenan; Rauch, Scott; Redington, Robert	Incident 2020-00203 - Arcing, shorted electrical equipment: Apparatus F5705 responded to 245 WHITESVILLE RD
08/04/2020 21:04	08/04/2020 21:11	Fire Run	F5710	Flemming, Timothy	Incident 2020-00203 - Arcing, shorted electrical equipment: Apparatus F5710 responded to 245 WHITESVILLE RD
08/04/2020 22:06	08/04/2020 22:30	Fire Run	F5705	Flemming, Keenan; Rauch, Scott; Rubio Jr, Vincent	Incident 2020-00204 - Carbon monoxide incident: Apparatus F5705 responded to 28 LINDA DR
08/04/2020 22:06	08/04/2020 22:12	Fire Run	F5710	Flemming, Timothy	Incident 2020-00204 - Carbon monoxide incident: Apparatus F5710 responded to 28 LINDA DR
08/04/2020 22:09	08/05/2020 01:02	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00205 - Building fire: Apparatus F5700 responded to 107 N 1ST ST

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/04/2020 22:09	08/05/2020 01:02	Fire Run	F5708	Esposito, Mark; Redington, Robert	Incident 2020-00205 - Building fire: Apparatus F5708 responded to 107 N 1ST ST
08/04/2020 22:09	08/05/2020 00:40	Fire Run	F5710	Flemming, Timothy	Incident 2020-00205 - Building fire: Apparatus F5710 responded to 107 N 1ST ST
08/04/2020 22:16	08/04/2020 22:35	Fire Run	F5709	Blasi, Glenn	Incident 2020-00206 - Alarm system sounded due to malfunction: Apparatus F5709 responded to 203 N HOPE CHAPEL RD
08/04/2020 22:35	08/05/2020 01:34	Origin and Cause Investigation	18207	Rauch, Scott	Incident 2020-00205 - Building fire: Apparatus 18207 responded to 107 N 1ST ST
08/05/2020 06:40	08/05/2020 19:40	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/05/2020 06:50	08/05/2020 07:10	Morning Checks	F5701	Schulte, Ryan	
08/05/2020 07:00	08/05/2020 17:00	On Duty	F5701	Schulte, Ryan; Zimmerman, Jason	
08/05/2020 07:00	08/05/2020 15:30	On Duty	18207	Rauch, Scott	
08/05/2020 07:15	08/05/2020 07:35	In Quarters		Rauch, Scott	5500
08/05/2020 07:45	08/05/2020 08:10	In Quarters		Flemming, Kieran	
08/05/2020 08:27	08/05/2020 08:49	EMS Run	F5701	Schulte, Ryan; Zimmerman, Jason	Incident 2020-00207 - Motor vehicle accident with injuries: Apparatus F5701 responded to 238 S HOPE CHAPEL RD
08/05/2020 09:10	08/05/2020 09:35	Fuel	F5705	Zimmerman, Jason	23.076 gals, diesel
08/05/2020 09:15	08/05/2020 09:40	Fuel	F5701	Schulte, Ryan	32.184 gals Diesel
08/05/2020 10:45	08/05/2020 11:37	Fire Run	F5701	Rauch, Scott; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00208 - Smoke scare, odor of smoke: Apparatus F5701 responded to 53 BROOKWOOD PKY
08/05/2020 13:30	08/05/2020 13:50	Fuel	F5708	Zimmerman, Jason	33.131 gals, diesel
08/05/2020 13:35	08/05/2020 14:25	Runup	F5705	Schulte, Ryan	
08/05/2020 14:00	08/05/2020 14:40	Monthly SCBA Inspection	F5705	Zimmerman, Jason	
08/05/2020 15:11	08/05/2020 16:02	Fire Run	F5701	Rauch, Scott; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00209 - Heat from short circuit (wiring), defective/worn: Apparatus F5701 responded to 27 BRIDGEWATER CT
08/05/2020 15:11	08/05/2020 16:02	Fire Run	F5710	Flemming, Timothy	Incident 2020-00209 - Heat from short circuit (wiring), defective/worn: Apparatus F5710 responded to 27 BRIDGEWATER CT
08/05/2020 16:25	08/05/2020 16:35	In Quarters		Blasi, Glenn	
08/06/2020 06:55	08/06/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/06/2020 07:00	08/06/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/06/2020 07:45	08/06/2020 08:30	Phys	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/06/2020 10:37	08/06/2020 10:51	Fire Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00210 - Power line down: Apparatus F5701 responded to CANNON BLVD
08/06/2020 10:37	08/06/2020 10:51	Fire Run	F5710	Flemming, Timothy	Incident 2020-00210 - Power line down: Apparatus F5710 responded to CANNON BLVD
08/06/2020 11:00	08/06/2020 12:00	Reinspection	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	125 North Hope Chapel Road: School

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/06/2020 12:00	08/06/2020 12:20	Kitchen		Hanson, Justin	
08/06/2020 13:00	08/06/2020 17:55	Administration		Rauch, Scott	NIFRS
08/06/2020 13:40	08/06/2020 13:53	Fire Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00211 - Motor vehicle accident with injuries: Apparatus F5701 responded to N HOPE CHAPEL RD
08/06/2020 13:44	08/06/2020 13:53	Fire Run	F5710	Flemming, Timothy	Incident 2020-00211 - Motor vehicle accident with injuries: Apparatus F5710 responded to N HOPE CHAPEL RD
08/06/2020 14:00	08/06/2020 14:50	Reinspection	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	125 North Hope Chapel Road: Complex, Maintenance, Concession, Locker Room, Main Grandstand.
08/06/2020 14:55	08/06/2020 15:10	Runup	F5708	Hanson, Justin; Schulte, Ryan	
08/06/2020 15:00	08/06/2020 15:45	Detail	F5709	Zimmerman, Jason	
08/06/2020 15:15	08/06/2020 15:35	Monthly Ground Ladder Inspection	F5708	Hanson, Justin; Schulte, Ryan	
08/06/2020 15:40	08/06/2020 15:55	Monthly SCBA Inspection	F5708	Hanson, Justin; Schulte, Ryan	
08/06/2020 15:45	08/06/2020 15:55	SCBA Refill	F5708	Hanson, Justin	Cylinders 28, 42
08/06/2020 15:55	08/06/2020 16:10	Housekeeping		Schulte, Ryan	
08/06/2020 16:42	08/06/2020 17:00	EMS Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00212 - Medical assist, assist EMS crew: Apparatus F5701 responded to 10 S HOPE CHAPEL RD
08/06/2020 20:24	08/06/2020 20:39	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00213 - Carbon monoxide detector activation, no CO: Apparatus F5700 responded to 2548 LEXINGTON CT
08/06/2020 20:24	08/06/2020 20:39	Fire Run	F5701	Dziedzic, Dylan; Flemming, Kieran; Quackenbush, Bryan; Rauch, Scott	Incident 2020-00213 - Carbon monoxide detector activation, no CO: Apparatus F5701 responded to 2548 LEXINGTON CT
08/06/2020 20:24	08/06/2020 20:39	Fire Run	F5710	Flemming, Timothy	Incident 2020-00213 - Carbon monoxide detector activation, no CO: Apparatus F5710 responded to 2548 LEXINGTON CT
08/06/2020 20:55	08/06/2020 21:05	Fuel	F5710	Flemming, Timothy	13.455 gals
08/07/2020 06:35	08/07/2020 07:55	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/07/2020 06:50	08/07/2020 07:05	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/07/2020 07:00	08/07/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/07/2020 07:00	08/07/2020 15:30	On Duty	18207	Rauch, Scott	
08/07/2020 08:00	08/07/2020 10:20	Bureau Work		Rauch, Scott	A/R, review inspections, commit
08/07/2020 10:22	08/07/2020 10:49	Fire Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00214 - Alarm system sounded due to malfunction: Apparatus F5701 responded to 18 JEFFERSON CT
08/07/2020 10:22	08/07/2020 10:43	Fire Run	F5705	Rauch, Scott; Zimmerman, Jason	Incident 2020-00214 - Alarm system sounded due to malfunction: Apparatus F5705 responded to 18 JEFFERSON CT
08/07/2020 11:00	08/07/2020 11:40	Detail	F5709	Zimmerman, Jason	170 Oberlain Ave; pick up supplies
08/07/2020 11:08	08/07/2020 11:25	Fire Run	18207	Rauch, Scott	Incident 2020-00215 - Alarm system sounded due to malfunction: Apparatus 18207 responded to 736 E VETERANS HWY
08/07/2020 11:08	08/07/2020 11:18	Fire Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00215 - Alarm system sounded due to malfunction: Apparatus F5701 responded to 736 E VETERANS HWY

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/07/2020 11:08	08/07/2020 11:26	Fire Run	F5710	Flemming, Timothy	Incident 2020-00215 - Alarm system sounded due to malfunction: Apparatus F5710 responded to 736 E VETERANS HWY
08/07/2020 11:30	08/07/2020 12:55	Administration		Rauch, Scott	NFIRS, update logs
08/07/2020 11:45	08/07/2020 11:55	Fuel	F5709	Zimmerman, Jason	7.544 gals, diesel
08/07/2020 12:00	08/07/2020 12:50	Kitchen		Zimmerman, Jason	
08/07/2020 13:30	08/07/2020 14:40	Briefing		Hanson, Justin; Rauch, Scott; Schulte, Ryan; Zimmerman, Jason	
08/07/2020 14:45	08/07/2020 15:00	In Quarters		Langguth, Jesse; Poppe III, John	5621; drop off equipment
08/07/2020 14:45	08/07/2020 16:00	Administration		Rauch, Scott	Work on report to the Board
08/07/2020 15:00	08/07/2020 16:50	Apparatus Floor		Schulte, Ryan	
08/07/2020 15:05	08/07/2020 16:50	Housekeeping		Zimmerman, Jason; Hanson, Justin	Kitchen, floors, shower, trash, counters
08/07/2020 15:40	08/07/2020 15:55	In Quarters		Rauch, Scott	Novak
08/07/2020 16:20	08/07/2020 16:40	Administration		Rauch, Scott	Planning with 5600
08/07/2020 16:47	08/07/2020 17:04	Fire Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00216 - Medical assist, assist EMS crew: Apparatus F5701 responded to 352 EDISON AVE 2
08/07/2020 17:10	08/07/2020 17:20	Fuel	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	19.849 gal./diesel
08/07/2020 19:23	08/07/2020 19:50	Referral	18207	Rauch, Scott	Incident 2020-00217 - Power line down: Apparatus 18207 responded to 13 LUXURY CIR
08/08/2020 12:10	08/08/2020 12:20	Fuel	18207	Rauch, Scott	11.462 gals
08/09/2020 12:05	08/09/2020 13:50	Administration		Rauch, Scott	Work on report to Board, distribute
08/09/2020 20:45	08/09/2020 21:00	Administration		Rauch, Scott	Adjust schedules
08/10/2020 06:35	08/10/2020 11:10	Administration		Rauch, Scott	Complete weekend and morning paperwork
08/10/2020 06:55	08/10/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/10/2020 07:00	08/10/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/10/2020 07:24	08/10/2020 08:10	Phys	F5701	Hanson, Justin; Schulte, Ryan	
08/10/2020 08:34	08/10/2020 08:43	Fire Run	F5708	Hanson, Justin; Rauch, Scott; Schulte, Ryan	Incident 2020-00218 - Dispatched & cancelled en route: Apparatus F5708 responded to 17 DUNHILL RD
08/10/2020 09:13	08/10/2020 09:35	Fire Run	F5705	Hanson, Justin; Rauch, Scott; Schulte, Ryan	Incident 2020-00220 - Alarm system sounded due to malfunction: Apparatus F5705 responded to 2 JACKSON DR
08/10/2020 10:30	08/10/2020 12:30	Lawn		Schulte, Ryan	
08/10/2020 11:30	08/10/2020 12:25	Kitchen		Rauch, Scott	
08/10/2020 11:59	08/10/2020 12:27	Runup	F5701	Hanson, Justin	
08/10/2020 12:50	08/10/2020 13:20	Bureau Work		Rauch, Scott	Review and adjust schedules, review invoicing
08/10/2020 13:00	08/10/2020 15:45	Lawn		Schulte, Ryan	
08/10/2020 13:20	08/10/2020 14:30	Wash Apparatus	F5701	Hanson, Justin	
08/10/2020 13:45	08/10/2020 14:10	Reinspection	18207	Rauch, Scott	780 Paterson Rd
08/10/2020 13:58	08/10/2020 14:09	EMS Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00221 - Dispatched & cancelled en route: Apparatus F5701 responded to 301 3RD ST

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/10/2020 14:15	08/10/2020 14:30	Reinspection	18207	Rauch, Scott	537 Monmouth Rd Suite 101
08/10/2020 14:32	08/10/2020 15:06	Origin and Cause Investigation	18207	Rauch, Scott	Incident 2020-00222 - Passenger vehicle fire: Apparatus 18207 responded to 485 E Veterans HWY
08/10/2020 14:32	08/10/2020 14:55	Fire Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00222 - Passenger vehicle fire: Apparatus F5701 responded to 485 E Veterans HWY
08/10/2020 15:15	08/10/2020 17:15	Administration	18207	Rauch, Scott	NFIRS, reports, update logs
08/10/2020 15:30	08/10/2020 16:45	Housekeeping		Hanson, Justin; Schulte, Ryan	Kitchen, radio room, sanitize apparatus
08/10/2020 18:55	08/10/2020 19:05	Fuel	F5700	Flemming IV, Martin	16.189 Gals
08/10/2020 19:40	08/10/2020 20:05	Meeting		Aldrich, Chris; Blasi Jr, Glenn; Dziedzic, Dylan; Esposito, Mark; Flemming, Keenan; Flemming, Kieran; Flemming, Timothy; Flemming III, Martin; Flemming IV, Martin; Quackenbush, Bryan; Rauch, Larry; Rauch, Scott; Wojtulewicz, Raf	Monthly Company Meeting
08/11/2020 06:40	08/11/2020 09:25	Administration		Rauch, Scott	Complete previous evening and morning paperwork, Review W/C claims, apparatus and equipment repairs
08/11/2020 06:50	08/11/2020 07:05	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/11/2020 07:00	08/11/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/11/2020 07:00	08/11/2020 15:30	On Duty	18207	Rauch, Scott	
08/11/2020 07:22	08/11/2020 08:04	Phys	F5701	Hanson, Justin; Schulte, Ryan	
08/11/2020 09:00	08/11/2020 10:30	Administration		Hanson, Justin	Paperwork, Review reports
08/11/2020 09:30	08/11/2020 10:05	Detail	18207	Rauch, Scott	707 Bennetts Mills Rd; L/O/F
08/11/2020 10:00	08/11/2020 10:15	Administration		Rauch, Scott	Teleconference with Commissioner Alchevsky. Review various items for upcoming meeting
08/11/2020 10:20	08/11/2020 11:20	Wash Apparatus	F5701	Schulte, Ryan	Interior and windows
08/11/2020 10:30	08/11/2020 11:25	Reinspection	18207	Rauch, Scott	537 Monmouth Rd Suites 116, 130, 132, 138, 148, 298, 300
08/11/2020 11:00	08/11/2020 11:20	Administration		Hanson, Justin	Training prep
08/11/2020 11:25	08/11/2020 11:40	Building Inspection	F5701	Hanson, Justin; Schulte, Ryan	21 South Hope Chapel Road: Unit 111
08/11/2020 11:30	08/11/2020 12:40	Building Inspection	18207	Rauch, Scott	537 Monmouth Rd Suites 150, 164, 174, 208
08/11/2020 11:40	08/11/2020 12:55	Reinspection	F5701	Hanson, Justin; Schulte, Ryan	21 South Hope Chapel Road: Units 115, 118-119, 121-123, 201 10 South Hope Chapel Road 22 South Hope Chapel Road
08/11/2020 12:50	08/11/2020 13:00	Reinspection	18207	Rauch, Scott	725 Freehold Rd
08/11/2020 13:35	08/11/2020 16:20	Bureau Work		Rauch, Scott	Review photos for FB20-010. Review inspections, commit. Issue certs. Plan Reviews
08/11/2020 14:50	08/11/2020 15:40	Runup	F5709	Schulte, Ryan	
08/11/2020 15:00	08/11/2020 16:30	Administration		Hanson, Justin	This N That Uniforms

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/11/2020 16:40	08/11/2020 17:25	Administration		Rauch, Scott	Teleconference with both Chiefs re apparatus maintenance and upcoming Board meeting
08/12/2020 04:46	08/12/2020 05:43	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00225 - Carbon monoxide incident: Apparatus F5700 responded to 360 FARADAY AVE
08/12/2020 04:46	08/12/2020 05:43	Fire Run	F5705	Dziedzic, Dylan; Flemming, Kieran; Flemming III, Martin	Incident 2020-00225 - Carbon monoxide incident: Apparatus F5705 responded to 360 FARADAY AVE
08/12/2020 04:46	08/12/2020 05:43	Fire Run	F5710	Flemming, Timothy	Incident 2020-00225 - Carbon monoxide incident: Apparatus F5710 responded to 360 FARADAY AVE
08/12/2020 06:35	08/12/2020 09:10	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/12/2020 06:55	08/12/2020 07:10	Morning Checks	F5701	Hanson, Justin; Zimmerman, Jason	
08/12/2020 07:00	08/12/2020 17:00	On Duty	F5701	Hanson, Justin; Zimmerman, Jason	
08/12/2020 07:00	08/12/2020 15:30	On Duty	18207	Rauch, Scott	
08/12/2020 07:20	08/12/2020 08:10	Phys	F5701	Hanson, Justin; Zimmerman, Jason	
08/12/2020 07:40	08/12/2020 08:50	In Quarters		Rauch, Scott	5600; review new apparatus equipment lists
08/12/2020 09:15	08/12/2020 09:50	Meeting		Rauch, Scott	NJDFS FireStat
08/12/2020 09:30	08/12/2020 10:55	Administration		Hanson, Justin	This & That Uniform Co
08/12/2020 09:55	08/12/2020 10:20	Administration		Rauch, Scott	Review budget with Auditor
08/12/2020 10:25	08/12/2020 12:15	Reinspection	18207	Rauch, Scott	75 W Veterans Hwy; School, Portable 3, Trailer 14
08/12/2020 11:00	08/12/2020 11:40	Runup	F5705	Hanson, Justin; Zimmerman, Jason	
08/12/2020 11:45	08/12/2020 12:15	Work Detail		Hanson, Justin; Zimmerman, Jason	Restroom ventilation
08/12/2020 11:55	08/12/2020 13:45	In Quarters	F5701	Hanson, Justin	EES Service: 5701 5705, 5709
08/12/2020 12:15	08/12/2020 12:45	Kitchen		Zimmerman, Jason	
08/12/2020 13:30	08/12/2020 16:55	Administration		Rauch, Scott	Review budget, write up needs for newly acquired brush truck and distribute to Board. Update Logs/NFIRS. Work on lost property claims
08/12/2020 13:40	08/12/2020 14:45	In Quarters		Hanson, Justin	Compressed Air Systems. Annual P/M, SCBA compressor
08/12/2020 14:00	08/12/2020 14:20	Housekeeping		Hanson, Justin; Zimmerman, Jason	Kitchen
08/12/2020 15:00	08/12/2020 16:18	Reinspection	F5701	Hanson, Justin; Zimmerman, Jason	305 Whitesville Road: Suite 1, Suite 4. 35 South Hope Chapel Road: LHU, Trailer 2, Trailer 5
08/12/2020 17:05	08/12/2020 17:15	Fuel	18207	Rauch, Scott	11.232 gals
08/12/2020 17:20	08/12/2020 17:35	Administration		Rauch, Scott	Budget review with Commissioner Flemming
08/12/2020 19:47	08/12/2020 20:17	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00226 - Smoke scare, odor of smoke: Apparatus F5700 responded to 545 S COOKS BRIDGE RD
08/12/2020 19:47	08/12/2020 20:17	Fire Run	F5705	Dziedzic, Dylan; Flemming, Keenan; Flemming, Kieran; Rauch, Scott	Incident 2020-00226 - Smoke scare, odor of smoke: Apparatus F5705 responded to 545 S COOKS BRIDGE RD
08/12/2020 19:47	08/12/2020 20:17	Fire Run	F5710	Flemming, Timothy	Incident 2020-00226 - Smoke scare, odor of smoke: Apparatus F5710 responded to 545 S COOKS BRIDGE RD
08/13/2020 06:35	08/13/2020 08:05	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/13/2020 06:55	08/13/2020 07:10	Morning Checks	F5701	Schulte, Ryan; Zimmerman, Jason	

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/13/2020 07:00	08/13/2020 17:00	On Duty	F5701	Schulte, Ryan; Zimmerman, Jason	
08/13/2020 07:00	08/13/2020 15:30	On Duty	18207	Rauch, Scott	
08/13/2020 08:10	08/13/2020 09:15	Building Inspection		Rauch, Scott	Invoicing
08/13/2020 08:35	08/13/2020 11:30	Training	F5701	Schulte, Ryan; Zimmerman, Jason	St 55; Splinting/Bandaging
08/13/2020 09:20	08/13/2020 10:30	Administration		Rauch, Scott	Work on FEMA RPA. Budget planning
08/13/2020 10:50	08/13/2020 11:05	Complaint	18207	Rauch, Scott	612 Whitcomb Ave. Open burn
08/13/2020 11:25	08/13/2020 12:40	Reinspection	18207	Rauch, Scott	1 Six Flags Blvd; 26 locations
08/13/2020 13:30	08/13/2020 15:05	Administration		Rauch, Scott	Review G/L adjustments with Board accountant, meeting prep. Update Logs, NFIRS
08/13/2020 14:15	08/13/2020 14:40	Runup	F5708	Schulte, Ryan; Zimmerman, Jason	
08/13/2020 14:49	08/13/2020 15:03	EMS Run	F5701	Schulte, Ryan; Zimmerman, Jason	Incident 2020-00227 - Motor vehicle accident with injuries: Apparatus F5701 responded to NEW CENTRAL AVE
08/13/2020 15:10	08/13/2020 15:30	Fuel	F5701	Schulte, Ryan; Zimmerman, Jason	14.290 gals, diesel
08/13/2020 15:10	08/13/2020 16:15	Bureau Work		Rauch, Scott	Review inspections, commit. Compile FB20-010
08/13/2020 16:30	08/13/2020 16:55	Administration		Rauch, Scott	Review various p/m items. Schedule bench testing
08/14/2020 06:40	08/14/2020 07:55	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/14/2020 06:55	08/14/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/14/2020 07:00	08/14/2020 15:30	On Duty	18207	Rauch, Scott	
08/14/2020 07:00	08/14/2020 17:00	On Duty		Hanson, Justin; Schulte, Ryan	
08/14/2020 07:19	08/14/2020 08:05	Phys	F5701	Hanson, Justin; Schulte, Ryan	
08/14/2020 08:00	08/14/2020 11:30	Bureau Work		Rauch, Scott	Review inspections, commit. Issue Certs. Compile FD20-010
08/14/2020 11:30	08/14/2020 12:35	Training		Hanson, Justin; Rauch, Scott; Schulte, Ryan	Review of the FDNY Black Sunday and Charleston 9 incidents
08/14/2020 12:40	08/14/2020 13:30	Kitchen		Rauch, Scott	
08/14/2020 13:50	08/14/2020 14:50	Administration		Rauch, Scott	Inspect received PPE, compile data for FEMA RPA
08/14/2020 13:55	08/14/2020 14:10	Reinspection	F5701	Hanson, Justin; Schulte, Ryan	22 South Hope Chapel Road
08/14/2020 14:00	08/14/2020 14:01	Fire Run	ST57	Hanson, Justin; Rauch, Scott; Schulte, Ryan	Incident 2020-00228 - Dispatched & cancelled en route: Apparatus ST57 responded to 20 CALIFORNIA DR
08/14/2020 14:12	08/14/2020 15:25	Detail	F5701	Hanson, Justin; Schulte, Ryan	56-1: return meter, pickup fire prevention supplies, review FOB system w/18-276.
08/14/2020 14:55	08/14/2020 16:45	Housekeeping		Rauch, Scott	Kitchen, mop kitchen/bathrooms, sanitize station/apparatus
08/14/2020 15:00	08/14/2020 15:20	In Quarters		Rauch, Scott	5600; pick up PPE
08/14/2020 15:25	08/14/2020 15:45	Fire Run	18207	Rauch, Scott	Incident 2020-00229 - Alarm system sounded due to malfunction: Apparatus 18207 responded to 125 MANHATTAN ST
08/14/2020 15:25	08/14/2020 15:45	Fire Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00229 - Alarm system sounded due to malfunction: Apparatus F5701 responded to 125 MANHATTAN ST
08/14/2020 16:00	08/14/2020 16:55	Housekeeping		Schulte, Ryan	Clean bathrooms/radio room, throw out garbage, vacuum
08/14/2020 16:50	08/14/2020 17:30	Administration	18207	Rauch, Scott	Update logs, review journals, NFIRS.
08/14/2020 18:05	08/14/2020 18:45	Spot Check Inspection	18207	Rauch, Scott	537 Monmouth Rd;; Kettle Corn operator

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/15/2020 14:00	08/15/2020 14:09	Fire Run	ST57	Flemming III, Martin; Flemming IV, Martin; Rauch, Scott; Rauch, Larry	Incident 2020-00230 - Dispatched & cancelled en route: Apparatus ST57 responded to 21 CROOKED STICK RD
08/16/2020 09:55	08/16/2020 10:05	Fuel	18207	Rauch, Scott	12.970 gals
08/16/2020 15:39	08/16/2020 15:48	Fire Run	F5701	Flemming III, Martin; Quackenbush, Bryan; Redington, Robert	Incident 2020-00231 - Arcing, shorted electrical equipment: Apparatus F5701 responded to 210 WHITESVILLE RD
08/16/2020 15:39	08/16/2020 15:49	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00231 - Arcing, shorted electrical equipment: Apparatus F5700 responded to 210 WHITESVILLE RD
08/16/2020 17:49	08/16/2020 18:20	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00232 - Power line down: Apparatus F5700 responded to 281 WHITESVILLE RD
08/16/2020 17:49	08/16/2020 18:20	Fire Run	F5701	Dziedzic, Dylan; Flemming, Kieran; Flemming III, Martin; Redington, Robert	Incident 2020-00232 - Power line down: Apparatus F5701 responded to 281 WHITESVILLE RD
08/16/2020 17:49	08/16/2020 18:20	Fire Run	F5710	Flemming, Timothy	Incident 2020-00232 - Power line down: Apparatus F5710 responded to 281 WHITESVILLE RD
08/17/2020 06:45	08/17/2020 11:30	Administration		Rauch, Scott	Complete weekend and morning paperwork. Review Fuel logs
08/17/2020 06:55	08/17/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/17/2020 07:00	08/17/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/17/2020 07:00	08/17/2020 15:30	On Duty	18207	Rauch, Scott	
08/17/2020 07:27	08/17/2020 08:15	Phys	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/17/2020 10:15	08/17/2020 10:25	Fuel		Schulte, Ryan	Station Cans 5.014 gals
08/17/2020 10:25	08/17/2020 11:00	Reinspection	F5701	Hanson, Justin; Zimmerman, Jason	460 Faraday Avenue: Building A Unit 3, Complex
08/17/2020 10:30	08/17/2020 15:00	Lawn		Schulte, Ryan	
08/17/2020 11:00	08/17/2020 13:00	Building Inspection	F5701	Hanson, Justin; Zimmerman, Jason	50 Houston Avenue: Units A LHU , B
08/17/2020 11:35	08/17/2020 12:50	Bureau Work		Rauch, Scott	Review inspections commit. Issue Certs
08/17/2020 12:55	08/17/2020 13:30	Kitchen		Rauch, Scott	
08/17/2020 13:55	08/17/2020 14:40	Reinspection		Rauch, Scott	SFGA Follow Ups
08/17/2020 14:50	08/17/2020 15:20	Permit Inspection	18207	Rauch, Scott	21 S Hope Chapel Rd; Suite 116-117
08/17/2020 15:00	08/17/2020 16:15	Training	F5705	Hanson, Justin; Rauch, Scott; Schulte, Ryan; Zimmerman, Jason	Saw Use from an Aerial Device
08/17/2020 16:15	08/17/2020 16:45	Clean Up/ReStock	F5705	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Saw & Ladder
08/17/2020 16:25	08/17/2020 16:35	Fuel	F5705	Zimmerman, Jason	17.070 gal./diesel
08/17/2020 16:25	08/17/2020 17:10	Administration	18207	Rauch, Scott	End of shift paperwork, St 56-1; ppick up mail, drop off PPE
08/17/2020 18:00	08/17/2020 18:09	Fire Run	F5710	Flemming, Timothy	Incident 2020-00233 - Cooking fire, confined to container: Apparatus F5710 responded to 7 STACEY CT

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/17/2020 19:40	08/17/2020 20:25	Runup	F5705	Flemming, Timothy	
08/18/2020 06:50	08/18/2020 07:05	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/18/2020 06:50	08/18/2020 08:15	Administration		Rauch, Scott	Review COVID purchases for FEMA RPA.
08/18/2020 07:00	08/18/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/18/2020 07:39	08/18/2020 10:15	Fire Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00234 - Motor vehicle accident with injuries: Apparatus F5701 responded to 593 E VETERANS HWY
08/18/2020 09:10	08/18/2020 10:50	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/18/2020 10:55	08/18/2020 12:30	Bureau Work		Rauch, Scott	Update schedule, write FB20-010
08/18/2020 11:40	08/18/2020 12:00	Runup	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	refilled cascade
08/18/2020 12:00	08/18/2020 14:00	In Quarters		Langguth, Jesse; Poppe III, John	5601
08/18/2020 12:55	08/18/2020 13:15	Administration	18207	Rauch, Scott	St 56-1, pick up mail
08/18/2020 13:00	08/18/2020 14:00	Administration		Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	FMBA
08/18/2020 13:20	08/18/2020 13:30	Reinspection	18207	Rauch, Scott	165 Don Connor Blvd; Bus Garage, Drivers Restrooms
08/18/2020 13:35	08/18/2020 13:50	Bureau Work	18207	Rauch, Scott	Review with JBOE B&G super re open NOVs
08/18/2020 14:05	08/18/2020 15:00	Administration	18207	Rauch, Scott	Met with 5600, review new apparatus, personnel, various other items
08/18/2020 14:25	08/18/2020 14:45	Building Inspection	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	50 Houston Avenue: Unit C
08/18/2020 14:45	08/18/2020 15:35	Reinspection	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	460 Faraday Avenue: Building C 320 Edison Avenue 252 Edison Avenue
08/18/2020 15:45	08/18/2020 16:30	Runup	F5709	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Sanitize Cab
08/18/2020 16:30	08/18/2020 17:25	Administration		Rauch, Scott	Confer with Board and 5600 work and timeline to be done on new brush truck
08/18/2020 17:20	08/18/2020 17:34	Fire Run	ST57	Rauch, Scott; Quackenbush, Bryan; Dziedzic, Dylan; Rauch, Larry	Incident 2020-00235 - Dispatched & cancelled en route: Apparatus ST57 responded to 94 BUCKINGHAM DR
08/19/2020 06:40	08/19/2020 09:05	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/19/2020 06:55	08/19/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/19/2020 07:00	08/19/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/19/2020 07:00	08/19/2020 15:30	On Duty	18207	Rauch, Scott	
08/19/2020 07:20	08/19/2020 08:05	Phys	F5701	Hanson, Justin; Schulte, Ryan	125 N Hope Chapel Rd
08/19/2020 09:10	08/19/2020 09:45	Meeting		Hanson, Justin; Rauch, Scott	FireStat
08/19/2020 10:05	08/19/2020 10:30	In Quarters		Rauch, Scott	EES; drop off equipment
08/19/2020 10:40	08/19/2020 11:40	Bureau Work	18207	Rauch, Scott	125 N Hope Chapel Rd

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/19/2020 10:55	08/19/2020 12:00	Building Inspection	F5701	Hanson, Justin; Schulte, Ryan	280 Faraday Avenue 534 Whitesville Road: Unit 7
08/19/2020 12:10	08/19/2020 12:50	Kitchen		Rauch, Scott	
08/19/2020 12:30	08/19/2020 12:45	Fuel	F5701	Hanson, Justin; Schulte, Ryan	19.454 gal./diesel
08/19/2020 13:55	08/19/2020 14:20	In Quarters		Rauch, Scott	EES; pick up 5705 for service
08/19/2020 14:25	08/19/2020 14:40	Housekeeping		Hanson, Justin	Kitchen
08/19/2020 14:30	08/19/2020 15:10	Administration		Rauch, Scott	Review maintenance costs, PDAs.
08/19/2020 15:15	08/19/2020 16:50	Bureau Work		Rauch, Scott	Issue certs, receivables. Review permit requests with 18307. Review inspections
08/19/2020 15:25	08/19/2020 16:30	Building Inspection	F5701	Hanson, Justin; Schulte, Ryan	534 Whitesville Road: Unit 1, Unit 6
08/19/2020 16:55	08/19/2020 17:25	Administration	18207	Rauch, Scott	St 56-1; drop off supplies, pick up mail
08/19/2020 19:34	08/19/2020 19:54	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00236 - Smoke detector activation due to malfunction: Apparatus F5700 responded to 42 SPYGLASS DR
08/19/2020 19:34	08/19/2020 19:54	Fire Run	F5701	Rauch, Scott; Quackenbush, Bryan; Flemming III, Martin; Flemming, Kieran	Incident 2020-00236 - Smoke detector activation due to malfunction: Apparatus F5701 responded to 42 SPYGLASS DR
08/19/2020 19:34	08/19/2020 19:54	Fire Run	F5710	Flemming, Timothy	Incident 2020-00236 - Smoke detector activation due to malfunction: Apparatus F5710 responded to 42 SPYGLASS DR
08/20/2020 06:35	08/20/2020 08:15	Administration		Rauch, Scott	Complete previous evening and morning paperwork. Finish registration paperwork. Work with Fire Sub code
08/20/2020 06:50	08/20/2020 07:05	Morning Checks	F5701	Hanson, Justin; Zimmerman, Jason	
08/20/2020 07:00	08/20/2020 17:00	On Duty	F5701	Hanson, Justin; Zimmerman, Jason	
08/20/2020 07:35	08/20/2020 08:58	Phys	F5701	Hanson, Justin; Zimmerman, Jason	
08/20/2020 10:30	08/20/2020 11:00	Runup	F5708	Hanson, Justin; Zimmerman, Jason	
08/20/2020 11:11	08/20/2020 12:00	Kitchen		Hanson, Justin	
08/20/2020 12:25	08/20/2020 13:00	Building Inspection	18207	Rauch, Scott	70 W Veterans Hwy; Resturant, Garage
08/20/2020 12:47	08/20/2020 13:15	Fire Run	F5701	Zimmerman, Jason; Hanson, Justin	Incident 2020-00237 - Medical assist, assist EMS crew: Apparatus F5701 responded to E VETERANS HWY
08/20/2020 13:05	08/20/2020 13:15	Still	18207	Rauch, Scott	824 E Veterans Hwy. open burn
08/20/2020 13:20	08/20/2020 16:00	Building Inspection	18207	Rauch, Scott	186 W Veterans Hwy
08/20/2020 14:30	08/20/2020 15:35	Building Inspection	F5701	Hanson, Justin; Zimmerman, Jason	534 Whitesville Road:Units 2 & 5, Unit 4 21 South Hope Chapel Road:Unit 109
08/20/2020 15:45	08/20/2020 16:05	Housekeeping		Zimmerman, Jason	Kitchen
08/20/2020 16:07	08/20/2020 16:22	Fire Run	F5709	Zimmerman, Jason; Hanson, Justin	Incident 2020-00238 - Unauthorized burning: Apparatus F5709 responded to 16 N HOPE CHAPEL RD
08/20/2020 16:07	08/20/2020 16:22	Fire Run	F5790	Bradley, Dan	Incident 2020-00238 - Unauthorized burning: Apparatus F5790 responded to 16 N HOPE CHAPEL RD
08/20/2020 16:10	08/20/2020 16:35	Bureau Work	18207	Rauch, Scott	1 Cassville Rd
08/20/2020 16:45	08/20/2020 16:50	Housekeeping	F5701	Zimmerman, Jason	Disinfect apparatus
08/20/2020 16:45	08/20/2020 16:55	Fuel	18207	Rauch, Scott	13.20 gals
08/20/2020 17:00	08/20/2020 17:40	Administration		Rauch, Scott	Emails, paperwork
08/20/2020 17:45	08/20/2020 18:05	Administration		Rauch, Scott	Review Inspections, commit, receivables. issue certs

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/21/2020 06:40	08/21/2020 09:05	Administration		Rauch, Scott	Complete previous evening and morning paperwork, review referral to Building and Zoning. Prepare deposit
08/21/2020 06:55	08/21/2020 07:10	Morning Checks	F5701	Schulte, Ryan; Zimmerman, Jason	
08/21/2020 07:00	08/21/2020 17:00	On Duty	F5701	Schulte, Ryan; Zimmerman, Jason	
08/21/2020 07:00	08/21/2020 15:30	On Duty	18207	Rauch, Scott	
08/21/2020 09:15	08/21/2020 09:50	Building Inspection	18207	Rauch, Scott	12 Thompson Bridge Rd
08/21/2020 09:55	08/21/2020 10:15	Detail	18207	Rauch, Scott	Bank
08/21/2020 10:05	08/21/2020 12:05	Work Detail		Schulte, Ryan; Zimmerman, Jason	Clean cabs 5701, 5708, 5709
08/21/2020 10:20	08/21/2020 11:10	Bureau Work		Rauch, Scott	Issue fire report, review inspection, commit. Issue certs, prepare weekend permits
08/21/2020 11:15	08/21/2020 11:55	Administration		Rauch, Scott	Work on FEMA RPA
08/21/2020 14:25	08/21/2020 14:50	In Quarters		Rauch, Scott	Wireless Communications, troubleshoot 5701 modem, pick up tablet for repair
08/21/2020 14:40	08/21/2020 15:00	Housekeeping		Zimmerman, Jason	Kitchen, throw out garbage
08/21/2020 14:55	08/21/2020 16:50	Administration		Rauch, Scott	Budget review, Firstnet, reset 5701 modem
08/21/2020 15:10	08/21/2020 16:05	Wash Apparatus	F5701	Zimmerman, Jason	
08/21/2020 15:10	08/21/2020 16:30	Apparatus Floor		Schulte, Ryan	
08/21/2020 16:15	08/21/2020 16:40	Housekeeping		Zimmerman, Jason	Bathrooms, radio room, vacuum, sanitize
08/21/2020 16:40	08/21/2020 16:55	Work Detail		Schulte, Ryan	Sanitize Apparatus Floor, 5701, 5708, 5709
08/21/2020 17:00	08/21/2020 17:15	Bureau Work	18207	Rauch, Scott	12 Thompson Bridge Rd; add to Knoxbox
08/21/2020 17:20	08/21/2020 17:35	Administration		Rauch, Scott	2019 budget review with Commissioner Flemming
08/22/2020 09:50	08/22/2020 11:30	On Duty Bureau	18207	Rauch, Scott	
08/22/2020 10:05	08/22/2020 10:40	Permit Inspection	18207	Rauch, Scott	537 Monmouth Rd; Healthy Heart Snacks
08/22/2020 10:45	08/22/2020 11:10	Building Inspection	18207	Rauch, Scott	537 Monmouth Rd Unit 314
08/23/2020 09:53	08/23/2020 10:07	Fire Run	ST57	Rauch, Scott; Iannello, Jim; Rauch, Larry	Incident 2020-00239 - Dispatched & cancelled en route: Apparatus ST57 responded to 9 REAGAN DR
08/24/2020 06:35	08/24/2020 07:55	Administration		Rauch, Scott	Complete weekend and morning paperwork
08/24/2020 06:55	08/24/2020 07:10	Morning Checks	F5701	Schulte, Ryan; Zimmerman, Jason	
08/24/2020 07:00	08/24/2020 17:00	On Duty	F5701	Schulte, Ryan; Zimmerman, Jason	
08/24/2020 07:00	08/24/2020 15:30	On Duty	18207	Rauch, Scott	
08/24/2020 08:00	08/24/2020 09:00	Phys	F5701	Schulte, Ryan; Zimmerman, Jason	35 South Hope Chapel Rd
08/24/2020 08:00	08/24/2020 10:45	Bureau Work		Rauch, Scott	Review inspections, commit. Issue Certs. Review referrals with Fire Sub-Code
08/24/2020 10:09	08/24/2020 10:13	Fire Run	ST57	Rauch, Scott; Zimmerman, Jason; Schulte, Ryan	Incident 2020-00240 - Dispatched & cancelled en route: Apparatus ST57 responded to 890 TOMS RIVER RD
08/24/2020 10:57	08/24/2020 11:06	Fire Run	18207	Rauch, Scott	Incident 2020-00241 - Dispatched & cancelled en route: Apparatus 18207 responded to 19 CALIFORNIA DR
08/24/2020 10:57	08/24/2020 11:06	Fire Run	F5701	Zimmerman, Jason; Schulte, Ryan	Incident 2020-00241 - Dispatched & cancelled en route: Apparatus F5701 responded to 19 CALIFORNIA DR
08/24/2020 11:15	08/24/2020 11:25	Detail	18207	Rauch, Scott	102 Jackson Dr; drop off paperwork
08/24/2020 11:30	08/24/2020 12:20	Administration	18207	Rauch, Scott	St 56-1; review new brush truck work needed
08/24/2020 12:10	08/24/2020 12:45	Kitchen		Schulte, Ryan; Zimmerman, Jason	
08/24/2020 13:30	08/24/2020 13:45	Housekeeping		Rauch, Scott	Kitchen
08/24/2020 13:50	08/24/2020 15:05	Administration		Rauch, Scott	Budget review with Board Accountant

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/24/2020 14:40	08/24/2020 15:30	Runup	F5701	Schulte, Ryan; Zimmerman, Jason	Sanitize cab
08/24/2020 15:15	08/24/2020 16:10	Detail	18207	Rauch, Scott	St 55-1, 54, 56-1 drop off ERG books
08/24/2020 16:15	08/24/2020 17:20	Administration		Rauch, Scott	Review staffing, maintenance concerns, supplies
08/24/2020 18:00	08/24/2020 18:25	Fire Run	F5701	Dziedzic, Dylan; Rauch, Scott	Incident 2020-00242 - Alarm system sounded due to malfunction: Apparatus F5701 responded to 6 VALLEY RD
08/24/2020 18:00	08/24/2020 18:25	Fire Run	F5710	Flemming, Timothy	Incident 2020-00242 - Alarm system sounded due to malfunction: Apparatus F5710 responded to 6 VALLEY RD
08/24/2020 18:00	08/24/2020 18:25	Fire Run	F5790	Bradley, Dan	Incident 2020-00242 - Alarm system sounded due to malfunction: Apparatus F5790 responded to 6 VALLEY RD
08/24/2020 19:30	08/24/2020 21:00	Training	F5708	Blasi Jr, Glenn; Dziedzic, Dylan; Flemming, Keenan; Flemming, Kieran; Flemming, Timothy; Flemming III, Martin; Flemming IV, Martin; Iannello, Jim; Quackenbush, Bryan; Rauch, Larry; Rauch, Scott; Redington, Robert; Wojtulewicz, Raf	2 1/2" H/L advancement
08/25/2020 06:45	08/25/2020 08:05	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/25/2020 06:55	08/25/2020 07:20	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/25/2020 07:00	08/25/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/25/2020 07:00	08/25/2020 15:30	On Duty	18207	Rauch, Scott	
08/25/2020 07:37	08/25/2020 07:55	EMS Run	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	Incident 2020-00243 - Medical assist, assist EMS crew: Apparatus F5701 responded to 23 SOUTHWIND CIR
08/25/2020 08:00	08/25/2020 08:55	Phys	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	
08/25/2020 08:10	08/25/2020 11:35	Bureau Work		Rauch, Scott	A/R
08/25/2020 08:55	08/25/2020 09:10	Fuel	F5701	Hanson, Justin; Schulte, Ryan; Zimmerman, Jason	17.837 gal./diesel
08/25/2020 10:00	08/25/2020 11:30	Administration		Hanson, Justin	Uniforms: TNT Vs. MES
08/25/2020 10:20	08/25/2020 14:00	Lawn		Schulte, Ryan	
08/25/2020 10:42	08/25/2020 11:10	Runup	F5709	Zimmerman, Jason	
08/25/2020 11:45	08/25/2020 12:25	Kitchen		Rauch, Scott	
08/25/2020 13:05	08/25/2020 13:40	Administration		Rauch, Scott	NFIRS, updates logs
08/25/2020 13:45	08/25/2020 14:25	Bureau Work		Rauch, Scott	Scheduling

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/25/2020 14:00	08/25/2020 15:15	Training	F5701	Hanson, Justin; Rauch, Scott; Schulte, Ryan; Zimmerman, Jason	Knots/Hauling
08/25/2020 15:20	08/25/2020 16:00	Administration		Rauch, Scott	Review Station Journals, order supplies
08/25/2020 16:30	08/25/2020 16:40	Fuel	18207	Rauch, Scott	11.594 gals
08/25/2020 16:30	08/25/2020 16:45	Housekeeping		Hanson, Justin	Kitchen
08/25/2020 16:50	08/25/2020 17:10	Bureau Work	18207	Rauch, Scott	29 Anthony Way
08/25/2020 17:37	08/25/2020 18:07	Fire Run	F5701	Blasi Jr, Glenn; Dziedzic, Dylan; Quackenbush, Bryan; Redington, Robert	Incident 2020-00244 - Gas leak (natural gas or LPG): Apparatus F5701 responded to 3 CALEDULA CT
08/25/2020 17:37	08/25/2020 18:07	Fire Run	F5708	Iannello, Jim; Rauch, Scott	Incident 2020-00244 - Gas leak (natural gas or LPG): Apparatus F5708 responded to 3 CALEDULA CT
08/25/2020 17:37	08/25/2020 18:07	Fire Run	F5710	Flemming, Timothy	Incident 2020-00244 - Gas leak (natural gas or LPG): Apparatus F5710 responded to 3 CALEDULA CT
08/26/2020 06:45	08/26/2020 09:00	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/26/2020 06:55	08/26/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/26/2020 07:00	08/26/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/26/2020 07:00	08/26/2020 15:30	On Duty	18207	Rauch, Scott	
08/26/2020 07:12	08/26/2020 07:32	Fire Run	F5701	Hanson, Justin; Rauch, Scott; Schulte, Ryan	Incident 2020-00245 - CO detector activation due to malfunction: Apparatus F5701 responded to 2 BEAR TRL
08/26/2020 08:15	08/26/2020 09:10	Phys	F5701	Hanson, Justin; Schulte, Ryan	125 N Hope Chapel Rd
08/26/2020 09:05	08/26/2020 09:50	Bureau Work	18207	Rauch, Scott	A/R, adjust schedule.
08/26/2020 09:55	08/26/2020 10:35	Reinspection	18207	Rauch, Scott	780 Paterson Rd
08/26/2020 10:40	08/26/2020 12:15	Building Inspection	18207	Rauch, Scott	537 Monmouth Rd Suite 154, 308, 329
08/26/2020 11:08	08/26/2020 12:13	Reinspection	F5701	Hanson, Justin; Schulte, Ryan	125 North Hope Chapel Road: Complex, School, Maintenance, Concession, Lockers, Main Grandstand
08/26/2020 12:20	08/26/2020 12:30	Reinspection	18207	Rauch, Scott	725 Freehold Rd. Issued Follow up NOV
08/26/2020 12:30	08/26/2020 12:55	Kitchen		Hanson, Justin	
08/26/2020 12:35	08/26/2020 13:15	Bureau Work	18207	Rauch, Scott	151 Don Connor Blvd.; meet with BOE Admin
08/26/2020 13:45	08/26/2020 14:05	Housekeeping		Rauch, Scott	Kitchen
08/26/2020 14:10	08/26/2020 15:45	Bureau Work		Rauch, Scott	Review Inspections, commit. Update contacts, update preplans in Active911
08/26/2020 14:19	08/26/2020 15:05	Detail	F5701	Hanson, Justin; Schulte, Ryan	Sta. 56-1, FOB Updates
08/26/2020 15:05	08/26/2020 16:00	Reinspection	F5701	Hanson, Justin; Schulte, Ryan	225 Franklin Avenue: Unit A 10 South Hope Chapel Road
08/26/2020 15:50	08/26/2020 16:30	Administration		Rauch, Scott	End of Shift paperwork, review journals, NFIRS
08/26/2020 19:10	08/26/2020 19:20	Fuel	F5710	Flemming, Timothy	14.375 gals
08/26/2020 23:04	08/26/2020 23:43	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00246 - Carbon monoxide incident: Apparatus F5700 responded to 360 FARADAY AVE
08/26/2020 23:04	08/26/2020 23:43	Fire Run	F5701	Dziedzic, Dylan; Flemming, Kieran; Flemming III, Martin	Incident 2020-00246 - Carbon monoxide incident: Apparatus F5701 responded to 360 FARADAY AVE

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/26/2020 23:04	08/26/2020 23:31	Fire Run	F5708	Quackenbush, Bryan; Rauch, Scott; Redington, Robert	Incident 2020-00246 - Carbon monoxide incident: Apparatus F5708 responded to 360 FARADAY AVE
08/26/2020 23:04	08/26/2020 23:43	Fire Run	F5710	Flemming, Timothy	Incident 2020-00246 - Carbon monoxide incident: Apparatus F5710 responded to 360 FARADAY AVE
08/27/2020 06:35	08/27/2020 07:50	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/27/2020 06:55	08/27/2020 07:10	Morning Checks	F5701	Hanson, Justin; Schulte, Ryan	
08/27/2020 07:00	08/27/2020 17:00	On Duty	F5701	Hanson, Justin; Schulte, Ryan	
08/27/2020 07:38	08/27/2020 07:59	EMS Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00247 - Medical assist, assist EMS crew: Apparatus F5701 responded to 48 WHITESVILLE RD
08/27/2020 08:00	08/27/2020 08:55	Phys	F5701	Hanson, Justin; Schulte, Ryan	125 N Hope Chapel Rd
08/27/2020 09:30	08/27/2020 09:40	Repair	F5700	Schulte, Ryan	Calibrate 4-Gas meter
08/27/2020 09:44	08/27/2020 09:53	Fire Run	F5701	Hanson, Justin; Schulte, Ryan	Incident 2020-00248 - Dispatched & cancelled en route: Apparatus F5701 responded to 935 BENNETTS MILLS RD
08/27/2020 10:45	08/27/2020 12:00	Bureau Work		Hanson, Justin	Report review, code review, and communication:
08/27/2020 11:00	08/27/2020 13:30	Work Detail		Schulte, Ryan	Weeded, cleaned visitor parking lot.
08/27/2020 12:40	08/27/2020 13:25	Runup	F5708	Hanson, Justin	
08/27/2020 13:35	08/27/2020 14:05	Kitchen		Hanson, Justin; Schulte, Ryan	
08/27/2020 14:45	08/27/2020 15:50	Follow -up	18207	Rauch, Scott	360 Faraday Ave
08/27/2020 14:52	08/27/2020 15:25	Detail	F5701	Hanson, Justin; Schulte, Ryan	Picked up Equipment Fuel
08/27/2020 15:30	08/27/2020 15:55	Reinspection	F5701	Hanson, Justin; Schulte, Ryan	35 South Hope Chapel Road: LHU, Trailer 2
08/27/2020 15:55	08/27/2020 16:05	Fuel	F5701	Hanson, Justin; Schulte, Ryan	16.180 gal./diesel
08/27/2020 15:55	08/27/2020 17:21	Origin and Cause Investigation	18207	Rauch, Scott	Incident 2020-00250 - Building fire: Apparatus 18207 responded to 8 HARVARD WEST DR
08/27/2020 16:10	08/27/2020 16:50	In Quarters		Hanson, Justin	MES for Uniforms
08/27/2020 16:50	08/27/2020 16:56	Housekeeping		Hanson, Justin	Disinfected apparatus
08/27/2020 17:25	08/27/2020 18:00	Administration		Rauch, Scott	Paperwork
08/27/2020 20:40	08/27/2020 20:49	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00251 - Dispatched & cancelled en route: Apparatus F5700 responded to 75 W VETERANS HWY
08/27/2020 20:40	08/27/2020 20:49	Fire Run	F5701	Dziedzic, Dylan; Flemming, Keenan; Flemming, Kieran; Flemming III, Martin	Incident 2020-00251 - Dispatched & cancelled en route: Apparatus F5701 responded to 75 W VETERANS HWY
08/27/2020 20:40	08/27/2020 20:49	Fire Run	F5710	Flemming, Timothy	Incident 2020-00251 - Dispatched & cancelled en route: Apparatus F5710 responded to 75 W VETERANS HWY
08/28/2020 06:40	08/28/2020 09:30	Administration		Rauch, Scott	Complete previous evening and morning paperwork
08/28/2020 06:55	08/28/2020 07:10	Morning Checks	F5701	Hanson, Justin; Zimmerman, Jason	
08/28/2020 07:00	08/28/2020 17:00	On Duty	F5701	Hanson, Justin; Zimmerman, Jason	
08/28/2020 07:00	08/28/2020 15:30	On Duty	18207	Rauch, Scott	
08/28/2020 07:35	08/28/2020 08:30	Phys	F5701	Hanson, Justin; Zimmerman, Jason	

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/28/2020 09:35	08/28/2020 10:45	Bureau Work		Rauch, Scott	Prepare deposit, review inspections, payables
08/28/2020 10:40	08/28/2020 10:50	Repair	F5705	Hanson, Justin	Calibrate meter
08/28/2020 10:50	08/28/2020 11:20	Detail	18207	Rauch, Scott; Zimmerman, Jason	707 Bennett's Mill Rd, pick 5790 from service Bank
08/28/2020 11:00	08/28/2020 11:40	Housekeeping		Hanson, Justin	
08/28/2020 11:25	08/28/2020 12:30	Reinspection	18207	Rauch, Scott	75 W Veterans Hwy; School, Portable 3
08/28/2020 11:40	08/28/2020 12:50	Bureau Work		Hanson, Justin	Research UFC & NFPA
08/28/2020 12:40	08/28/2020 12:50	Administration	18207	Rauch, Scott	1156 Toms River Rd; review recommendations for brush truck
08/28/2020 12:50	08/28/2020 13:10	Kitchen		Hanson, Justin; Zimmerman, Jason	
08/28/2020 13:45	08/28/2020 14:05	Housekeeping		Rauch, Scott	Kitchen
08/28/2020 14:15	08/28/2020 16:15	Bureau Work		Rauch, Scott	Review inspections, commit. Issue Certs. Prepare permit inspections for following week. A/R
08/28/2020 15:00	08/28/2020 16:00	Apparatus Floor		Hanson, Justin; Zimmerman, Jason	
08/28/2020 16:00	08/28/2020 16:55	Housekeeping		Hanson, Justin; Rauch, Scott; Zimmerman, Jason	Trash, Vacuumed, Mopped, Counters, Restrooms, disinfected apparatus
08/28/2020 16:20	08/28/2020 16:50	Administration	18207	Rauch, Scott	Review Station logs, NFIRS.
08/28/2020 19:10	08/28/2020 19:20	Fuel	18207	Rauch, Scott	11.202 gals
08/30/2020 07:41	08/30/2020 07:49	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00252 - Cooking fire, confined to container: Apparatus F5700 responded to 740 GAIL CHAMBERS RD
08/30/2020 07:41	08/30/2020 07:49	Fire Run	F5710	Flemming, Timothy	Incident 2020-00252 - Cooking fire, confined to container: Apparatus F5710 responded to 740 GAIL CHAMBERS RD
08/30/2020 22:16	08/30/2020 22:27	Fire Run	F5700	Flemming IV, Martin	Incident 2020-00253 - Smoke detector activation due to malfunction: Apparatus F5700 responded to 7 CROOKED STICK RD
08/30/2020 22:16	08/30/2020 22:27	Fire Run	F5701	Dziedzic, Dylan; Flemming, Keenan; Flemming, Kieran; Flemming III, Martin	Incident 2020-00253 - Smoke detector activation due to malfunction: Apparatus F5701 responded to 7 CROOKED STICK RD
08/30/2020 22:16	08/30/2020 22:27	Fire Run	F5710	Flemming, Timothy	Incident 2020-00253 - Smoke detector activation due to malfunction: Apparatus F5710 responded to 7 CROOKED STICK RD
08/31/2020 06:45	08/31/2020 07:00	Morning Checks	F5701	Zimmerman, Jason	
08/31/2020 07:00	08/31/2020 17:00	On Duty	F5701	Hanson, Justin; Zimmerman, Jason	
08/31/2020 07:17	08/31/2020 07:36	Fire Run	F5701	Hanson, Justin; Zimmerman, Jason	Incident 2020-00254 - Smoke detector activation, no fire - unintentional: Apparatus F5701 responded to 800 GREEN VALLEY RD
08/31/2020 08:05	08/31/2020 09:05	Phys	F5701	Hanson, Justin; Zimmerman, Jason	125 N Hope Chapel Rd
08/31/2020 10:00	08/31/2020 10:40	Reinspection	F5701	Hanson, Justin; Zimmerman, Jason	4 Cross Street LHU
08/31/2020 14:00	08/31/2020 15:20	Administration		Rauch, Scott	Compile weekend and morning paperwork
08/31/2020 14:30	08/31/2020 15:00	Runup	F5701	Hanson, Justin; Zimmerman, Jason	
08/31/2020 15:00	08/31/2020 15:10	Work Detail		Hanson, Justin; Zimmerman, Jason	Refilled all apparatus fuel cans
08/31/2020 16:30	08/31/2020 18:15	Administration		Rauch, Scott	Review logs, reports, NFIRS
08/31/2020 19:15	08/31/2020 19:45	Runup	F5708	Flemming, Timothy	Aldraich Jr, Elias

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/31/2020 19:30	08/31/2020 21:00	Training		Aldrich, Chris; Bradley, Dan; Dzedzic, Dylan; Esposito, Mark; Flemming, Keenan; Flemming, Kieran; Flemming, Timothy; Flemming III, Martin; Flemming IV, Martin; Quackenbush, Bryan	Preparedness/SCBA Confidence
08/31/2020 21:05	08/31/2020 21:15	SCBA Refill		Flemming, Keenan	Cylinder 37, 40, 44, 48, 59

Cassville Volunteer Fire Company

Jackson, NJ



Daily Log Items for Date Range

Start Date: 08/01/2020 | End Date: 08/31/2020

START DATE	END DATE	ACTIVITY	APP	PERSONNEL	NOTES
08/03/2020 06:00	08/03/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/03/2020 06:00	08/03/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe III, John E	
08/03/2020 08:30	08/03/2020 10:30	In Quarters		Bunnell , Chuck T	
08/03/2020 09:20	08/03/2020 16:00	On Duty	F5621	Poppe III, John E	
08/03/2020 09:30	08/03/2020 12:00	Work Detail		Poppe , Adam R	Worked on pump and piping.
08/03/2020 09:37	08/03/2020 10:31	Runup	F5621	Langguth , Jesse	
08/03/2020 10:06	08/03/2020 10:31	Monthly Ground Ladder Inspection	F5621	Langguth , Jesse	
08/03/2020 10:40	08/03/2020 11:25	Repair	F5621	Langguth , Jesse	Replaced worn grip tape on handtools
08/03/2020 11:20	08/03/2020 12:44	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00260 - Mobile property (vehicle) fire, other: Apparatus F5600 responded to 29 PARK AVE
08/03/2020 11:20	08/03/2020 12:02	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00260 - Mobile property (vehicle) fire, other: Apparatus F5621 responded to 29 PARK AVE
08/03/2020 12:10	08/03/2020 12:30	In Quarters		Stadick, Cory	Dropped off certs
08/03/2020 13:00	08/03/2020 13:40	Work Detail	F5621	Langguth , Jesse; Poppe , Adam R	Filled apparatus coolers with ice.
08/03/2020 13:40	08/03/2020 14:10	Fuel	F5621	Langguth , Jesse; Poppe , Adam R	16.806 gals, diesel
08/03/2020 14:15	08/03/2020 14:37	EMS Run	F5621	Langguth , Jesse; Poppe , Adam R	Incident 2020-00261 - Medical assist, assist EMS crew: Apparatus F5621 responded to 537 MONMOUTH RD 120
08/03/2020 15:00	08/03/2020 15:44	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00262 - Motor vehicle accident with injuries: Apparatus F5600 responded to CEDARSWAMP RD
08/03/2020 15:00	08/03/2020 15:44	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00262 - Motor vehicle accident with injuries: Apparatus F5610 responded to CEDARSWAMP RD
08/03/2020 15:00	08/03/2020 15:44	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R	Incident 2020-00262 - Motor vehicle accident with injuries: Apparatus F5621 responded to CEDARSWAMP RD
08/03/2020 15:00	08/03/2020 15:44	Fire Run	F5690	Poppe III, John E	Incident 2020-00262 - Motor vehicle accident with injuries: Apparatus F5690 responded to CEDARSWAMP RD
08/04/2020 06:00	08/04/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/04/2020 06:00	08/04/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/04/2020 10:30	08/04/2020 11:10	Runup	F5605	Poppe , Adam R	
08/04/2020 10:40	08/04/2020 11:00	Monthly Ground Ladder Inspection	F5605	Langguth , Jesse	
08/04/2020 11:12	08/04/2020 13:54	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00263 - Power line down: Apparatus F5610 responded to 616 REED RD

08/04/2020 11:18	08/04/2020 12:55	Fire Run	F5601	Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory; Tafaro , Nick; Torenli , Taner	Incident 2020-00264 - Public service: Apparatus F5601 responded to 1483 RIDGE AVE
08/04/2020 11:21	08/04/2020 11:29	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00265 - No incident found on arrival at dispatch address: Apparatus F5600 responded to 75 W VETERANS HWY
08/04/2020 11:21	08/04/2020 11:29	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00265 - No incident found on arrival at dispatch address: Apparatus F5621 responded to 75 W VETERANS HWY
08/04/2020 11:30	08/04/2020 11:43	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00266 - Arcing, shorted electrical equipment: Apparatus F5621 responded to BENNETTS MILLS RD
08/04/2020 11:32	08/04/2020 11:43	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00267 - Power line down: Apparatus F5621 responded to 254 BENNETTS MILLS RD
08/04/2020 11:46	08/04/2020 12:35	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00268 - Public service: Apparatus F5611 responded to 1416 REED RD
08/04/2020 11:59	08/04/2020 12:09	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00269 - Public service: Apparatus F5611 responded to 71 PARK AVE
08/04/2020 12:05	08/04/2020 12:38	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00285 - Public service: Apparatus F5621 responded to 965 CHARLES ST
08/04/2020 12:16	08/04/2020 12:25	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00271 - Power line down: Apparatus F5610 responded to 627 REED RD
08/04/2020 12:16	08/04/2020 12:37	Fire Run	F5690	Novak, Keith J	Incident 2020-00270 - Arcing, shorted electrical equipment: Apparatus F5690 responded to 13 E #D RD
08/04/2020 12:18	08/04/2020 13:02	Fire Run	F5690	Novak, Keith J	Incident 2020-00272 - Arcing, shorted electrical equipment: Apparatus F5690 responded to 12 E RD B
08/04/2020 12:25	08/04/2020 12:30	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00273 - Power line down: Apparatus F5600 responded to 1275 TOMS RIVER RD
08/04/2020 12:25	08/04/2020 12:46	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00273 - Power line down: Apparatus F5611 responded to 1275 TOMS RIVER RD
08/04/2020 12:31	08/04/2020 13:46	Fire Run	F5601	Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory; Tafaro , Nick; Torenli , Taner	Incident 2020-00275 - Power line down: Apparatus F5601 responded to 1162 LAKEHURST AVE
08/04/2020 12:31	08/04/2020 13:46	Fire Run	F5690	Novak, Keith J	Incident 2020-00275 - Power line down: Apparatus F5690 responded to 1162 LAKEHURST AVE

08/04/2020 12:44	08/04/2020 12:46	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00276 - Power line down: Apparatus F5611 responded to 1299 TOMS RIVER RD
08/04/2020 12:47	08/04/2020 12:49	Fire Run	F5601	Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory; Tafaro , Nick; Torenli , Taner	Incident 2020-00277 - Power line down: Apparatus F5601 responded to 1290 TOMS RIVER RD
08/04/2020 12:52	08/04/2020 13:04	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00278 - Arcing, shorted electrical equipment: Apparatus F5611 responded to TOMS RIVER RD
08/04/2020 12:56	08/04/2020 13:28	Fire Run	F5690	Novak, Keith J	Incident 2020-00279 - Power line down: Apparatus F5690 responded to 20 EAST
08/04/2020 13:02	08/04/2020 13:16	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00280 - Power line down: Apparatus F5600 responded to DORATHYS
08/04/2020 13:07	08/04/2020 13:07	Fire Run	ST56	Bunnell , Chuck T	Incident 2020-00281 - Dispatched & cancelled en route: Apparatus ST56 responded
08/04/2020 13:08	08/04/2020 13:46		F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00282 - Public service: Apparatus F5611 responded to 919 BOWMAN RD
08/04/2020 13:12	08/04/2020 13:18	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00283 - Arcing, shorted electrical equipment: Apparatus F5610 responded to 26 TOMS RIVER RD
08/04/2020 13:13	08/04/2020 13:18	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00286 - Public service: Apparatus F5610 responded to 26 TOMS RIVER RD
08/04/2020 13:14	08/04/2020 13:25	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00284 - Power line down: Apparatus F5610 responded to TOMS RIVER RD
08/04/2020 15:03	08/04/2020 15:15	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00288 - Arcing, shorted electrical equipment: Apparatus F5621 responded to 481 TOMS RIVER RD
08/04/2020 15:03	08/04/2020 15:30	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00287 - Arcing, shorted electrical equipment: Apparatus F5610 responded to 614 ZINIA ST
08/04/2020 15:24	08/04/2020 15:48	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00289 - Power line down: Apparatus F5600 responded to 624 FREEHOLD RD
08/04/2020 15:24	08/04/2020 15:48	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00289 - Power line down: Apparatus F5621 responded to 624 FREEHOLD RD
08/04/2020 15:58	08/04/2020 16:10	Fire Run	F5608	Langguth , Jesse; Poppe , Adam R; Schoen , Greg	Incident 2020-00290 - Dispatched & cancelled en route: Apparatus F5608 responded to 9 TALL TIMBER LN
08/04/2020 15:58	08/04/2020 16:10	Fire Run	F5611	Alchevsky , John; Engel, Christopher; Maras, Robert; McCarthy , Brian J; Ryan , Sean	Incident 2020-00290 - Dispatched & cancelled en route: Apparatus F5611 responded to 9 TALL TIMBER LN
08/04/2020 19:26	08/04/2020 19:31	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00291 - No incident found on arrival at dispatch address: Apparatus F5600 responded to 38 E VETERANS HWY
08/04/2020 19:26	08/04/2020 19:31	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00291 - No incident found on arrival at dispatch address: Apparatus F5610 responded to 38 E VETERANS HWY

08/04/2020 19:32	08/04/2020 20:12	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00292 - Arcing, shorted electrical equipment: Apparatus F5600 responded to E VETERANS HWY
08/04/2020 19:32	08/04/2020 20:12	Fire Run	F5605	Alchevsky , John; Engel, Christopher; McCarthy , Brian J	Incident 2020-00292 - Arcing, shorted electrical equipment: Apparatus F5605 responded to E VETERANS HWY
08/04/2020 19:32	08/04/2020 20:12	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00292 - Arcing, shorted electrical equipment: Apparatus F5610 responded to E VETERANS HWY
08/04/2020 19:32	08/04/2020 20:12	Fire Run	F5621	Maras, Robert; Ryan , Sean; Schoen , Greg	Incident 2020-00292 - Arcing, shorted electrical equipment: Apparatus F5621 responded to E VETERANS HWY
08/04/2020 19:32	08/04/2020 20:12	Fire Run	F5690	Novak, Keith J	Incident 2020-00292 - Arcing, shorted electrical equipment: Apparatus F5690 responded to E VETERANS HWY
08/04/2020 22:09	08/04/2020 23:36	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00293 - Building fire: Apparatus F5600 responded to 107 N 1ST ST
08/04/2020 22:09	08/04/2020 23:10	Fire Run	F5608	McCarthy , Brian J; Ryan , Sean	Incident 2020-00293 - Building fire: Apparatus F5608 responded to 107 N 1ST ST
08/04/2020 22:09	08/04/2020 23:36	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00293 - Building fire: Apparatus F5610 responded to 107 N 1ST ST
08/04/2020 22:09	08/04/2020 23:36	Fire Run	F5611	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00293 - Building fire: Apparatus F5611 responded to 107 N 1ST ST
08/04/2020 22:09	08/04/2020 23:10	Fire Run	F5621	Alchevsky , John; Foray Jr, Preston C; Maras, Robert; Schoen , Greg; Schoen , Corey	Incident 2020-00293 - Building fire: Apparatus F5621 responded to 107 N 1ST ST
08/04/2020 22:09	08/04/2020 23:36	Fire Run	F5690	Novak, Keith J	Incident 2020-00293 - Building fire: Apparatus F5690 responded to 107 N 1ST ST
08/05/2020 00:10	08/05/2020 00:30		F5611	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	32.150 gals, diesel
08/05/2020 06:00	08/05/2020 16:00	On Duty		Poppe , Adam R; Poppe III, John E	
08/05/2020 06:00	08/05/2020 06:15	Morning Checks	F5621	Poppe , Adam R; Poppe III, John E	
08/05/2020 06:15	08/05/2020 06:40	Clean Up/ReStock		Poppe , Adam R; Poppe III, John E	All apparatus from previous shift's responses
08/05/2020 06:40	08/05/2020 07:10	Fuel	F5621	Poppe , Adam R; Poppe III, John E	33.350 Gals. Diesel
08/05/2020 07:13	08/05/2020 08:46	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00294 - Carbon monoxide incident: Apparatus F5600 responded to 8 RED FOX DR
08/05/2020 07:13	08/05/2020 08:43	Fire Run	F5621	Poppe , Adam R; Poppe III, John E	Incident 2020-00294 - Carbon monoxide incident: Apparatus F5621 responded to 8 RED FOX DR
08/05/2020 09:00	08/05/2020 10:35	Work Detail	ST561	Poppe , Adam R; Poppe III, John E	Ice coolers, Cleaning bays and Office work
08/05/2020 10:33	08/05/2020 10:52	Fire Run	F5621	Poppe , Adam R; Poppe III, John E	Incident 2020-00295 - Power line down: Apparatus F5621 responded to 610 ZINIA ST

08/05/2020 10:48	08/05/2020 10:57	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00296 - Assist police or other governmental agency: Apparatus F5600 responded to 472 W VETERANS HWY
08/05/2020 10:48	08/05/2020 10:57	Fire Run	F5605	Alchevsky , John; Maras, Robert; Schoen , Greg	Incident 2020-00296 - Assist police or other governmental agency: Apparatus F5605 responded to 472 W VETERANS HWY
08/05/2020 10:48	08/05/2020 10:57	Fire Run	F5621	Poppe , Adam R; Poppe III, John E	Incident 2020-00296 - Assist police or other governmental agency: Apparatus F5621 responded to 472 W VETERANS HWY
08/05/2020 11:00	08/05/2020 11:20	Work Detail	ST56	Poppe , Adam R; Poppe III, John E	Ice coolers, clean bays
08/05/2020 11:20	08/05/2020 11:46	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00297 - Arcing, shorted electrical equipment: Apparatus F5600 responded to PARKHILL ST
08/05/2020 11:20	08/05/2020 11:46	Fire Run	F5609	Poppe III, John E	Incident 2020-00297 - Arcing, shorted electrical equipment: Apparatus F5609 responded to PARKHILL ST
08/05/2020 11:55	08/05/2020 12:20	Runup	F5611	Poppe , Adam R	
08/05/2020 12:25	08/05/2020 12:45	Monthly Ground Ladder Inspection	F5611	Poppe , Adam R	
08/05/2020 12:55	08/05/2020 13:30	Administration		Poppe III, John E	Paperwork, reports, inspections and schedules
08/05/2020 13:30	08/05/2020 15:00	Reinspection	F5621	Poppe , Adam R; Poppe III, John E	Six Flags MUA River Rd 1299 Toms 959 W Veterans Hwy
08/05/2020 15:00	08/05/2020 15:40	Repair	F5621	Poppe , Adam R	Repaired antifreeze leak in cab
08/05/2020 15:00	08/05/2020 16:00	Administration		Poppe III, John E	End of shift paperwork
08/05/2020 16:50	08/05/2020 17:05	Fuel	F5624	Novak, Keith J	17.892 gals
08/06/2020 06:00	08/06/2020 16:00	On Duty	F5601	Langguth , Jesse; Poppe III, John E	
08/06/2020 06:00	08/06/2020 06:45	Detail		Langguth , Jesse; Poppe III, John E	Relocate equipment and apparatus
08/06/2020 06:20	08/06/2020 06:45	Fuel	F5601	Langguth , Jesse; Poppe III, John E	18.007 gals, diesel
08/06/2020 06:45	08/06/2020 07:00	Morning Checks	F5601	Langguth , Jesse; Poppe III, John E	
08/06/2020 07:00	08/06/2020 07:30	Briefing		Langguth , Jesse; Poppe III, John E	
08/06/2020 07:30	08/06/2020 08:30	Administration		Poppe III, John E	Morning paperwork, emails and phone calls
08/06/2020 08:20	08/06/2020 09:00	Runup	F5639	Langguth , Jesse	
08/06/2020 09:00	08/06/2020 09:35	Wash Apparatus	F5601	Langguth , Jesse	
08/06/2020 09:45	08/06/2020 11:57	Reinspection	F5601	Langguth , Jesse; Poppe III, John E	151 Don Connor Blvd Connor Blvd Blvd; grand stand, pole barn 100 W Veterans Hwy Vacant suite 2, complex 161 Don 101 Don Connor
08/06/2020 11:57	08/06/2020 12:59	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00299 - Carbon monoxide incident: Apparatus F5600 responded to 8 RED FOX DR
08/06/2020 11:57	08/06/2020 12:59	Fire Run	F5601	Langguth , Jesse; Poppe III, John E	Incident 2020-00299 - Carbon monoxide incident: Apparatus F5601 responded to 8 RED FOX DR
08/06/2020 11:57	08/06/2020 12:59	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00299 - Carbon monoxide incident: Apparatus F5610 responded to 8 RED FOX DR
08/06/2020 13:45	08/06/2020 14:20	Administration		Poppe III, John E	Paperwork, Emails, phone calls & files
08/06/2020 14:20	08/06/2020 15:30	Runup	F5601	Langguth , Jesse; Poppe III, John E	
08/06/2020 15:30	08/06/2020 16:00	Phys		Langguth , Jesse	

08/06/2020 15:30	08/06/2020 16:00	Wash Apparatus	F5621	Poppe III, John E	
08/07/2020 06:00	08/07/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/07/2020 06:00	08/07/2020 06:20	Detail	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Relocate Equipment between stations
08/07/2020 06:20	08/07/2020 06:30	Morning Checks	F5621	Langguth , Jesse; Poppe III, John E	
08/07/2020 06:30	08/07/2020 07:00	Administration		Poppe III, John E	Morning paperwork
08/07/2020 07:00	08/07/2020 07:30	Briefing		Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/07/2020 08:30	08/07/2020 09:25	Runup	F5608	Poppe , Adam R	
08/07/2020 08:30	08/07/2020 09:10	Runup	F5637	Poppe III, John E	
08/07/2020 09:18	08/07/2020 09:28	Fire Run	F5610	Poppe III, John E	Incident 2020-00300 - Power line down: Apparatus F5610 responded to 780 PATTERSON RD
08/07/2020 09:18	08/07/2020 09:28	Fire Run	F5621	Langguth , Jesse; Poppe Jr, John E	Incident 2020-00300 - Power line down: Apparatus F5621 responded to 780 PATTERSON RD
08/07/2020 09:31	08/07/2020 09:51	EMS Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00301 - Medical assist, assist EMS crew: Apparatus F5621 responded to 756 W VETERANS HWY
08/07/2020 10:00	08/07/2020 10:15	Fuel	F5621	Langguth , Jesse; Poppe III, John E	18.406 gals, Diesel
08/07/2020 10:22	08/07/2020 10:49	Fire Run	F5605	Poppe , Adam R	Incident 2020-00302 - Smoke detector activation due to malfunction: Apparatus F5605 responded to 18 JEFFERSON CT
08/07/2020 10:22	08/07/2020 10:49	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00302 - Smoke detector activation due to malfunction: Apparatus F5610 responded to 18 JEFFERSON CT
08/07/2020 10:22	08/07/2020 10:49	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00302 - Smoke detector activation due to malfunction: Apparatus F5621 responded to 18 JEFFERSON CT
08/07/2020 11:08	08/07/2020 11:18	Fire Run	F5605	Poppe , Adam R	Incident 2020-00303 - Smoke detector activation due to malfunction: Apparatus F5605 responded to 736 E VETERANS HWY
08/07/2020 11:08	08/07/2020 11:19	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00303 - Smoke detector activation due to malfunction: Apparatus F5610 responded to 736 E VETERANS HWY
08/07/2020 11:08	08/07/2020 11:26	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00303 - Smoke detector activation due to malfunction: Apparatus F5621 responded to 736 E VETERANS HWY
08/07/2020 15:23	08/07/2020 15:39	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00304 - Carbon monoxide detector activation, no CO: Apparatus F5600 responded to 30 CASSVILLE RD
08/07/2020 15:23	08/07/2020 15:39	Fire Run	F5605	Poppe , Adam R	Incident 2020-00304 - Carbon monoxide detector activation, no CO: Apparatus F5605 responded to 30 CASSVILLE RD
08/07/2020 15:23	08/07/2020 15:39	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00304 - Carbon monoxide detector activation, no CO: Apparatus F5610 responded to 30 CASSVILLE RD
08/07/2020 15:23	08/07/2020 15:39	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00304 - Carbon monoxide detector activation, no CO: Apparatus F5621 responded to 30 CASSVILLE RD
08/07/2020 15:35	08/07/2020 16:00	Runup	F5609	Langguth , Jesse; Poppe III, John E	
08/07/2020 18:59	08/07/2020 19:50	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00305 - Power line down: Apparatus F5600 responded to 13 LUXURY CIR

08/07/2020 18:59	08/07/2020 19:50	Fire Run	F5601	Bonner Jr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00305 - Power line down: Apparatus F5601 responded to 13 LUXURY CIR
08/07/2020 18:59	08/07/2020 19:50	Fire Run	F5621	Maras, Robert; Schoen , Greg	Incident 2020-00305 - Power line down: Apparatus F5621 responded to 13 LUXURY CIR
08/07/2020 18:59	08/07/2020 19:50	Fire Run	F5690	Novak, Keith J	Incident 2020-00305 - Power line down: Apparatus F5690 responded to 13 LUXURY CIR
08/07/2020 21:47	08/07/2020 23:45	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00306 - Power line down: Apparatus F5600 responded to CRESCENT AVE
08/07/2020 21:47	08/07/2020 23:45	Fire Run	F5601	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00306 - Power line down: Apparatus F5601 responded to CRESCENT AVE
08/07/2020 21:47	08/07/2020 23:45	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00306 - Power line down: Apparatus F5610 responded to CRESCENT AVE
08/08/2020 00:10	08/08/2020 00:20	Fuel	F5601	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	
08/08/2020 02:04	08/08/2020 02:24	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00307 - CO detector activation due to malfunction: Apparatus F5600 responded to 40 CASSVILLE RD 8
08/08/2020 02:04	08/08/2020 02:24	Fire Run	F5601	Bonner Jr, Richard; Bonner Sr, Richard; Jastrzebski, Rafal	Incident 2020-00307 - CO detector activation due to malfunction: Apparatus F5601 responded to 40 CASSVILLE RD 8
08/08/2020 02:04	08/08/2020 02:24	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00307 - CO detector activation due to malfunction: Apparatus F5610 responded to 40 CASSVILLE RD 8
08/09/2020 16:05	08/09/2020 16:18	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00308 - Dispatched & cancelled en route: Apparatus F5600 responded to 14 LAWRENCE DR
08/09/2020 16:05	08/09/2020 16:18	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00308 - Dispatched & cancelled en route: Apparatus F5610 responded to 14 LAWRENCE DR
08/09/2020 16:05	08/09/2020 16:18	Fire Run	F5690	Novak, Keith J	Incident 2020-00308 - Dispatched & cancelled en route: Apparatus F5690 responded to 14 LAWRENCE DR
08/10/2020 06:00	08/10/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/10/2020 06:00	08/10/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/10/2020 07:30	08/10/2020 08:00	Detail	F5609	Langguth , Jesse	Relocate apparatus to Station 56-1
08/10/2020 08:00	08/10/2020 08:36	Wash Apparatus	F5609	Langguth , Jesse	
08/10/2020 08:00	08/10/2020 11:00	Runup	F5609	Poppe , Adam R	
08/10/2020 08:34	08/10/2020 08:50	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00309 - Smoke detector activation due to malfunction: Apparatus F5600 responded to 17 DUNHILL RD
08/10/2020 08:34	08/10/2020 08:50	Fire Run	F5605	Poppe , Adam R	Incident 2020-00309 - Smoke detector activation due to malfunction: Apparatus F5605 responded to 17 DUNHILL RD

08/10/2020 08:34	08/10/2020 08:50	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00309 - Smoke detector activation due to malfunction: Apparatus F5610 responded to 17 DUNHILL RD
08/10/2020 08:34	08/10/2020 08:50	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00309 - Smoke detector activation due to malfunction: Apparatus F5621 responded to 17 DUNHILL RD
08/10/2020 09:13	08/10/2020 09:50	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00310 - Alarm system sounded due to malfunction: Apparatus F5600 responded to 2 JACKSON DR
08/10/2020 09:13	08/10/2020 09:50	Fire Run	F5605	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00310 - Alarm system sounded due to malfunction: Apparatus F5605 responded to 2 JACKSON DR
08/10/2020 09:13	08/10/2020 09:50	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00310 - Alarm system sounded due to malfunction: Apparatus F5610 responded to 2 JACKSON DR
08/10/2020 10:30	08/10/2020 11:00	Work Detail	ST561	Langguth , Jesse	Reset responder computer
08/10/2020 10:30	08/10/2020 11:30	Work Detail	ST561	Poppe III, John E	Parking lot crack sealant
08/10/2020 11:00	08/10/2020 11:45	Runup	F5637	Langguth , Jesse	
08/10/2020 11:25	08/10/2020 11:35	SCBA Refill	F5637	Langguth , Jesse	Cylinder 23
08/10/2020 12:12	08/10/2020 12:18	EMS Run	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00311 - Dispatched & cancelled en route: Apparatus F5621 responded to 40 CASSVILLE RD
08/10/2020 12:30	08/10/2020 13:00	Administration		Langguth , Jesse	Updated training records
08/10/2020 13:00	08/10/2020 14:30	Lawn	56-1	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Storm clean up
08/10/2020 14:32	08/10/2020 15:02	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00313 - Mobile property (vehicle) fire, other: Apparatus F5600 responded to 485 BUTTERFLY RD
08/10/2020 14:32	08/10/2020 14:54	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00313 - Mobile property (vehicle) fire, other: Apparatus F5610 responded to 485 BUTTERFLY RD
08/10/2020 14:32	08/10/2020 15:02	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00313 - Mobile property (vehicle) fire, other: Apparatus F5621 responded to 485 BUTTERFLY RD
08/10/2020 15:05	08/10/2020 16:00	Runup	F5621	Poppe , Adam R; Poppe III, John E	
08/10/2020 15:20	08/10/2020 15:45	Monthly SCBA Inspections	F5621	Langguth , Jesse	
08/10/2020 15:55	08/10/2020 16:15	Fuel	F5621	Langguth , Jesse; Poppe III, John E	20.808 Gals. Diesel
08/10/2020 16:00	08/10/2020 16:15	Detail	F5609	Poppe , Adam R	Relocate apparatus and ice coolers
08/11/2020 06:00	08/11/2020 16:00	On Duty	F5621	Poppe , Adam R; Poppe III, John E	
08/11/2020 06:00	08/11/2020 06:15	Morning Checks	F5621	Poppe , Adam R; Poppe III, John E	
08/11/2020 06:15	08/11/2020 07:10	Administration		Poppe III, John E	Morning paperwork & emails
08/11/2020 07:10	08/11/2020 07:40	Briefing		Poppe , Adam R; Poppe III, John E	
08/11/2020 08:30	08/11/2020 09:30	Runup	F5609	Poppe , Adam R	
08/11/2020 09:00	08/11/2020 12:10	Work Detail		Poppe , Adam R; Poppe III, John E	Weeds, Parking Lot & General property Clean Up
08/11/2020 14:30	08/11/2020 15:15	Monthly SCBA Inspections	F5601	Poppe , Adam R; Poppe III, John E	
08/12/2020 06:00	08/12/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/12/2020 06:00	08/12/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	

08/12/2020 08:44	08/12/2020 08:55	EMS Run	F5621	Langguth , Jesse; Poppe , Adam R	Incident 2020-00315 - Medical assist, assist EMS crew: Apparatus F5621 responded to 14 AIDAN LN
08/12/2020 08:55	08/12/2020 09:04	EMS Run	F5621	Langguth , Jesse; Poppe , Adam R	Incident 2020-00316 - Medical assist, assist EMS crew: Apparatus F5621 responded to 12 COLLIERS CT
08/12/2020 09:45	08/12/2020 11:30	In Quarters	F5608	Langguth , Jesse	EES; replace air dryer
08/12/2020 10:30	08/12/2020 11:50	Runup	F5605	Langguth , Jesse	
08/12/2020 11:20	08/12/2020 11:40	Fuel	F5605	Langguth , Jesse	14.804 gals, diesel
08/12/2020 12:10	08/12/2020 13:30	In Quarters	F5637	Langguth , Jesse	Compressed Air Systems, semi anual testing, troubleshoot compressor leak
08/12/2020 13:20	08/12/2020 13:45	Monthly SCBA Inspections	F5605	Langguth , Jesse	
08/12/2020 13:30	08/12/2020 14:30	Runup	F5608	Poppe , Adam R	
08/12/2020 15:00	08/12/2020 15:30	Work Detail	ST561	Poppe , Adam R	Filled apparatus coolers with ice.
08/12/2020 16:35	08/12/2020 16:45	Fuel	F5624	Novak, Keith J	16.225 gals
08/13/2020 06:00	08/13/2020 16:00	On Duty	F5621	Poppe , Adam R; Poppe III, John E	
08/13/2020 06:00	08/13/2020 06:10	Morning Checks	F5621	Poppe III, John E	
08/13/2020 06:10	08/13/2020 06:50	Administration		Poppe III, John E	Morning Paperwork
08/13/2020 06:50	08/13/2020 07:20	Briefing		Poppe , Adam R; Poppe III, John E	
08/13/2020 07:20	08/13/2020 08:30	Administration		Poppe III, John E	Emails, Schedules, Reports and Files
08/13/2020 09:00	08/13/2020 11:15	Training	F5621	Poppe , Adam R; Poppe III, John E	St 55, Bandaging and Splinting
08/13/2020 11:15	08/13/2020 12:00	Detail	F5621	Poppe , Adam R; Poppe III, John E	Picked up Equipment and Lunch
08/13/2020 12:00	08/13/2020 13:00	Detail	F5621	Poppe , Adam R; Poppe III, John E; Poppe Jr, John E	Sharpened and cleaned chain saws
08/13/2020 13:00	08/13/2020 14:05	Runup	F5611	Poppe , Adam R; Poppe III, John E	
08/13/2020 13:50	08/13/2020 14:20	Monthly SCBA Inspections	F5611	Poppe III, John E	
08/13/2020 14:05	08/13/2020 14:20	Wash Apparatus	F5611	Poppe , Adam R	
08/13/2020 14:25	08/13/2020 16:15	In Quarters	F5608	Poppe , Adam R	EES Alternator
08/13/2020 18:35	08/13/2020 18:45	Fuel	F5690	Novak, Keith J	23.056 gals
08/14/2020 06:00	08/14/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe III, John E	
08/14/2020 06:00	08/14/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe III, John E	
08/14/2020 06:15	08/14/2020 07:00	Administration		Poppe III, John E	Morning paperwork & emails
08/14/2020 07:00	08/14/2020 07:30	Briefing		Langguth , Jesse; Poppe III, John E	
08/14/2020 09:00	08/14/2020 10:00	Work Detail	F5605	Langguth , Jesse	Cleaned, sharpened, and wrapped hand tools
08/14/2020 09:30	08/14/2020 09:45	In Quarters		Poppe III, John E	Hunter Pest Control
08/14/2020 10:00	08/14/2020 11:00	Work Detail	ST56	Langguth , Jesse; Poppe III, John E	Clean lot, place insurance cards in apparatus
08/14/2020 11:00	08/14/2020 11:20	Reinspection	F5621	Langguth , Jesse; Poppe III, John E	959 W Veterans Hwy 100 W Veterans Hwy
08/14/2020 12:05	08/14/2020 12:20	Fuel	F5621	Langguth , Jesse; Poppe III, John E	22.494 gals, diesel
08/14/2020 12:20	08/14/2020 12:46	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00317 - Overheated motor: Apparatus F5600 responded to 40 WOODS EDGE DR

08/14/2020 12:20	08/14/2020 12:46	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00317 - Overheated motor: Apparatus F5610 responded to 40 WOODS EDGE DR
08/14/2020 12:20	08/14/2020 12:46	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00317 - Overheated motor: Apparatus F5621 responded to 40 WOODS EDGE DR
08/14/2020 14:00	08/14/2020 14:25	Runup	F5639	Langguth , Jesse	
08/14/2020 14:25	08/14/2020 15:20	In Quarters		Hanson , Justin; Schulte, Ryan	5701; review over Fob System
08/14/2020 14:35	08/14/2020 14:55	In Quarters		Poppe III, John E	Hunter Pest Control
08/15/2020 11:06	08/15/2020 11:37	Fire Run	F5611	Bonner Jr, Richard; Bonner Sr, Richard; Stadick, Cory; Vitalin , Leo	Incident 2020-00318 - Cooking fire, confined to container: Apparatus F5611 responded to 16 SHORT HILLS BLVD
08/15/2020 11:06	08/15/2020 11:25	Fire Run	F5624	Maras, Robert	Incident 2020-00318 - Cooking fire, confined to container: Apparatus F5624 responded to 16 SHORT HILLS BLVD
08/15/2020 11:06	08/15/2020 11:35	Fire Run	F5690	Novak, Keith J	Incident 2020-00318 - Cooking fire, confined to container: Apparatus F5690 responded to 16 SHORT HILLS BLVD
08/15/2020 15:08	08/15/2020 16:30	Fire Run	F5601	Maras, Robert	Incident 2020-00319 - Building fire: Apparatus F5601 responded to 571 PINEHURST RD
08/15/2020 15:08	08/15/2020 16:59	Fire Run	F5608	Novak, Keith J	Incident 2020-00319 - Building fire: Apparatus F5608 responded to 571 PINEHURST RD
08/15/2020 15:08	08/15/2020 16:59	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00319 - Building fire: Apparatus F5610 responded to 571 PINEHURST RD
08/15/2020 15:08	08/15/2020 16:59	Fire Run	F5611	Bonner Jr, Richard; Bonner Sr, Richard; Stadick, Cory; Vitalin , Leo	Incident 2020-00319 - Building fire: Apparatus F5611 responded to 571 PINEHURST RD
08/17/2020 06:00	08/17/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe III, John E	
08/17/2020 06:00	08/17/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe III, John E	
08/17/2020 06:15	08/17/2020 07:00	Administration		Poppe III, John E	Morning Paperwork & Emails
08/17/2020 06:30	08/17/2020 16:00	In Quarters	F5621	Engel, Christopher	Riding with day staff.
08/17/2020 07:00	08/17/2020 07:30	Briefing		Langguth , Jesse; Poppe III, John E	
08/17/2020 07:30	08/17/2020 08:00	Work Detail		Langguth , Jesse; Poppe III, John E	Reviewed inventory
08/17/2020 08:00	08/17/2020 10:30	Building Inspection	F5624	Poppe III, John E	165 Don Connor Blvd
08/17/2020 09:20	08/17/2020 09:55	Runup	F5637	Engel, Christopher; Langguth , Jesse	
08/17/2020 09:30	08/17/2020 09:50	SCBA Refill	F5637	Langguth , Jesse	Cylinders 88, 108
08/17/2020 09:45	08/17/2020 16:00	On Duty	F5621	Stadick, Cory	
08/17/2020 10:00	08/17/2020 12:00	In Quarters	F5600	Bunnell , Chuck T	Handed in old PPE.
08/17/2020 10:30	08/17/2020 16:00	Work Detail		Langguth , Jesse	Washed PPE that was returned.
08/17/2020 10:30	08/17/2020 12:00	Work Detail		Engel, Christopher; Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E; Stadick, Cory	Ground Clearing for Training Pad
08/17/2020 10:45	08/17/2020 12:00	Runup	F5621	Langguth , Jesse	
08/17/2020 11:00	08/17/2020 16:00	In Quarters		Foray Jr, Preston C	

08/17/2020 11:15	08/17/2020 11:30	SCBA Refill	F5637	Langguth , Jesse	Cylinders 10, 118
08/17/2020 13:00	08/17/2020 14:30	Work Detail	St 56-1	Engel, Christopher; Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E; Stadick, Cory	Ground Clearing for Training Pad
08/17/2020 15:00	08/17/2020 16:00	Training	St 56-1	Engel, Christopher; Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E; Stadick, Cory	30 Second Mask Up/Donning Drill
08/17/2020 18:24	08/17/2020 18:35	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00320 - Dispatched & cancelled en route: Apparatus F5600 responded to 38 GOLDFINCH RD
08/17/2020 18:24	08/17/2020 18:35	Fire Run	F5611	Engel, Christopher; Jastrzebski, Rafal; Vitalin , Leo	Incident 2020-00320 - Dispatched & cancelled en route: Apparatus F5611 responded to 38 GOLDFINCH RD
08/18/2020 04:31	08/18/2020 04:43	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00321 - Smoke detector activation, no fire - unintentional: Apparatus F5600 responded to 2 SUTER CT
08/18/2020 05:55	08/18/2020 06:05	Detail	F5601	Langguth , Jesse	Relocate Apparatus
08/18/2020 06:00	08/18/2020 16:00	On Duty	F5601	Langguth , Jesse; Poppe III, John E	
08/18/2020 06:00	08/18/2020 07:40	Administration		Poppe III, John E	Morning Paperwork, Emails and Reports
08/18/2020 06:00	08/18/2020 12:00	On Duty	F5601	Poppe , Adam R	
08/18/2020 06:05	08/18/2020 06:20	Morning Checks	F5601	Langguth , Jesse; Poppe , Adam R	
08/18/2020 07:39	08/18/2020 10:15	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00322 - Motor vehicle accident with injuries: Apparatus F5600 responded to 593 E VETERANS HWY
08/18/2020 07:39	08/18/2020 07:47	Fire Run	F5601	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00322 - Motor vehicle accident with injuries: Apparatus F5601 responded to 593 E VETERANS HWY
08/18/2020 07:39	08/18/2020 10:08	Fire Run	F5624	Maras, Robert	Incident 2020-00322 - Motor vehicle accident with injuries: Apparatus F5624 responded to 593 E VETERANS HWY
08/18/2020 08:00	08/18/2020 09:00	Monthly Station Standby Generator Check	ST561	Langguth , Jesse	
08/18/2020 08:00	08/18/2020 08:30	Briefing		Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/18/2020 09:20	08/18/2020 10:35	Runup	F5601	Langguth , Jesse	
08/18/2020 11:50	08/18/2020 14:10	Detail	F5601	Langguth , Jesse; Poppe III, John E	St 57; FMBA lunch/meeting
08/18/2020 13:00	08/18/2020 15:50	Detail		Engel, Christopher	Pool Fill
08/18/2020 18:50	08/18/2020 19:00	Runup	F5690	Novak, Keith J	
08/18/2020 19:18	08/18/2020 19:30	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00324 - Unauthorized burning: Apparatus F5600 responded to 62 THOMPSON BRIDGE RD
08/18/2020 19:18	08/18/2020 19:28	Fire Run	F5608	Novak, Keith J; Tafaro , Nick	Incident 2020-00324 - Unauthorized burning: Apparatus F5608 responded to 62 THOMPSON BRIDGE RD
08/18/2020 19:18	08/18/2020 19:30	Fire Run	F5611	Bonner Jr, Richard; Bonner Sr, Richard; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00324 - Unauthorized burning: Apparatus F5611 responded to 62 THOMPSON BRIDGE RD

08/18/2020 19:18	08/18/2020 19:30	Fire Run	F5624	Ericsson , Robert; Torenli , Taner; Vitalin , Leo	Incident 2020-00324 - Unauthorized burning: Apparatus F5624 responded to 62 THOMPSON BRIDGE RD
08/18/2020 19:45	08/18/2020 20:05	Runup	F5621	Foray Jr, Preston C; Maras, Robert; Novak, Keith J	
08/18/2020 19:50	08/18/2020 20:15	Runup	F5605	Engel, Christopher; Schoen , Greg; Stadick, Cory; Tafaro , Nick	
08/18/2020 20:00	08/18/2020 20:30	Runup	F5639	Foray Jr, Preston C; Schoen , Corey	
08/18/2020 20:25	08/18/2020 20:40	Runup	F5609	Ericsson , Robert; Novak, Keith J; Walker, Sean	
08/19/2020 06:00	08/19/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/19/2020 06:00	08/19/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/19/2020 08:00	08/19/2020 09:00	Work Detail		Langguth , Jesse	FMBA
08/19/2020 10:55	08/19/2020 12:10	Runup	F5605	Langguth , Jesse; Poppe , Adam R	
08/19/2020 12:40	08/19/2020 13:00	In Quarters	F5600	Bunnell , Chuck T	Drop off equipment
08/19/2020 14:15	08/19/2020 15:45	Work Detail		Poppe , Adam R	Monthly meter calibration 5601, 5611.
08/19/2020 14:45	08/19/2020 15:45	Phys	F5621	Langguth , Jesse; Poppe , Adam R	St 56
08/20/2020 06:00	08/20/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/20/2020 06:00	08/20/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/20/2020 08:30	08/20/2020 09:30	Work Detail		Langguth , Jesse	PPE cleaning and inventory.
08/20/2020 09:30	08/20/2020 09:50	Housekeeping		Langguth , Jesse	Emptied garbage cans
08/20/2020 10:10	08/20/2020 11:00	Runup	F5611	Langguth , Jesse	
08/20/2020 10:10	08/20/2020 10:20	Work Detail	ST56	Poppe , Adam R	Filled apparatus coolers with ice.
08/20/2020 10:20	08/20/2020 11:00	Runup	F5609	Poppe , Adam R	
08/20/2020 11:20	08/20/2020 11:45	Fuel	F5621	Langguth , Jesse; Poppe , Adam R	13.604 gals, diesel
08/20/2020 13:00	08/20/2020 15:00	Lawn		Langguth , Jesse	
08/20/2020 13:50	08/20/2020 14:40	Runup	F5639	Poppe , Adam R	
08/20/2020 16:35	08/20/2020 16:45	Fuel	F5690	Novak, Keith J	20.541 gals
08/20/2020 17:00	08/20/2020 18:30	Wash Apparatus	F5601	Foray Jr, Preston C; Novak, Keith J	Checked extrication equipment
08/21/2020 06:00	08/21/2020 16:00	On Duty	F5621	Hill, Ron; Poppe , Adam R	
08/21/2020 06:00	08/21/2020 06:15	Morning Checks	F5621	Hill, Ron; Poppe , Adam R	
08/21/2020 09:00	08/21/2020 11:00	Wash Apparatus		Hill, Ron; Poppe , Adam R	5608 5621
08/21/2020 13:00	08/21/2020 14:00	Runup	F5608	Hill, Ron; Poppe , Adam R	
08/23/2020 09:53	08/23/2020 10:07	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00327 - Cooking fire, confined to container: Apparatus F5600 responded to 9 REAGAN DR

08/23/2020 09:53	08/23/2020 10:07	Fire Run	F5605	Names not Submitted, Members St 56-1	Incident 2020-00327 - Cooking fire, confined to container: Apparatus F5605 responded to 9 REAGAN DR
08/23/2020 09:53	08/23/2020 10:07	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00327 - Cooking fire, confined to container: Apparatus F5610 responded to 9 REAGAN DR
08/24/2020 06:00	08/24/2020 16:00	On Duty	F5621	Poppe , Adam R; Poppe III, John E	
08/24/2020 06:00	08/24/2020 06:15	Morning Checks	F5621	Poppe , Adam R; Poppe III, John E	
08/24/2020 06:15	08/24/2020 07:00	Administration		Poppe III, John E	Morning Paperwork and Emails
08/24/2020 07:00	08/24/2020 07:30	Briefing		Poppe , Adam R; Poppe III, John E	
08/24/2020 07:30	08/24/2020 10:09	Work Detail		Poppe III, John E	Removed OOS equipment and noted missing equipment
08/24/2020 09:10	08/24/2020 13:00	In Quarters		Foray Jr, Preston C	
08/24/2020 09:40	08/24/2020 14:36	Runup	F5621	Poppe , Adam R	
08/24/2020 10:09	08/24/2020 10:14	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00328 - Alarm system activation, no fire - unintentional: Apparatus F5610 responded to 890 TOMS RIVER RD
08/24/2020 10:09	08/24/2020 10:18	Fire Run	F5621	Foray Jr, Preston C; Poppe , Adam R; Poppe III, John E	Incident 2020-00328 - Alarm system activation, no fire - unintentional: Apparatus F5621 responded to 890 TOMS RIVER RD
08/24/2020 10:15	08/24/2020 11:15	Detail	F5621	Foray Jr, Preston C; Poppe , Adam R; Poppe III, John E	St 56, reviewed equipment inventory
08/24/2020 11:15	08/24/2020 12:15	In Quarters		Rauch, Scott	Dropped paperwork, reviewed station needs
08/24/2020 13:00	08/24/2020 14:00	Housekeeping		Foray Jr, Preston C; Poppe III, John E	Clean and organized tool bench, engineers closet
08/24/2020 14:00	08/24/2020 15:00	Administration		Poppe III, John E	FMBA
08/24/2020 15:00	08/24/2020 15:25	Administration		Poppe III, John E	End of shift paperwork
08/24/2020 15:25	08/24/2020 15:45	Runup	F5637	Poppe , Adam R	
08/24/2020 15:30	08/24/2020 16:00	Work Detail		Poppe III, John E	Parking lot repair
08/24/2020 16:00	08/24/2020 16:25	Administration		Poppe III, John E	End of shift paperwork
08/24/2020 20:01	08/24/2020 20:12	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00330 - Motor vehicle accident with injuries: Apparatus F5600 responded to MONMOUTH RD
08/24/2020 20:01	08/24/2020 20:12	Fire Run	F5601	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00330 - Motor vehicle accident with injuries: Apparatus F5601 responded to MONMOUTH RD
08/24/2020 20:01	08/24/2020 20:12	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00330 - Motor vehicle accident with injuries: Apparatus F5610 responded to MONMOUTH RD
08/24/2020 20:01	08/24/2020 20:12	Fire Run	F5690	Novak, Keith J	Incident 2020-00330 - Motor vehicle accident with injuries: Apparatus F5690 responded to MONMOUTH RD
08/25/2020 05:55	08/25/2020 06:05	Detail	F5601	Poppe III, John E	Relocate Apparatus
08/25/2020 06:00	08/25/2020 16:00	On Duty	F5601	Langguth , Jesse; Poppe III, John E	
08/25/2020 06:05	08/25/2020 06:18	Morning Checks	F5601	Langguth , Jesse; Poppe III, John E	

08/25/2020 06:30	08/25/2020 07:00	Briefing		Langguth , Jesse; Poppe III, John E	
08/25/2020 07:00	08/25/2020 07:42	Administration		Poppe III, John E	Morning paperwork
08/25/2020 07:15	08/25/2020 09:15	On Duty Detail	F5624	Poppe , Adam R	1195 Rt 70 Lkwd; Register District vehicle
08/25/2020 07:42	08/25/2020 08:04	EMS Run	F5601	Langguth , Jesse; Poppe III, John E	Incident 2020-00331 - Medical assist, assist EMS crew: Apparatus F5601 responded to 42 OVERLOOK DR
08/25/2020 08:45	08/25/2020 09:10	Detail	F5601	Langguth , Jesse; Poppe III, John E	1156 Toms River Rd; pick up member
08/25/2020 09:15	08/25/2020 09:45	Repair	F5601	Langguth , Jesse	Mounts on RIT Pack
08/25/2020 09:30	08/25/2020 10:30	Work Detail	F5601	Langguth , Jesse; Poppe III, John E	Worked on Hose loads on 5601 and 5621.
08/25/2020 10:30	08/25/2020 12:00	Detail	F5624	Poppe III, John E	Exchanged old ERG books for new at both Stations
08/25/2020 11:00	08/25/2020 12:15	Runup	F5601	Langguth , Jesse	
08/25/2020 12:30	08/25/2020 14:15	In Quarters	F5637	Poppe III, John E	EES to work on Generator.
08/25/2020 13:30	08/25/2020 15:30	Work Detail	56-1	Langguth , Jesse	On and off as time allowed the Fob System was reviewed.
08/25/2020 14:15	08/25/2020 14:45	Reinspection	F5601	Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E	100 West Veterans Hwy
08/25/2020 14:45	08/25/2020 15:15	Pre-Plan	F5601	Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E	100 West Veterans Hwy (Roof Storage Room)
08/25/2020 15:15	08/25/2020 15:45	Administration		Poppe III, John E	End of shift paperwork
08/25/2020 15:50	08/25/2020 16:00	Detail	F5601	Poppe III, John E	Relocate Apparatus
08/25/2020 20:00	08/25/2020 20:45	Meeting		Bonner Jr, Richard; Bonner Sr, Richard; Bunnell , Chuck T; Ericsson , Robert; Foray Jr, Preston C; Jastrzebski, Rafal; Maras, Robert; McCarthy , Brian J; Novak, Keith J; Poppe Jr, John E; Ryan, Marie; Ryan , Sean; Schoen , Corey; Schoen , Greg; Stadick, Cory; Tafaro , Nick; Torenli , Taner; Vitalin , Leo	Monthly Company Meeting
08/26/2020 06:00	08/26/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe III, John E	
08/26/2020 06:00	08/26/2020 08:00	On Duty	F5621	Poppe , Adam R	
08/26/2020 06:00	08/26/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/26/2020 06:15	08/26/2020 07:15	Administration		Poppe III, John E	Morning Paperwork, emails and schedule review
08/26/2020 07:15	08/26/2020 07:45	Briefing		Langguth , Jesse; Poppe , Adam R; Poppe III, John E	

08/26/2020 08:30	08/26/2020 15:30	In Quarters		Foray Jr, Preston C	
08/26/2020 10:30	08/26/2020 10:50	Detail	F5611	Foray Jr, Preston C; Poppe III, John E	Relocate Apparatus
08/26/2020 10:50	08/26/2020 11:45	Repair	F5611	Foray Jr, Preston C; Poppe III, John E	Mounts & Hose Work on 5611 & 5605
08/26/2020 11:05	08/26/2020 12:30	Runup	F5605	Foray Jr, Preston C; Langguth , Jesse	
08/26/2020 11:40	08/26/2020 15:30	In Quarters		Stadick, Cory	
08/26/2020 12:45	08/26/2020 15:25	In Quarters		Poppe III, John E	Pepsi
08/26/2020 13:30	08/26/2020 14:45	Training		Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E; Stadick, Cory	2 1/2" Hose Advancements with Low manpower Hydrant work with 5" LDH
08/26/2020 14:50	08/26/2020 15:10	EMS Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00332 - Medical assist, assist EMS crew: Apparatus F5621 responded to 322 CASEY LN
08/26/2020 15:00	08/26/2020 15:20	Detail	F5611	Foray Jr, Preston C; Langguth , Jesse; Poppe III, John E	Relocate Apparatus
08/26/2020 15:30	08/26/2020 15:50	In Quarters		Langguth , Jesse; Stadick, Cory	Issued fob key and ID card St 56 member
08/27/2020 06:00	08/27/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	
08/27/2020 06:00	08/27/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/27/2020 06:00	08/27/2020 06:15	Apparatus Floor		Poppe III, John E	5621's Bay
08/27/2020 07:30	08/27/2020 08:00	In Quarters		Poppe III, John E	Barry Olejarz
08/27/2020 07:30	08/27/2020 08:15	Work Detail	ST561	Langguth , Jesse	Cleaned and sanitized ice machine.
08/27/2020 10:00	08/27/2020 11:30	Runup	F5639	Poppe III, John E	
08/27/2020 10:35	08/27/2020 11:30	Repair	F5611	Poppe , Adam R	Replaced Fuel Line on Generator
08/27/2020 10:40	08/27/2020 12:20	Runup	F5611	Langguth , Jesse	
08/27/2020 11:31	08/27/2020 11:52	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00333 - Smoke detector activation due to malfunction: Apparatus F5600 responded to 19 ERIN DR
08/27/2020 11:31	08/27/2020 11:52	Fire Run	F5611	Poppe , Adam R	Incident 2020-00333 - Smoke detector activation due to malfunction: Apparatus F5611 responded to 19 ERIN DR
08/27/2020 11:31	08/27/2020 11:52	Fire Run	F5621	Langguth , Jesse; Poppe III, John E	Incident 2020-00333 - Smoke detector activation due to malfunction: Apparatus F5621 responded to 19 ERIN DR
08/27/2020 13:00	08/27/2020 14:25	Training		Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Command, Control & Accountability Webinar
08/27/2020 15:30	08/27/2020 16:32	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00335 - Building fire: Apparatus F5600 responded to 8 HARVARD WEST DR
08/27/2020 15:30	08/27/2020 16:32	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00335 - Building fire: Apparatus F5610 responded to 8 HARVARD WEST DR
08/27/2020 15:30	08/27/2020 16:15	Fire Run	F5621	Langguth , Jesse; Poppe , Adam R; Poppe III, John E	Incident 2020-00335 - Building fire: Apparatus F5621 responded to 8 HARVARD WEST DR

08/27/2020 15:30	08/27/2020 16:32		F5611	Vitalin , Leo	Incident 2020-00335 - Building fire: Apparatus F5611 responded to 8 HARVARD WEST DR
08/27/2020 20:40	08/27/2020 21:07	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00336 - Alarm system sounded due to malfunction: Apparatus F5600 responded to 75 W VETERANS HWY
08/27/2020 20:40	08/27/2020 21:07	Fire Run	F5605	Foray Jr, Preston C; Maras, Robert; Schoen , Greg; Walker, Sean	Incident 2020-00336 - Alarm system sounded due to malfunction: Apparatus F5605 responded to 75 W VETERANS HWY
08/27/2020 20:40	08/27/2020 21:07	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00336 - Alarm system sounded due to malfunction: Apparatus F5610 responded to 75 W VETERANS HWY
08/27/2020 20:40	08/27/2020 21:07	Fire Run	F5611	Bonner Jr, Richard; Bonner Sr, Richard; Ericsson , Robert; Jastrzebski, Rafal; Stadick, Cory	Incident 2020-00336 - Alarm system sounded due to malfunction: Apparatus F5611 responded to 75 W VETERANS HWY
08/28/2020 06:00	08/28/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/28/2020 06:00	08/28/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/28/2020 09:00	08/28/2020 09:20	Fuel	F5621	Langguth , Jesse; Poppe , Adam R	22.788 gals, diesel 5 gals, Diesel can
08/28/2020 09:30	08/28/2020 10:00	Runup	F5609	Langguth , Jesse; Poppe , Adam R	
08/28/2020 09:45	08/28/2020 11:00	In Quarters	F5639	Langguth , Jesse	EES to work on hose reel.
08/28/2020 10:15	08/28/2020 11:30	Lawn		Langguth , Jesse	
08/28/2020 10:15	08/28/2020 11:00	Repair	F5609	Poppe , Adam R	Repaired emergency light fuses and replaced faulty wire from fuse block to switches
08/28/2020 11:00	08/28/2020 11:30	Runup	F5608	Poppe , Adam R	
08/28/2020 11:30	08/28/2020 12:30	Fuel	F5609	Poppe , Adam R	19.00 woth or premium
08/28/2020 12:00	08/28/2020 13:00	In Quarters	F5600	Bunnell , Chuck T	
08/28/2020 13:00	08/28/2020 13:30	Runup	F5608	Poppe , Adam R	Finish
08/28/2020 13:48	08/28/2020 14:11	EMS Run	F5621	Langguth , Jesse; Poppe , Adam R	Incident 2020-00337 - Medical assist, assist EMS crew: Apparatus F5621 responded to 589 SERGEY RD
08/28/2020 15:00	08/28/2020 15:45	Housekeeping		Langguth , Jesse	Cleaned and organized day staff office.
08/28/2020 15:00	08/28/2020 15:30	Work Detail	ST561	Poppe , Adam R	Topped off coolers with ice/water
08/28/2020 15:30	08/28/2020 15:45	Work Detail	F5637	Poppe , Adam R	Ran compressor
08/29/2020 04:04	08/29/2020 04:18	Fire Run	F5600	Bunnell , Chuck T	Incident 2020-00338 - Public service: Apparatus F5600 responded to LEESVILLE RD
08/29/2020 04:04	08/29/2020 04:18	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00338 - Public service: Apparatus F5610 responded to LEESVILLE RD
08/29/2020 15:35	08/29/2020 15:58	Fire Run	F5601	Bonner Jr, Richard; Bonner Sr, Richard; Schoen , Corey; Vitalin , Leo	Incident 2020-00339 - Gas leak (natural gas or LPG): Apparatus F5601 responded to 4 SUSIE LN
08/29/2020 15:35	08/29/2020 15:58	Fire Run	F5610	Poppe Jr, John E	Incident 2020-00339 - Gas leak (natural gas or LPG): Apparatus F5610 responded to 4 SUSIE LN
08/29/2020 15:35	08/29/2020 15:58	Fire Run	F5621	Alchevsky , John; Foray Jr, Preston C; Schoen , Greg	Incident 2020-00339 - Gas leak (natural gas or LPG): Apparatus F5621 responded to 4 SUSIE LN
08/30/2020 16:55	08/30/2020 17:05	Fuel	F5690	Novak, Keith J	21.759 gals

08/31/2020 06:00	08/31/2020 16:00	On Duty	F5621	Langguth , Jesse; Poppe , Adam R	
08/31/2020 06:00	08/31/2020 06:15	Morning Checks	F5621	Langguth , Jesse; Poppe , Adam R	
08/31/2020 07:15	08/31/2020 08:00	Runup	F5637	Poppe , Adam R	
08/31/2020 13:00	08/31/2020 13:30	Work Detail	ST561	Poppe , Adam R	fill coolers with ice in apparatus
08/31/2020 13:00	08/31/2020 14:25	Runup	F5621	Langguth , Jesse; Poppe , Adam R	
08/31/2020 13:30	08/31/2020 13:45	Work Detail	F5608	Poppe , Adam R	Run truck to build up air

District 2 Board of Fire Commissioners

Monthly Budget Report

January through December 2020

	<u>Jan - Dec 20</u>	<u>Budget</u>	<u>\$ Over Budget</u>	<u>% of Budget</u>
418 · Professional Services	24,618.00	50,000.00	-25,382.00	49.24%
420 · Office Supplies	3,928.60	7,100.00	-3,171.40	55.33%
421.3 · Election	2,375.35	3,000.00	-624.65	79.18%
421.4 · membership/Dues/subscriptions	300.00			
	<u>31,221.95</u>	<u>60,100.00</u>	<u>-28,878.05</u>	<u>51.95%</u>
Administration Fringe Benefits				
412.5 · Unknown Fringe Benefits-Admin	0.00	18,172.00	-18,172.00	0.0%
413.2 · Social Security - Admin	6,120.77	0.00	6,120.77	100.0%
413.3 · Medicare - Admin	1,445.67			
414.1 · Unemployment - Admin	298.49			
414.3 · Disability Ins - Admin	90.56			
415.1 · Pension - PERS	0.00	24,569.00	-24,569.00	0.0%
427.1 · Health Ins - Admin	22,574.43	29,995.00	-7,420.57	75.26%
Total Administration Fringe Benefits	<u>30,529.92</u>	<u>72,736.00</u>	<u>-42,206.08</u>	<u>41.97%</u>
412.10 · Office Staff - L Considine	16,220.05	36,400.00	-20,179.95	44.56%
412.21 · Rauch)	79,619.51	112,665.00	-33,045.49	70.67%
412.24 · Salary - Mitchel (P/T F/I)	0.00	18,000.00	-18,000.00	0.0%
412.25 · IT Director	0.00	400.00	-400.00	0.0%
412.4 · Overtime - Office Staff	4,565.35	5,500.00	-934.65	83.01%
419.1 · Commissioner Salaries	1,750.00	8,750.00	-7,000.00	20.0%
	<u>132,684.83</u>	<u>254,451.00</u>	<u>-121,766.17</u>	<u>52.15%</u>
A-10 Salary & Wages				
Operational Fringe Benefits				
Medicar	5,460.20			
Social Se	23,237.17			
413 · Social Security	0.00	60,899.00	-60,899.00	0.0%
414 · Unemployment	1,289.50			
414.2 · Disability Insurance	173.73			
415 · Pension - PFRS	0.00	131,350.00	-131,350.00	0.0%
416 · Cleaning Clothing Allowance	2,400.00			
416.1 · Vision Reimbursement	500.00			
427 · Health Insurance	76,701.62	84,723.00	-8,021.38	90.53%
Total Operational Fringe Benefits	<u>109,762.22</u>	<u>276,972.00</u>	<u>-167,209.78</u>	<u>39.63%</u>
412.11 · Lieutenant (Poppe)	79,665.51	115,072.00	-35,406.49	69.23%
412.12 · Lieutenant (Hanson)	80,011.62	115,572.00	-35,560.38	69.23%
412.15 · Firefighter (Poppe A)	59,582.72	86,064.00	-26,481.28	69.23%
412.16 · Firefighter (Zimmerman)	72,423.06	104,560.00	-32,136.94	69.27%
412.17 · Firefighter (Langguth)	39,544.38	61,334.00	-21,789.62	64.47%
412.18 · Firefighter (Schulte)	39,818.99	61,334.00	-21,515.01	64.92%
412.19 · Firefighter (New)	0.00	23,070.00	-23,070.00	0.0%

District 2 Board of Fire Commissioners
Monthly Budget Report
 January through December 2020

	<u>Jan - Dec 20</u>	<u>Budget</u>	<u>\$ Over Budget</u>	<u>% of Budget</u>
412.2.1 · (Rauch)	0.00	0.00	0.00	0.0%
412.2.2 · (Per Diem)	1,398.72	10,000.00	-8,601.28	13.99%
412.3 · Overtime	7,848.45	24,000.00	-16,151.55	32.7%
412.3.1 · Accumulated Comp Time Paid	7,866.37			
412.3.2 · Acting Lieutenant	2,715.88	8,000.00	-5,284.12	33.95%
Total A-10 Salary & Wages	500,637.92	885,978.00	-385,340.08	56.51%
A-12 Total costs of Operations				
Purchase of Assets (Not Capital)				
445 · Replacement of Equipment	5,068.14	10,000.00	-4,931.86	50.68%
445.1 · Extrication Equipment	0.00	10,000.00	-10,000.00	0.0%
445.2 · SCBA	0.00	15,000.00	-15,000.00	0.0%
445.3 · Hose	5,588.00	5,000.00	588.00	111.76%
445.5 · Pagers	0.00	2,000.00	-2,000.00	0.0%
445.6 · Turnout Gear	0.00	30,000.00	-30,000.00	0.0%
Total Purchase of Assets (Not Capital)	10,656.14	72,000.00	-61,343.86	14.8%
421.5 · Advertising	2,087.15	3,000.00	-912.85	69.57%
421.6 · Rental Charges	30,905.00	42,140.00	-11,235.00	73.34%
421.7 · EMS Supplies Expense	3,228.00	14,000.00	-10,772.00	23.06%
421.7.1 · Fuel	18,149.15	26,400.00	-8,250.85	68.75%
421.8 · Payroll Service Fees	3,688.16	5,500.00	-1,811.84	67.06%
424 · Training	9,953.17	12,000.00	-2,046.83	82.94%
425 · Other Rentals	37,500.00	41,000.00	-3,500.00	91.46%
428 · Clothing/PPE				
428.1 · Clothing Allowance 2019	119.00			
428.2 · Clothing Allowance J. Langguth	517.18			
428.3 · Clothing Allowance J Poppee III	320.89			
428.4 · Clothing Allowance A. Poppee	394.43			
428.5 · Clothing Allowance R. Schulte	470.95			
428.6 · Clothing Allowance J Zimmerman	270.85			
428.7 · Clothing Allowance J Hanson	55.00			
428 · Clothing/PPE - Other	1,728.71	10,000.00	-8,271.29	17.29%
Total 428 · Clothing/PPE	3,877.01	10,000.00	-6,122.99	38.77%
433 · Utilities General	6,248.07	43,000.00	-36,751.93	14.53%
435 · Insurance	110,317.69	175,000.00	-64,682.31	63.04%
435.2 · Physicals	9,041.00	14,000.00	-4,959.00	64.58%
442 · Maintenance and Repair				
442.1 · Building Maintenance	6,153.07	40,000.00	-33,846.93	15.38%
442.1.1 · Building Maintenance St 56 CV	13,185.24			
442.1.2 · Building Maintenance St 57 WV	7,114.18			
442.2 · Radio Repair	0.00	5,833.00	-5,833.00	0.0%
442.3 · R & M SCBA	1,949.27	5,833.00	-3,883.73	33.42%
442.4 · R & M Apparatus	5,536.50	110,000.00	-104,463.50	5.03%
442.4.2 · R & M 5701 2208 KME	11,609.10			
442.4.3 · R & M 5705 2011 Spartan Ros	15,753.44			

District 2 Board of Fire Commissioners
Monthly Budget Report
 January through December 2020

	<u>Jan - Dec 20</u>	<u>Budget</u>	<u>\$ Over Budget</u>	<u>% of Budget</u>
442.4.5 · R & M 5709 2009 Ford Reading	2,762.10			
442.4.7 · R & M 5790 2013 Ford Explorer	6,251.62			
442.5 · R & M Extinguishers	437.35	5,834.00	-5,396.65	7.5%
442.5.2 · R & M 5600 2011 GMC	521.38			
442.5.3 · R & M 5601 Rosenbauer	17,317.38			
442.5.6 · R & M 5608 1990 PB	9,623.96			
442.5.7 · R & M 5609 GMC	2,052.78			
442.5.8 · R & M 5610 2014 Ford	1,574.68			
442.6.1 · R & M 5621 2006 Spartan	14,858.06			
442.6.2 · R & M 5624 2006 Ford	1,457.86			
442.6.3 · R & M 2005 AMG	3,328.35			
442.6.5 · R & M 2008 Ford	1,112.40			
442.6.6 · R & M 5637 Air Trailer	323.54			
442.7.1 · 1991 B-5671 AMG	595.00			
442.7.2 · 1998 E-5611 E-One	7,580.26			
442 · Maintenance and Repair - Other	29,101.52			
Total 442 · Maintenance and Repair	<u>160,199.04</u>	<u>167,500.00</u>	<u>-7,300.96</u>	<u>95.64%</u>
Total A-12 Total costs of Operations	<u>405,849.58</u>	<u>625,540.00</u>	<u>-219,690.42</u>	<u>64.88%</u>
433.1 · Utilities Whitesville S Hope Ch	7,622.36			
433.2 · Utilities Cassville Miller Ave	16,979.76			
433.3 · Utilities Cassville Toms River	917.80			
480 · LOSAP	27,847.00	30,000.00	-2,153.00	92.82%
	<u>959,854.42</u>	<u>1,541,518.00</u>	<u>-581,663.58</u>	<u>62.27%</u>
460 · Shared Services Amendment 2015				
461 · Salary-Fire Inspector	1,955.01			
461.1 · Fire Bureau Fringe Benefits				
461.1.1 · Social Security-PT Fire Inspect	121.20			
461.1.2 · Medi-PT Fire Inspector	27.74			
461.1.3 · Unempl-PT Fire Inspector	12.00			
461.1.4 · Disability-PT Fire Inspector	2.45			
Total 461.1 · Fire Bureau Fringe Benefits	<u>163.39</u>			
462 · Fire Bureau Operational Expense	15,690.96	55,400.00	-39,709.04	28.32%
Total 460 · Shared Services Amendment 2015	<u>17,809.36</u>	<u>55,400.00</u>	<u>-37,590.64</u>	<u>32.15%</u>
	<u>17,809.36</u>	<u>55,400.00</u>	<u>-37,590.64</u>	<u>32.15%</u>
Capital Items.				
452.3 · Chief Vehicle	0.00	50,000.00	-50,000.00	0.0%
453.0 · Reserve for Future Cap Outlays	0.00	300,000.00	-300,000.00	0.0%
Total Capital Items.	<u>0.00</u>	<u>350,000.00</u>	<u>-350,000.00</u>	<u>0.0%</u>
452.5 · Downpayment of Ladder Truck	0.00	329,593.00	-329,593.00	0.0%
	<u>0.00</u>	<u>679,593.00</u>	<u>-679,593.00</u>	<u>0.0%</u>

Capital Leases

District 2 Board of Fire Commissioners
Monthly Budget Report
 January through December 2020

	<u>Jan - Dec 20</u>	<u>Budget</u>	<u>\$ Over Budget</u>	<u>% of Budget</u>
456.1 · Fire Apparatus	131,233.00	131,233.00	0.00	100.0%
457.1 · Fire Appartus Interest	19,222.81	19,222.00	0.81	100.0%
Total Capital Leases	<u>150,455.81</u>	<u>150,455.00</u>	<u>0.81</u>	<u>100.0%</u>
	4,496.25			
	0.00			
	<u>1,296,522.62</u>	<u>2,741,517.00</u>	<u>-1,444,994.38</u>	<u>47.29%</u>
	<u>-1,296,522.62</u>	<u>-2,741,517.00</u>	<u>1,444,994.38</u>	<u>47.29%</u>