

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name The Lounge, LLC	Facility Type Food Service Establishment	
Licensee Name The Lounge, LLC	Facility Telephone # 304 262-0022	
Facility Address 215 Monroe St Martinsburg , WV	Licensee Address 215 Monroe St Martinsburg , WV 25404	
Inspection Information		
Inspection Type Follow up	Inspection Date 12/05/2017	Total Time Spent 0.63

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walkin small red bull unit cheese machine gaming refrig	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
stearaminesanitizer	chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 4</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation REPEAT OBSERVATION few mouse droppings observed in far side bingo---No droppings observed in back storeroom--Pest control Nov 22, 2017</p>

Observed Non-Critical Violations

Total # 4

Repeated # 4

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION heat lamp bulb needs replaced

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION stove tops need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION stained ceiling tiles need replaced throughout building -Near back kitchen

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION floor needs repaired/resurfaced in gaming area and far side area-*Being worked on

Corrected Hazards

The following hazard(s) have been corrected since the last inspection.

Total # 14

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: can opener blade rusty and needs replaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: unused buffet area-counter top, inside cabinets and buffet needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: kitchen-soda machine needs splash area cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: kitchen-Red Bull refrigerator needs cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: heat lamp needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: red buffet-inside lower area and sneeze guard needs cleaned

6-301.12 - HAND DRYING PROVISION

OBSERVATION: paper towels needed in several restrooms

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: newer mens restroom(all urinals)-water lines filled with air/water not clear coming out of faucet-Check for any repairs needed or just from lack of use

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: womens restroom-bingo area-ceiling light bulbs needed

6-501.111 - CONTROLLING PESTS

This is a critical violation

OBSERVATION: fruit flies observed-in gaming area today during reinspection

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: gaming area-inside all cabinets need cleaned and organized

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walls need cleaned in back behind stoves

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: wall behind bag-n-box stand needs cleaned-gaming area

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor needs cleaned-kitchen, storeroom and hallway

Inspection Outcome

Comments

*30 day reinspection(fee was previously paid)

Person in Charge

A handwritten signature in black ink, appearing to be 'A. S.' followed by a long horizontal line.

Sanitarian

A handwritten signature in black ink, appearing to be 'Amy ARE Edwards' followed by a flourish.

Amy ARE Edwards