



THOMPSON MEAT MACHINERY

840 Mixer Mincers

HIGH PERFORMANCE IN A COMPACT DESIGN

MACHINE IN COMPLIANCE
WITH AUSTRALIAN STANDARDS
AND REGULATIONS

60 LITRE – 40KG
(FRESH TRIM)
BATCH CAPACITY

SAFETY ISOLATION
SWITCH

3kW HIGH TORQUE
FEEDSCREW GEAR MOTOR
DIRECT DRIVE

0.75kW PADDLE
MOTOR
DIRECT DRIVE

SAFETY INTERLOCKED LID
WITH OPEN GRILL

HEAVY DUTY STAINLESS STEEL
BOWL & CABINET
FULLY SEAM WELDED CONSTRUCTION

REMOVABLE MIXING PADDLE
STAINLESS STEEL WITH AUTOMATIC
RECIPROCATING MIX OPERATION

HEAVY DUTY
STAINLESS STEEL BARREL,
FEEDSCREW & LOCK RING

HEAVY DUTY CASTORS
STAINLESS STEEL



“THOMPSON TOUGH”

LEADING MANUFACTURERS OF MEAT PROCESSING MACHINERY

THOMPSON 840 MIXER MINCERS.

The Thompson 840 Mixer Mincer is the latest addition to the Thompson range of high-performance Mixer Mincers.

This **COMPACT MODEL** is purpose designed to accommodate the gourmet shops and supermarkets with **LIMITED PRODUCTION FLOOR SPACE** but still want the **SAME HIGH QUALITY MIXER MINCES** that are capable of **PRODUCING RELIABLE HIGH PRODUCTION OUTPUTS** and **GOOD PARTICLE DEFINITION OF CUT**. The 840 Mixer Mincer is available as a **CONVENTIONAL FREESTANDING MODEL** or where space is very limited as a **BENCH TOP MODEL**.

The 840 Mixer Mincer is a leader in its field and maintains the capacity to **MINCE EXTREMELY EFFICIENTLY** with output rates you would only expect of larger machines. It is ideal for gourmet shops and supermarkets that produce quantities of gourmet flavoured sausages in small batches or where tray packs of fresh mince are continually required. It **GREATLY REDUCES WASTE FROM EXCESS PRODUCT REMAINING IN BOWL OR MINCING CHAMBER**.

The 840 Mixer Mincer is a very good option over conventional pedestal style mincers that are hand fed. It offers continuous mincing operation and automatic mixing which **GREATLY REDUCES LABOUR** and **IMPROVES PRODUCT QUALITY AND YIELD**.

This machine stands **SMALL IN STATUE**, offers **BIG BENEFITS IN PERFORMANCE** and **COST REDUCTION** at an **AFFORDABLE PRICE**.


FEATURES OF THE THOMPSON 840 MIXER MINCER

- **3kW Helical Mince Drive** delivers a more powerful performance ensures efficient discharge whilst minimizing squashing or pulping of the product
- **Removable Stainless Steel Mixing Paddle** enables thorough cleaning and sanitization (Quick Release, Heavy Duty) with automatic reciprocating mix operation improves yield and reduces production time
- **Reciprocate Mixing Action** ensures an efficient mix and dispensation of the product
- **60 Litre (40kg) Batch Capacity** perfect for mixing and mincing of smaller batches with reduced waste
- **Safety Interlocked Lid** complete with viewing grills
- **Compact Design** with only 668mm x 744mm of floor area required (excluding the barrel and accessories)
- **32 Series (90mm) Cutting Head Size** minces fresh meat efficiently with high definition of cut
- **Low Loading Height** (1093mm) easy on operator's back
- **High Quality 304 Stainless Steel** Machine body, barrel, feedscrew, lockring, mixing paddle




Removable Mixing Paddle and Feedscrew


Loading and discharge height (mm)



RIGHT SIDE VIEW



FRONT VIEW



TOP VIEW

OPTIONS INCLUDE:

- 240v / 50Hz single phase
- Foot pedal operation
- Feedscrew knife and plate carriage
- De-bone / De-gristle cutting systems
- Ingredients or liquid pouring channel to lid

THOMPSON 840 MIXER MINCER SPECIFICATIONS: (BASED ON 415 v / 50 Hz)

| Mince Motor (kW) | Mix Motor (kW) | Bowl Capacity | Mix Capacity Fresh Trim (kg) | *Power Supply (Amps) | Full Load Current (Amps) | Ship Size (cm) L x W x H | Ship Weight (kg) |
|------------------|----------------|---------------|------------------------------|----------------------|--------------------------|--------------------------|------------------|
| 3 | 0.75 | 60 L. | 40 | 20 | 3.5 | 118 x 83 x 132 | 250 |

*Technical data is to be used as a guide only and is subject to change without notice.
Dimensions and weight may vary in the course of development

PRODUCT PERFORMANCE:

| Product | 10mm Hole Plate kg/hour | 5mm Hole Plate kg/hr | 3mm Hole Plate kg/hr |
|-----------------------------|-------------------------|----------------------|----------------------|
| Primary Cut – Beef Trim | 2,400 | | |
| Secondary cut – Ground Beef | | 1,500 | 1,380 |

Production rates are dependent on the product and temperature of the product

Manufactured in accordance with AS, CE, USDA, UL, CUL and GS Regulations



Delivering quality at the right price

Dussen Pty Ltd
Unit 3/70 Andrew Street Wynnum, Qld Australia 4178

Phone: (+61) 7 3393 6552 Fax: (+61) 7 3393 6352
Email: sales@dussen.com.au Website: www.dussen.com.au