

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

CHILD CARE CENTER INSPECTION REPORT

Establishment Information	
Facility Name Busy Bee II	Facility Type Child Care Center
Licensee Name Tracy Abercrombie	Facility Telephone # 304 267-7024
Facility Address 5342 Tabler Station Rd Martinsburg , WV	Licensee Address ,

Establishment Details		
Adult to Child Ratio		
Inspection Information		
Inspection Type Routine	Inspection Date 09/17/2018	Total Time Spent 2.00

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
<p>Total # 15 Repeated # 7</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf OBSERVATION: Step for door to kitchen needs repaired (wood under in poor repair)</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf OBSERVATION: Vent in infants room needs repaired (tape not approved)</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf OBSERVATION: Inside of washing machine needs cleaned</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf REPEAT OBSERVATION Floor in art room needs repaired (closet door/hole by table)</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf REPEAT OBSERVATION Ceiling tiles in storage room beside cafeteria need put back into place</p>

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Vent cover beside attic door needs repaired/replaced (bent) upstairs

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

REPEAT OBSERVATION Air conditioner vents need cleaned (mold)

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Employee bathroom vent needs cleaned (by kitchen)

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

REPEAT OBSERVATION Carpet throughout building needs replaced/repared

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Smoke detectors in upstairs rooms need batteries (beeping)

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

REPEAT OBSERVATION Walls in many areas need repaired (dry wall cracked/staple holes)

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

REPEAT OBSERVATION Walls throughout facility need painted/repared

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

REPEAT OBSERVATION Dryer vent cover on outside of building needs replaced (cracked and sharp)

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Dumpster area needs cleaned/tree limbs/debris

5.3.F - All rooms used by children shall have a thermometer which shall be located approximately thirty (30) inches above floor level. Thermostats are not acceptable in lieu of thermometers.

OBSERVATION: Thermometers needed in rooms

--

<i>Inspection Outcome</i>

<i>Comments</i>

Disclaimer

Person in Charge

Sanitarian

Keith Allison