

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Norborne Day Care Center	Facility Type Food Service Establishment	
Licensee Name Norborne Day Care Board	Facility Telephone # 304 263-2298	
Facility Address 200 W King St Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/07/2019	Total Time Spent 0.75

<i>Equipment Temperatures</i>	
Description McCall refrig downstairs refrig-staff	Temperature (Fahrenheit) 38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1 Repeated # 1</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation REPEAT OBSERVATION (<i>CORRECTED DURING INSPECTION</i>): bags of cut cheese need to be datemarked</p>

<i>Observed Non-Critical Violations</i>
<p>Total # 3 Repeated # 1</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION REPEAT OBSERVATION downstairs freezer needs to be defrosted</p> <p>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: 3 bay sink faucet dripping</p> <p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: side of cabinet and floor beneath need cleaned</p>

<i>Inspection Outcome</i>

Comments
*upstairs freezer no longer working and to be removed

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards