

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Moose	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 593 North Washington St Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date July 27, 2018	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Freezer	10
Walk-In Cooler	38
Freezer	3
Cooler	40
Freezer	1
Freezer	5
Cooler	2
Bar Cooler	38

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 3</b>
<b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b>
Observation: Stored food utensils need cleaned.
Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 6</b>
<b>Repeated # 3</b>
<b>3-305.11 - FOOD STORAGE</b>
Observation: Food stored on floor in walk-in cooler.
Corrective Action(s):
<b>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</b>
REPEAT OBSERVATION Fryer needs cleaned.
Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Food residue in freezer/cooler.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION Walk-in cooler floor, shelves, and vents need cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Kitchen floors need cleaned.

Corrective Action(s):

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

Observation: Hood vents need cleaned.

Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge



Sanitarian

**Tim Zeigler**