


# Archery

quality  
in  
a  
class  
by  
itself

**1960 CATALOG...**  
a complete line of the finest quality archery equipment





Extended field testing of every piece of YORK equipment is standard practice of Ken Smith, president (left).



## 38 Years of Making Better Archery Tackle Pay Off in Superior Performance

IN A CLASS BY ITSELF is the only way to describe YORK quality. Performance is the payoff; and in every YORK product, dollar for dollar, YORK built-in quality offers the utmost in performance and durability.

From the YORK Custom Composite bows—the most beautifully finished bows in the world—to the YORK Beginners' Arrows, every item in the complete YORK line is thoroughly field-tested over an extended period of time; and during production, machines and skilled men constantly control the operation to assure consistent YORK quality throughout. The careful, experienced engineering of YORK bows gives greater limb efficiency, the "secret" behind YORK's greater cast, natural feel, and incredible smoothness.

For real shooting satisfaction that comes with the consistent performance of superb equipment, step up to the YORK class—and see what a difference it makes!

### The York Guarantee

Every YORK product is guaranteed to be free from defects in workmanship or materials. The experience of 38 years has developed a team of designing skill and production know-how at YORK that is unsurpassed in the Archery Industry. It is this team that makes the YORK Guarantee possible. Any YORK item which appears defective, and shows no evidence of mishandling or misuse, should be sent prepaid direct to YORK Archery, Independence, Missouri, for replacement or repair.



## A GUIDE FOR SELECTING PROPER EQUIPMENT

### CHOOSING PROPER ARROWS




Fig. 1  
Determining Arrow Length

If the beginner in Archery is to experience the progress which makes for lasting interest and maximum enjoyment of the Sport of Archery, he must begin with properly fitted equipment. Skilled and accurate shooting is dependent upon the consistency with which each successive arrow is shot. Consistency is dependent upon the degree of accuracy with which arrows are matched in weight and spine (stiffness) and upon the accuracy with which arrows are fletched (feathered). For consistent shooting it is also very essential that the pounds of force or thrust behind each arrow shot must be exactly the same. The "pounds of pull" of a bow is an expression of the pulling force required to "draw" that bow (pull the bowstring back) to a fixed distance. If the pulling weight of the bow (and the resulting thrust behind the arrow) is to be consistent, it will be readily understood that the length to which the bow is pulled must be the same for each shot.

In Archery the arrow is the gauge which regulates this pulling distance. For each shot the arrow should be pulled back to where the point is flush with the back of the bow (the bow surface farthest from the eye). When the point of the arrow is flush with the back of the bow, the length of the arrow should be such as to enable the Archer to "anchor" on his chin with the bowstring in front of his eye. When these requirements are met, the Archer is accomplishing a "full draw" (See Figs. 3 & 4). Any amount of length in an arrow which extends beyond the back of the bow is not only "dead weight" but also tends to eliminate any possibility of accurately gauging the length to which the bow is being drawn.

From the above, it will be observed that the selection of proper equipment begins with the choice of arrows. To correctly measure the length of arrows suitable for your use, place the nock of an arrow in the center of your chest about six inches below the chin. Hold the point end between the palms of your hands. With the arms extended to their full reach, straight out in front of you, the point of the arrow should extend to the tips of the fingers (See Fig. 1). This is the proper method of equipping the individual with "target" arrows.

For selecting the proper arrows of other types, refer to Fig. 2. Select each type of arrow so that the tips of the fingers extend to that point on the arrows indicated by the dotted line.

### CHOOSING PROPER BOWS

YORK LEMONWOOD BOWS  
Plain and Vulcanized  
Fibre Backed

The selection of a YORK Lemonwood bow is quite simple. The specifications for each bow state the maximum length of arrows with which the bow should be used. Centuries of tradition and history are involved in the proper relationship between arrow length and bow length in these wooden bows. This traditional length relationship involves consideration for obtaining good cast and for providing reasonable assurance against breakage. To provide assurance against breakage, the bow length to arrow length relationship in Lemonwood bow specifications automatically provide the "smoothness" in shooting which becomes a factor in shooting many successive arrows in target Archery or in shooting the field rounds designed for hunting practice. In no case should a Lemonwood bow be used with arrows longer than those specified because of the very pronounced danger of breaking the bow.

### YORK SOLID FIBER GLASS BOWS.

YORK pre-tensioned and tillered solid fiber glass bows are absolutely unbreakable when pulled by the bowstring as an Archery bow should be pulled. Because they are unbreakable, tradition is not so much involved in the selection

of a YORK solid fiber glass bow. This choice depends upon the type of Archery in which the individual is most interested. A very short solid fiber glass bow (in its relationship to the length of the arrow with which it is used) will provide maximum cast and striking power. This can be ideal for the occasional shot experienced in bow hunting but, for continuous shooting in target Archery or in practicing the field rounds in training for bow hunting, a longer solid fiber glass bow will be appreciated for its smoother action and for the elimination of the kick and jar which causes fatigue

when many arrows are being shot in succession. The specifications in the YORK catalog in connection with solid fiber glass bows are flexible but tend to provide smoothness in shooting. Therefore, the individual's choice of bow length, in relation to the length of the arrows which he has determined to be proper for his use, will depend upon whether he prefers the "smoothness" provided in the specifications or whether he would prefer the "hard hitting" power of a bow as much as six inches shorter.




Fig. 3  
Full-Draw. Target Style.

### YORK CUSTOM QUALITY COMPOSITE BOWS

A third line of YORK bows are the YORK Custom Quality Composite bows. These Modern Masterpieces possess shooting qualities beyond the dreams of the Archers of ten years ago.



Fig. 4  
Full-Draw. Hunting Style.

Thousands and thousands of continuous glass fibers are woven into a fabric which has all of its strength in one direction with just enough "cross weave" to prevent splitting and separation. Then multiple layers of this special glass fabric are saturated with today's most remarkable resin discovery... Epoxy. When heat cured, this combination of countless glass fibers, supported by thermo-setting Epoxy molding resin, is both bow backing and bow facing that is unaffected by extremes of heat and cold... or moisture. The miracle in its use in

Archery bows is in its extreme resistance to stretch in bow backing and in its equal resistance to compression in bow facing. Combined with Northern Hard Maple and rich American Walnut into harmoniously colored laminations (bonded with an Epoxy adhesive which is as remarkable as the molding Epoxy in the glass backing and facing)... the result is a group of dignified YORK bows which are "light in the hand" for easy handling and smooth shooting... which are loaded with power for hard impact and flat trajectory... and which will discharge equal "loads" of power, shot after shot, whether in August or December.

Regardless of the choice, from the superb YORK IMPERIAL to the budget-priced CADET, there is real pride of ownership in the possession of any one of the YORK Custom Composite bows. You'll want to say to your friends, "this is my bow."

### IN CHOOSING ANY BOW...

If you are new in Archery first know your arrow length—give careful thought to the type of Archery in which you are going to be most interested—then carefully observe the specifications for each bow. Let your bow choice be a little long for target shooting or lots of field practice—a little short for maximum cast and striking power in hunting.

In choosing any bow—do not make the mistake of becoming "over-bowed". Choose one that you can pull without straining. You will be able to develop more proper shooting habits and progress more rapidly than if your bow is too strong for you. 35 to 40 pounds pull is about right for a man's target shooting bow. For hunting 45 to 55 pounds. Women's bows should be 15 pounds lighter. Bows for boys and girls still lighter. The stronger bow should come later when you have developed the pulling strength and when your judgment is supported by shooting experience.





Fig. 2  
Arrow Length is Measured from Bottom of Nock to Point Indicated by Dotted Line.





# Quality Craftsmanship in Fiber Glass



## Special Process, Pre-Tensioned, Tillered Straight-Limbed Fiber Glass Bows by YORK

As a serious art and as a sport, Archery has a long, colorful history. The very nature of Archery is such that breakage has been a factor throughout that history. But now there are YORK special process, pre-tensioned and tillered, solid fiber glass bows, each carrying an unconditional guarantee against breakage!

Fiber glass bows are composed of thermo-setting resin and countless filaments of fiber glass. The resin alone is useless for an archery bow, the limp glass is obviously useless. Unsupported, the glass is brittle, with no strength. Embodied in and surrounded by resin, it takes on tensile and compression strengths that are tremendous.

The fundamental goal in Archery is to obtain the flattest trajectory possible with the accompanying maximum striking power. The proper ratio of glass fibers to resin content, the uniform distribution of glass fibers within the resin and the organization of the fibers as the resin is heat-cured around them is of utmost importance. The perfection with which these requirements are met by the YORK process can not be approached by any other method.

Being unbreakable, it is obvious that there could be no better bows for boys and girls. Schools and institutional groups can do no better than to choose these bows. They are ideal for use in public ranges. In heavier weights, they serve the bow hunter at a very moderate investment.

Choose from the solid flat style SG group or the unbelievably low priced JG group. All carry the same YORK unconditional guarantee. All pack the same "bonus pounds per ounce" which only pre-tensioning can provide.

## SATELLITE SERIES

Perfect choice for beginning archers, school Archery classes! Bows in YORK's Satellite Series are made of tough, durable fiber glass with recurved ends, flat contoured limbs, molded saddle-type handles and built-in arrow rests. Each streamlined beauty is built to precision for perfection in detail, finished in rich, glowing colors. Weather conditions will not affect the performance nor mar the beauty of these hard-shooting bows. Dollar for dollar, feature for feature, you won't find a better bow anywhere!


Cat. No. RG-56 "Polaris" 5 ft. 6 in. Recurved. Double arrow rest. 30, 35, 40, 45, 50, 55 lb. pulling weights at 28 in. draw.

Cat. No. RG-50 "Titan" 5 ft. Recurved. Double arrow rest. 30, 35, 40, 45, 50, 55 lb. pulling weights at 26 in. draw.

Cat. No. RG-46 "Jupiter" 4 ft. 6 in. Recurved. With sight window. 20, 25, 30, 35 lb. pulling weights at 26 in. draw.

Cat. No. RG-40 "Atlas" 4 ft. Recurved. With sight window. Approximately 20 lb. at 22 in. draw.

# Bows by YORK



## Solid Fiber Glass Bows With Wide Contoured Straight Limbs

Dual purpose . . . tremendous cast for hunting,—fatigue-free smoothness in longer lengths for continuous shooting. Flat style, with extended narrow section above handle for sighting. Finest saddle-type, molded, contoured, handle. Dual arrow rests, for right or left hand Archers. Double looped Dacron string, served at ends and at nocking point. Perfectly tillered. Will not take a set . . . can be left strung without bow damage. Both bow and handle unaffected by normal heat or cold, or moisture.

Cat. No. SG-54 5 ft. 4 in. Straight bow. Weights to 65 lbs. at 28 in. draw.

Cat. No. SG-50 5 ft. Straight bow. Weights to 60 lbs. at 26 in. draw.

# UNCONDITIONALLY GUARANTEED

## Straight Limb Series Solid Fiber Glass Bows—Extra Value

These fiber glass bows by YORK are made especially for the beginner. Here are bows of unusual cast and power, practically indestructible, yet offered at unbelievably low prices. Every one of these bows is unconditionally guaranteed against breakage.

## JG BOW FEATURES

Narrow, power-packed, anti-inertia limbs. Finest saddle type, molded, contoured handle. Dual arrow rests, for right or left hand Archers. Hemp string. Both bow and handle unaffected by normal heat or cold, or moisture.

Cat. No. JG-48 4 ft. 8 in. Weights to 40 lbs. Tillered at 26 in. arrow length.


Cat. No. JG-46 4 ft. 6 in. Weights to 30 lbs. Tillered at 26 in. arrow length.

Cat. No. JG-44 4 ft. 4 in. Weights to 25 lbs. Tillered at 24 in. arrow length.

Cat. No. JG-40 4 ft. Weights to 22 lbs. Tillered at 22 in. arrow length.

Cat. No. JG-36 3 ft. 6 in. Weights to 16 lbs. Tillered at 20 in. arrow length.

These bows may be used with longer arrows than those specified, each additional one inch of arrow length will add three pounds of pulling weight.



# Lemonwood Bows by YORK



## YORK NO. FB and FL Lemonwood Bows

Made of select Lemonwood, these Fibre Backed bows are tillered and finished in the traditional YORK manner. Accurately made, they are recommended for individuals, schools and colleges who prefer Lemonwood bows. Made with wide, flat, rectangular shaped limbs and with Walnut handle overlays in harmony with the clear Lemonwood limbs. Narrow handles, with genuine leather grips and molded Tenite arrow rests. Served linen strings.

Cat. No. FB-56 5 ft. 6 in. Weights to 45 lbs.  
Tillered for 28 in. arrows.\*  
Cat. No. FB-52 5 ft. 2 in. Weights to 40 lbs.  
Tillered for 26 in. arrows\*

These bows are of the same design and quality as the No. FB bows but are of plain Lemonwood — without Fibre Backing.

Cat. No. FL-56 5 ft. 6 in. Weights to 40 lbs.  
Tillered for 28 in. arrows\*  
Cat. No. FL-52 5 ft. 2 in. Weights to 35 lbs.  
Tillered for 26 in. arrows\*

\*These bows should not be used with arrows longer than tillered arrow length. For each one inch of arrow length less than tillered arrow length, deduct four pounds of pulling weight.



Cat. No. FL-56  
Cat. No. FL-52



## Bow Fishing Equipment



CAT. NO. GFA SPECIAL BOWFISHING ARROW. Shaft is 5/16 inch in diameter, of solid fiber glass. Special fishing point has double barbed, tempered tip which is removable for easy extraction of the arrow from the fish. Waterproof, rubber, 3-vane fletching. Brilliantly crested. Drilled holes provided for line at point and also at nock. Lengths 28 and 30 inches.\*

CAT. NO. GFA-2 SPECIAL BOWFISHING ARROW. Same as No. GFA except that point is not tempered and does not have removable, barbed tip. Lengths 28 and 30 inches.\*

\*Individuals customarily use fish arrows up to 2 inches longer than their properly fitted target or field arrows.



M-55 Fishing Reel. Made of chrome finished steel. Easily taped to bow. Complete with 60 feet of 72 lb. test line.



Cat. No. M-60 Fishing reel of anodized aluminum, can be held to bow with hand or taped to bow. Complete with line.



DFP-35 Special Fishing Point. Double barbed, tempered point which is detachable for easy extraction of arrow from fish. 5/16 inch diameter, parallel bore.



FP-35 Solid Double Barbed Fishing Point. 5/16 inch diameter, parallel bore.

# Best Beginners' Arrows by YORK



CAT. NO. PA BEGINNER'S SELECT PRACTICE TARGET ARROWS. Shafts of Port Orford Cedar, 5/16 inch in diameter, finished in clear flexible lacquer. Fitted with parallel target points and replaceable index nocks. Wide, bright crestings and accurate fletching with odd cock feathers. Supplied in 24, 25, 26, 27, and 28 inch lengths.

Cat. No. PA 1 dozen in box. State length desired.

Cat. No. PA-1 1 gross of the above arrows in display carton. Specify assorted lengths desired.

Cat. No. PA-2 1/2 gross of the above arrows in display carton. Specify assorted lengths desired.



CAT. NO. BA BEGINNER'S PRACTICE TARGET ARROWS. 5/16 inch diameter Port Orford Cedar shafts, fitted with bullet type metal points and replaceable nocks. Fletched with odd cock feathers. Ample, brightly crested and finished in clear lacquer. Supplied in 24, 25, 26, 27, and 28 inch lengths.

Cat. No. BA 1 dozen in box. State length desired.

Cat. No. BA-1 1 gross of the above arrows in display carton. Specify assorted lengths desired.

Cat. No. BA-2 1/2 gross of the above arrows in display carton. Specify assorted lengths desired.



CAT. NO. 39FA BEGINNERS' FIELD ARROWS of genuine Port Orford Cedar. 5/16 in. diameter shafts equipped with long-nosed metal field points, plastic nocks and 3-feather fletching. Brilliant, wide-banded cresting. 24, 26, and 28 inch lengths.

CAT. NO. 39FA-1 1 gross of the above arrows in display carton. Specify assorted lengths desired.

CAT. NO. 39FA-2 1/2 gross of the above arrows in display carton. Specify assorted lengths desired.



CAT. NO. JA QUALITY ARROWS AT A REMARKABLY LOW PRICE. Sturdy 5/16 inch diameter Port Orford Cedar shafts. In natural finish and with wide colorful crestings. Knurled-on bullet type points. Standard 3 feather fletching and replaceable nocks. Supplied in 20, 22, 24, 26, and 28 inch lengths.

Cat. No. JA 1 dozen in box. State length desired.

Cat. No. JA-1 1 gross of the above arrows in display carton. Specify assorted lengths desired.

Cat. No. JA-2 1/2 gross of the above arrows in display carton. Specify assorted lengths desired.



CAT. NO. 25A AN INEXPENSIVE BEGINNER'S ARROW of genuine Port Orford Cedar. Metal points, plastic nocks and 3 feather fletching. Brilliantly crested. 24, 26, 28 inch lengths.

Cat. No. 25A-1 1 gross of the above arrows in display carton. Specify assorted lengths desired.

Cat. No. 25A-2 1/2 gross of the above arrows in display carton. Specify assorted lengths desired.

### AVAILABLE IN STOCK CREST ONLY

YORK Arrows No. JA, 25A and 39FA are packed in one gross and one-half gross display cartons as illustrated at left. YORK arrows No. PA and BA are packed in one gross and one-half gross cartons, as illustrated at right, which denote that they are arrows of better quality. These bulk packs permit the YORK dealer to sell one, two or more arrows at a reasonable price.

See YORK Nos. PA, BA, 39FA, JA and 25A above for these Bulk Listings.



**WHEN LESS THAN ONE DOZEN OF ONE KIND OF ARROWS ARE ORDERED, THE PRICE PER ARROW IS 1/10th OF THE REGULAR PRICE PER DOZEN.**



# Finest Quality Hunting, Target and Field Arrows by YORK



**A. Aluminum Arrows**



**B. Matched Port Orford Cedar Hunting Arrows**



**C. Selected Port Orford Cedar Hunting and Field Arrows**



**D. Flu Flu Hunting Arrow**



**E. Tournament Footed Target Arrows**



**F. Tournament Self Target Arrows**



**G. Deluxe Footed Target Arrows**



**H. Deluxe Self Target Arrows**

**A. CHAMPIONSHIP PROFESSIONAL QUALITY 24SRT-X ALUMINUM—THE VERY BEST.** These highest quality arrows by YORK are made from 24SRT-X aluminum shafting, a material which is produced to such extremely close tolerances that no other product for arrow shafts compares with it for accuracy. A dozen matched shafts will be exactly the same in both weight and spine. Using this material as basic shafts, YORK applies points, nocks, select feathers, and dignified, attractive crests, with extreme care and accuracy. The result is the ultimate in high grade arrows.

**Cat. No. CQAA ALUMINUM TARGET ARROWS.** Lengths 24, 25, 26, 27, 28, 29 and 30 inches.

**Cat. No. CQFA ALUMINUM ARROWS WITH 4 INCH FEATHER,** for field archers. Lengths 24, 25, 26, 27, 28, 29 and 30 inches.

**Cat. No. CQHA ALUMINUM HUNTING ARROWS WITH YORK HP-4, HP-3 or HP-2 hunting points.** Lengths 24, 25, 26, 27, 28, 29 and 30 inches.

**Cat. No. CQHA-H** Same hunting arrows as above but equipped with the popular Hilbre points. Specify length.

Be sure to specify arrow length and pulling weight of bow in ordering aluminum arrows of any type.

**B. FINEST QUALITY MATCHED HUNTING AND FIELD ARROWS.** Carefully selected Port Orford Cedar shafts are precision machined to 11/32 in. diameter and matched to minimum variance in weight and spine. Accurately fletched with long, low feathers to reduce planing and add accuracy to long range shots. Replaceable plastic nocks with flared nock opening for rapid field shooting. Extra long brilliant cresting . . . to aid in recovery. Supplied in 26, 27, and 28 inch lengths.

**Cat. No. HA-4** with HP-4 Point

**Cat. No. HA-3** with HP-3 Point

**Cat. No. HA-2** with HP-2 Point

**Cat. No. HA-1** with HP-1 Point

**Cat. No. AR-N** with SNS-35 Point

**Cat. No. AR-B** with RP-35 Point

**Cat. No. HA-S** with End Tapered 5°, Less Point

State catalog number and length of arrow as well as bow weight in ordering.

**C. GOOD HUNTING ARROWS OF STRAIGHT GRAINED PORT ORFORD CEDAR.** 11/32 in. diameter shafts. Bearing many of the quality features of YORK's finest hunting and field arrows, they are matched to reasonable tolerance in weight and spine. Supplied in 26, 27 and 28 inch lengths.

**Cat. No. PHA-4** with HP-4 Point

**Cat. No. PHA-3** with HP-3 Point

**Cat. No. PHA-2** with HP-2 Point

**Cat. No. PHA-1** with HP-1 Point

**Cat. No. PHA-S** with End Tapered 5°, Less Point

**Cat. No. PFA** with SNS-35 Point

**Cat. No. PRA** with RP-35 Point

State catalog number and length of arrow as well as weight of bow in ordering.

**D. CAT. NO. FFA FLU FLU ARROW** with special blunt point. Ideal for squirrels, birds and other small game. Carefully selected, Port Orford Cedar shafts, 11/32 inch diameter. Extra long, brilliant cresting. Colorful, spirally wound feathers provide proper braking action. Supplied in 26, 27, and 28 inch lengths.

State arrow length and weight of bow in ordering.

**E. CAT. NO. FA TOURNAMENT FOOTED TARGET ARROWS.** Port Orford Cedar shafts, with precision fitted 4-point Beefwood footings. Precision tapered from 5/16 inch diameter at point to 9/32 inch diameter at nock. Matched within less than five grains in weight and less than one ounce in spine. Fitted with knurled-on parallel target points and replaceable index nocks. Precision fletched with firm select feathers. Odd cock feathers. Superbly crested in individual dozens. Supplied in 24, 25, 26, 27, and 28 inch lengths.

State arrow length and weight of bow in ordering.

**F. CAT. NO. SA TOURNAMENT SELF TARGET ARROWS.** These select arrows are for the Archer who prefers the lightness of a self shaft. The Port Orford Cedar shafts are tapered from 5/16 inch diameter at point to 9/32 inch diameter at nock. Matched within less than five grains in weight and less than one ounce in spine. Fitted with knurled-on parallel target points and replaceable index nocks. Precision fletched with firm select feathers. Odd cock feathers. Best cresting. Supplied by dozens in 24, 25, 26, 27, and 28 inch lengths.

State arrow length and weight of bow in ordering.

**G. CAT. NO. RA DELUXE FOOTED TARGET ARROWS.** Port Orford Cedar shafts with 4-point Beefwood footings, precision tapered from 5/16 inch diameter at point to 9/32 inch diameter at nock. Matched in weight and spine, equipped with parallel target points and replaceable index nocks. Carefully fletched and crested. Supplied in dozens in 24, 25, 26, 27, and 28 inch lengths.

State arrow length and weight of bow in ordering.

**H. CAT. NO. CA DELUXE SELF TARGET ARROWS.** Choice Port Orford Cedar shafts, 5/16 inch diameter and matched in weight and spine. Equipped with parallel target points and replaceable index nocks. Accurately fletched with odd cock feathers and crested in individual dozens. Supplied in 24, 25, 26, 27, and 28 inch lengths.

State arrow length and weight of bow in ordering.



**HP-4 Four Blade Broadhead** of mill tempered spring steel.



**HP-3 Three Blade Broadhead.**



**HP-2 Two Blade Broadhead** of mill tempered spring steel.



**HP-1 Hilbre Barbless Hunting Point** of cutlery steel.



**SNS-35 Special Non-skid Point.**



**RP-35 Round nosed blunt point.**




**SB Special Blunt Point.**

# Archery Sets by YORK

Containing Solid Fiber Glass Bows


## WARRIOR



**CAT. NO. SGS-40 ARCHERY SET FOR THE YOUNGEST AGE GROUP.** This set contains a JG-40, 4 ft. YORK solid fiber glass bow with molded handle,—unconditionally guaranteed. Set includes four 22 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; a 16 inch paper target in 5 colors; Archery instruction booklet and bow guarantee. Completely packaged in an attractive display box.



## RANGER

**CAT. NO. SGS-46 ARCHERY SET FOR THE YOUNG BEGINNER.** This YORK set contains a power-packed unconditionally guaranteed JG-46, 4½ ft. YORK solid fiber glass bow with a molded saddle-type handle. Set also includes four 24 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; a 16 inch paper target in 5 colors; Archery instruction booklet and bow guarantee. Completely packaged in an attractive display box.



## FRIAR TUCK


**CAT. NO. RGS-40 HERE IS A COMPLETE ARCHERY SET WITH RECURVED BOW FOR THE YOUNGEST AGE GROUP.** Contains a YORK RG-40, 4 ft. RECURVED solid fiber glass bow; four 22 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; a genuine leather arm guard; leather shooting tab; a 16 inch paper target in 5 colors; and an Archery instruction booklet. Packaged in display box.



# Archery Sets by YORK


Containing Solid Fiber Glass Bows

## LOCKSLEY HALL




**CAT. NO. RGS-46 A COMPLETE SET WITH RECURVED BOW FOR THE YOUNG BEGINNER.** Contains a YORK RG-46, 4½ ft. RECURVED solid fiber glass bow with molded handle; four 24 inch Port Orford Cedar arrows with three feather fletching, replaceable plastic nocks and bullet-type points; a genuine leather arm guard; a leather shooting tab; a 16 inch paper target in 5 colors; and an Archery instruction booklet. Completely packaged in an attractive display carton.

## COLLEGIATE




**CAT. NO. SGS-50 HERE IS A VERY COMPLETE YORK SET FOR ADULTS—YOUNG AND OLDER.** Contains a YORK SG-50, 5 ft. solid fiber glass bow with molded saddle-type handle,—unconditionally guaranteed. Set also contains six Port Orford Cedar arrows with replaceable plastic nocks, bullet-type metal points and accurate fletching; a genuine leather arm guard; a leather shooting tab; a 16 inch target in 5 colors; and an Archery instruction booklet and bow guarantee. Completely packaged in an attractive display carton.

## COLUMBIA



**CAT. NO. RGS-50 ADULT SET WITH RECURVED SOLID FIBER GLASS BOW.** Contains a YORK RG-50, 5 ft. RECURVED solid fiber glass bow with molded, form-fitting handle; six Port Orford Cedar arrows with replaceable plastic nocks, bullet-type metal points and accurate fletching; a genuine leather arm guard; a leather shooting tab; a 16 inch paper target in 5 colors; and an Archery instruction booklet. Completely packaged in a display carton.

## DELUXE



**CAT. NO. RGS-56 MAN'S ARCHERY SET WITH RECURVED BOW.** Contains a YORK RG-56, 5½ ft. RECURVED solid fiber glass bow with molded form-fitting handle. Also includes six Port Orford Cedar arrows of YORK No. PA quality. Set also includes a man's full size arm guard; a leather shooting tab; a 24 inch paper target in 5 colors; and an instruction booklet on Archery. Completely packaged in an attractive display carton.



# Hunting Sets by YORK

Containing Power-Packed Solid Fiber Glass Bows

## THE BOWHUNTER

CAT. NO. GHS-50 Here it is! A hunting set, budget priced and ready to go! The bow is a 5 ft. YORK "flat style" fiber glass with extended narrow sighting area above handle, pulling weights to 60 lbs. Terrific shooting power and guaranteed unbreakable. Impervious to moisture, heat or cold. Has a double looped Dacron string, served at both ends and in nocking area. Set also includes three top grade 28 in. 11/32 in. diameter roving (blunt) arrows; three top grade 28 in. 11/32 in. hunting arrows; leather arm guard; leather shooting tab; bow guarantee and display card.

## THE HUNTSMAN

### Hunting Set With Recurved Fiber Glass Bow

CAT. NO. GHS-56 With this best of the YORK hunting sets, you'll be ready to go. Powerful, RECURVED, 5 ft. 6 in. solid fiber glass bow in pulling weights to 60 lbs. Bow has double looped Dacron string, served at ends and at nocking point. Molded, form-fitting handle on bow for right or left hand Archers. Set includes three fine grade 28 in. 11/32 in diameter hunting arrows, three fine grade 28 in. 11/32 in diameter roving (blunt) arrows, top grade leather arm guard, shooting tab, bow guarantee and display card.

# Accessories by YORK



BC—Bow Case. Made of heavyweight flannel lined Arrabuk. Chocolate brown color with zippered opening of ample size to accommodate largest handled composite bows. Leather reinforced top and bottom. Specify bow length when ordering.



Cat. No. AG-30—Hook and Lace Type Arm Guard—Made of firm strap leather completely lined with thin felt. Designed with new offset front which permits greater comfort and free movement of the wrist. Held in place by hooks and lace.



Cat. No. HG-40—Hunting Arm Guard—Made of top grain cowhide lined with thin suede sheepskin. Held in place by three straps and buckles. Two steel center stays for ample wrist protection.



Cat. No. AG-10—Skeleton Type Elastic Strap Arm Guard—Made of lightweight strap leather, lined with thin suede sheepskin. Spring steel center stay for adequate wrist protection. Held in place by two elastic straps.



Cat. No. AG-15—Elastic Strap, Single Hook Arm Guard—Made of natural strap leather, lined with imitation leather. Steel center stay for added wrist protection.

No. AG-23 — An exclusive Archer's glove, by York. Designed after most careful study. Features the York closed finger ends in improved form. Tooled calfskin back and genuine aniline dyed Cordovan finger ends. Adjustable wrist strap. Sizes: extra large, large, medium, medium small, and small. State Size.



No. AG-24 — Archer's Glove. Back is of garment cowhide, with heavy cowhide fingertips. Adjustable wrist strap. Sizes: extra large, large, medium, medium small, small. State Size.



No. AG-22 — Die-cut shooting tabs of elk-grained cowhide. Large or small sizes.

No. AG-21 — Die-cut shooting tabs of genuine Cordovan leather. Large or small sizes.



No. AG-19 — Die Cut Shooting Tab. Made of genuine Cordovan with smooth leather lining. Comfortably fits middle finger. Small, medium and large size.

# Artistry in Fine Leather Hunting Quivers by **YORK**



HQ-88

## HQ-88

This beautifully hand crafted center-back, quiver of top-grain, elk-tanned cowhide is as beautiful as it is practical! The exclusive YORK harness (with no dangling straps), can be worn either straight pack-style or "YORK-STYLE" through a simple snap and ring arrangement (see illustration). Unique, YORK-designed, internal provision for separating arrow compartment into 1, 2 or 3 sections.

The culmination of years of field trial, this quiver is designed for the hunter who demands BOTH quality and versatility. Equipped with large zippered pocket 6x12½ inches. Length 22 inches. Top opening 8x3½ inches tapering to 6½x3¼ inches at bottom. Available in two-tone tan and brown or in solid turf-tan. Specify color desired.

HQ-88S. Same design as HQ-88, but made of genuine Scotch grain leather.

## HQ-66

YORK's finest shoulder-style hunting quiver of top-grain elk-tanned cowhide. Designed with secondary strap (see illustration) extending from lower back of quiver around side opposite shoulder strap to a snap ring at chest. Ample adjustment in both straps.

Unique, YORK-designed, internal provision for separating arrow compartment into 1, 2 or 3 sections. Equipped with large zippered pocket 6x12½ inches. Quiver length 22 inches. Top opening 8x3½ inches tapering to 6½x3¼ inches at bottom. Available in two-tone tan and brown or in solid turf-tan. Specify color desired.

HQ-66S. Same design as HQ-66; but made of genuine Scotch grain leather.



HQ-66

HQ-66S



## HQ-22

Shoulder-style quiver of top-grain, elk-tanned cowhide. Finely crafted with ample adjustment in shoulder strap. Designed for carrying 8 to 12 arrows. Length 19 inches, top opening 6 x 3½ inches, bottom 3½ x 2 inches. Available in two-tone tan and brown or solid turf-tan. Specify color desired.

## HQ-21

Same as above except made of durable Arrabuk in two-tone brown. Harness of top-grain smooth cowhide.



HQ-40 A large, 22 inch shoulder-style quiver of heavy weight, brown two-tone Arrabuk. Handsome harness of top-grain smooth cowhide. Sturdy buckle adjustment in the shoulder strap. A rugged and budget priced quiver. Top opening of 8x3½ inches, bottom of 6x3½ inches.



## HQ-10

Serviceable, beginners, shoulder-style quiver of two-tone brown Arrabuk. Top-grain, smooth cowhide strap with ample adjustment. Length 18 inches, top 3½ inches in diameter, bottom 3½ x 2 inches.

## JHQ-10

Same as above except 15 inches in length designed for younger archers.



1 Illustrates center-back style of HQ-88, HQ-88S and HQ-20.



2 Illustrates pack-harness style of the HQ-88, HQ-88S and HQ-20.



3 Illustrates the center snap extra feature of the versatile HQ-88 and HQ-88S.

The famous YORK harness has no dangling straps, is versatile so that it can be worn either straight pack-style or "YORK-STYLE," through a simple snap and ring arrangement. Each quiver is distinctively styled by fine craftsmen in beautiful, supple leathers.



4 Illustrates the 2-strap harness featured on the HQ-66 and HQ-66S.



5 Illustrates shoulder-style position of the HQ-66, HQ-66S, HQ-22, HQ-40, HQ-21, JHQ-10.




## HQ-20

Pack-style, center-back quiver of top-grain, elk-tanned cowhide for carrying 8 to 12 arrows. Permanently attached straps with ample length adjustment. 19 inches in length with top opening of 6 x 3½ inches and bottom 3½ x 2 inches. Available in two-tone tan and brown or in solid turf-tan. Specify color desired.

# Target Quivers by YORK

# Miscellaneous by YORK



LQ-20

TQ-17

No. HQ-11

No. AQ-17

**LQ-20** Large, fine quality man's target quiver of top-grain, elk-tanned cowhide. 20 inches in length with top opening 2½ inches.

**LQ-17** Same fine quality as the LQ-20. Smaller size but conveniently holds target archer's 6 arrows. Length 17 inches with top opening 1¾ inches.

**WLQ** Same as LQ-17 but specifically designed with complete belt assembly for women and girls' use.

**TQ-17** Designed of two-tone brown Arrabuk this target quiver easily holds target archer's 6 arrows. It is 17 inches long and has a top opening 1¾ inches wide. Straps of top-grain smooth cowhide.


**WTQ** Same as TQ-17 but specifically designed with a complete belt assembly for women and girls' use.

**No. HQ-11** Medium sized hunting or target quiver of elk-grained cowhide. Complete with belt. Can be worn as shoulder quiver or hip quiver by right or left handed archers. Length 18 inches, top opening 2½ inches by 3¾ inches.

**No. AQ-17**—Serviceable target quiver of heavy brown imitation leather for carrying twelve arrows. Formed stiff leather bottom and loop for attaching to wearer's belt. Length 17 inches, top opening 2½ inches.



**PQ-10** Pocket Quiver  
A firmly riveted and sewn quiver of strap leather and elk-grained cowhide for fitting onto the belt and inserting into the hip pocket. Preferred by men for target Archery because of minimum encumbrance.



WQ Ground Quiver

For target shooting. Made of ¼ inch diameter steel. Cadmium plated. Solid welded construction with a loop for the arrows and a rack for holding the bow when it is not in use. The headpiece is detachable to facilitate carrying the quiver in a tackle case.



HP-4



HP-3



HP-2



HP-1

**HP-4** Four Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft.

**HP-3** Three Blade Broadhead Hunting Point. Barbless. For 11/32 inch shaft.

**HP-2** Two Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft.

**HP-1** Hilbre Barbless Hunting Point. Cutlery steel blade; ground in oil. Molded Nylon ferule perfectly aligned for accurate flight. For 5/16 inch or 11/32 inch shafts. Blade 1 inch x 3 inches—110 grains.



**NS-35** Special Non-Skid field points, 11/32 inch bore.

**NS-30** Same as above but 5/16" bore.



**SNS-35** Special Non-skid blunt nosed field points, 11/32" dia., 5° taper bore.

**SNS-30** Same as above but 5/16" dia., 5° taper bore.



**PP-50** Brass Parallel Arrow Point. 5/16 inch diameter.

**BP-30** Bullet-Type Arrow Points. 5/16 inch diameter.




**RP-35** Round nosed blunt small-game or Field Roving points, 11/32" dia., 5° taper bore.




**SB** Special Blunt Point with outstanding shocking power. Has 7-pointed, 7/8 inch head and 5° tapered internal threads for easy application to any wood shaft.



**PBT** Bow Tip Protectors of tough vinyl plastic. Protect bowtips and hold string in place.



**MPT** Graceful Bow-tips. Molded to simulate traditional horn tips. 3/8 inch diameter tapered bore.



**M-10** Calibrated Bowsight with windage and elevation adjustment.



M-20 String Serving Tool.



**BBS BRUSH BUTTONS.** Small size. Slipped onto bowstring ends, they prevent bowstring and bow limb intersection from hanging on brush in hunting.

**BBL** Same as above but larger size.




No. BW —Bowstring wax. 1 oz. cake.



**PN-11** Plastic arrow nocks, 11/32 inch diameter.

**PN-16** Plastic arrow nocks, 5/16 inch diameter.

**PN-32** Plastic arrow nocks, 9/32 inch diameter.



**No. GB**—Selected Barred Full-Length Feathers — Ground Bases.

**No. GD**—Selected Dyed-Barred Full-Length Feathers — Ground Bases.



**M-40** Adj. Tenon Cutter, for shouldering 5/16 in. or 11/32 in. shafts for target points.

**M-45** Tapering Tool, for 5/16 in. or 11/32 in. shafts. Cuts 5° taper for broadheads, and 11½° taper for nocks.



**M-35** Feathering Tool. Sets 3 feathers at once. Handles feathers up to 5 in. long.



# YORK targets--faces--stands



Cat. No. MG-48  
Cat. No. MG-36  
Cat. No. MG-24

## YORK TARGET BUTTS

Tournament Approved

These targets are machine-made of very long length marsh grass. They are not attractive to vermin and thus do not constitute a warehousing problem in that respect. They are 4 inches thick, are firmly stitched with tarred sisal twine and will render long, satisfactory service. Being spirally-wound, they should not be confused with machine-made targets which are made by stuffing and quilting between two layers of burlap because these spirally-wound targets will render far longer and more satisfactory service.

- Cat. No. MG-48 — 48 in., wt. approx. 65 lbs.
- Cat. No. MG-36 — 36 in., wt. approx. 37 lbs.
- Cat. No. MG-24 — 24 in., wt. approx. 18 lbs.

**IMPORTANT NOTICE:**  
MG targets are shipped direct from the factory in Columbus, Nebraska. Orders of 100 lbs. or more will be shipped by rail freight, PREPAID. All prices are delivered prices if you plan your orders to total 100 lbs. or more. Orders under 100 lbs. will be shipped rail freight, COLLECT. If your location makes truckline freight advantageous, you must balance this advantage against the fact that truckline rates are .80 per cwt. higher than rail rates. When, according to your instructions, we ship by truck, PREPAID, you will be billed for this .80 per cwt. difference. ALSO, TRUCK LINE SHIPMENTS MUST TOTAL 150 LBS. OR MORE TO AVOID SPECIAL TRUCKLINE SURCHARGES ON SHIPMENTS UNDER 150 LBS.

### DRAWSTRING TARGET FACES

Drawstring faces which can be applied to the target in ten minutes—no tools required. Made of dull oilcloth with heavy cloth drawstring bands. Non-glaring, standard colors; in most appropriate shades.

- Cat. No. TF-48—48 inch.
- Cat. No. TF-36—36 inch.
- Cat. No. TF-24—24 inch.

### PLAIN TARGET FACES

These oilcloth faces are the same as the TF faces listed above but are supplied flat to be sewn direct to the straw boss.

- Cat. No. SF-48—48 inch.
- Cat. No. SF-36—36 inch.
- Cat. No. SF-24—24 inch.

### HEAVY PAPER TARGET FACES

Standard five color target faces on heavy white paper. Accurately graduated rings, with dull, non-glaring colors. Supplied rolled—no folds!

- Cat. No. PF-48—48 inch.
- Cat. No. PF-36—36 inch.
- Cat. No. PF-24—24 inch.
- Cat. No. PF-16—16 inch.

### FIELD ARCHERY TARGET FACES

Set of 36 animal faces and hair line scoring rings. Printed in natural brown tones on heavy white paper. Official NFFA sizes.

- 4—24 in. Deer Faces
- 6—18 in. Bear and Fox Faces
- 8—12 in. Woodchuck and Weasel Faces
- 18— 6 in. Assorted Small Game Faces



Cat. No. FF-36.....Set of 36



### Animal Faces

Realistic full color, on TOUGHEN-IZED laminated target face material which resists tears and greatly lengthens life of face.

- Cat. No. AF-24 24" Deer
- Cat. No. AF-18 18" Fox
- Cat. No. AF-12 12" Bob Cat
- Cat. No. AF-6 6" Squirrel

# by YORK



Cat. No. CT-16  
Cat. No. CT-16F

### LOW PRICED CORRUGATED BOX TARGET

Cat. No. CT-16 Handy-Target for beginners. To be set-up into 18 inch square by 4 inch thick box, stuffed with wadded papers (rags are better) and taped closed. Standard 5 color 16 inch face on main panel. Sold only in multiples of six.

Cat. No. CT-16F As above, but set-up and filled with tightly rolled corrugated filler. Sold only in multiples of two.

### TARGET STANDS

Made of soft wood so as not to damage arrows. Brackets on outside legs on which to place targets. Stained red.

- Cat. No. T-60—6 ft. for 48 in. targets.
- Cat. No. T-50—5 ft. for 36 inch or 24 inch targets.

Cat. No. T-60  
Cat. No. T-50



### Plain Flat Lemonwood Staves

- FS-58—5 ft. 8 in. x 1 1/2 in. x 3/4 in.
- FS-53—5 ft. 3 in. x 1 1/2 in. x 3/4 in.

### Roughed-Out Flat Lemonwood Staves Unbacked

- FLS-58—5 ft. 8 in. long, Walnut overlay.
- FLS-53—5 ft. 3 in. long, Walnut overlay.
- FSS-50—Youth's Special 5 ft. long, Walnut overlay.

### Roughed-Out Flat Lemonwood Staves Fibre Backed

- FBS-58—5 ft. 8 in. long, Walnut overlay, fibre back.
- FBS-53—5 ft. 3 in. long, Walnut overlay, fibre back.

# YORK BOWSTRINGS



CAT. NO. DS BEST QUALITY DOUBLE LOOP DACRON BOWSTRINGS. Served at the loops and at the arrow nocking area. Available for these bow lengths.

Bow Length	Bow Length
No. DS-59 for 5'9" bow	No. DS-53 for 5'3" bow
No. DS-58 for 5'8" bow	No. DS-50 for 5' bow
No. DS-56 for 5'6" bow	No. DS-48 for 4'8" bow
No. DS-54 for 5'4" bow	No. DS-46 for 4'6" bow

**NOTE ON BOWSTRINGS:** Bowstrings should be ordered by specifying the nock-to-nock length and weight of the bow. DO NOT ORDER BY STRING LENGTH. Nock-to-nock length of straight bows is easily measured, if not marked on the bow. If recurve bow length is not known, measure with limp tape held tightly against back of bow—tightly following all curves—from nock to nock.

CAT. NO. RS BEST QUALITY SINGLE LOOP DACRON OR LINEN BOWSTRINGS. Served at the arrow nocking area. When the nock-to-nock bow length cannot be accurately determined, it is sometimes better to order single loop strings because the one plain end permits adjustment. Packaged in plastic box.

- Available in three lengths:
- Cat. No. RS-52 for bows 5' to 5'4"
  - Cat. No. RS-56 for bows 5'4" to 5'8"
  - Cat. No. RS-60 for bows 5'8" to 6'

CAT. NO. DBS DOUBLE LOOPED BRAIDED DACRON BOWSTRINGS. Available in two lengths for bows not exceeding 35 lb. Packed in plastic box.


- Cat. No. DBS-40 for 4' bows
- Cat. No. DBS-46 for 4'6" bows

CAT. NO. FS-60 LOW-PRICED HEMP BOWSTRINGS. Braided, single loop. One size, for bows to 6 feet in length. Packed in plastic box.

### Arrow Shafts—Arrow Sets

- CS —Selected Cedar arrow shafts 5/16 in. x 29 in.
- FS —Footed arrow shafts, Cedar-Beefwood, tapered 5/16 in. to 9/32 in. x 29 in.
- HS —Selected Cedar hunting shafts, 11/32 in. x 29 in.
- CAS—Cedar Arrow Set, consisting of 12 Cedar shafts, fitted with parallel points and replaceable plastic nocks; 12 long, ground base feathers; package water-proof glue. Lengths: 28, 26, and 24 inch.

FAS—Footed Arrow Set, consisting of 12 Beefwood footed shafts, matched within 10 grains in weight and 2 ounces in spine; shafts tapered 5/16 in. at points to 9/32 in. at nocks; fitted with parallel points and replaceable plastic nocks; 12 long ground base feathers; package water-proof glue. Lengths: 28, 26, and 24 inch.



**A R C H E R Y**

**Nation's oldest  
manufacturer of  
Quality  
Archery Equipment**

**WOODCRAFT EQUIPMENT COMPANY**  
Independence • Missouri

# RETAIL PRICE LIST

*Effective February 1, 1960*

## YORK ARCHERY



WOODCRAFT EQUIPMENT COMPANY

1450 West Lexington

Independence, Missouri

Phone: CLifton 2-9612

### CUSTOM COMPOSITE BOWS

			Shipping Weight
SWR-1	Ea.	\$74.50	YORK "Imperial" 68", Wts. to 70 lb. 2 lb.
SWR-2	Ea.	74.50	YORK "Imperial" 64", Wts. to 70 lb. 2 lb.
RRH	Ea.	74.50	YORK "Thunderbolt" 54", Wts. to 80 lb. 2 lb.
DRG-1	Ea.	64.50	YORK Super "Crest" 64", Wts. to 75 lb. 1 lb. 9 oz.
DRG-2	Ea.	64.50	YORK Super "Crest" 60", Wts. to 75 lb. 1 lb. 7 oz.
RRS-1	Ea.	39.50	YORK "Crest" 64", Wts. to 70 lb. 1 lb. 6 oz.
RRS-2	Ea.	39.50	YORK "Crest" 60", Wts. to 70 lb. 1 lb. 5 oz.
GBF-1	Ea.	27.50	YORK "Crescent" 64", Wts. to 70 lb. 1 lb. 5 oz.
GBF-2	Ea.	27.50	YORK "Crescent" 60", Wts. to 70 lb. 1 lb. 4 oz.
BFB	Ea.	19.95	YORK "Cadet" 60", Wts. to 36 lb. 1 lb. 4 oz.

### RECURVED SOLID FIBER GLASS BOWS

RG-56	Ea.	\$16.50	YORK "Thor" 5'6", 30, 35, 40, 45, 50, 55 lb. wts. 1 lb. 14 oz.
RG-50	Ea.	12.95	YORK "Titan" 5', 30, 35, 40, 45, 50, 55 lb. wts. 1 lb. 8 oz.
RG-46	Ea.	7.95	YORK "Jupiter" 4'6", 20, 25, 30, 35 lb. wts. 1 lb. 3 oz.
RG-40	Ea.	5.95	YORK "Atlas" 4', wt. approx. 20 lb. 15 oz.

### STRAIGHT LIMBED SOLID FIBER GLASS BOWS

SG-54	Ea.	\$12.50	YORK Solid Glass Bow 5'4", Wts. to 70 lb. 1 lb. 9 oz.
SG-50	Ea.	10.50	YORK Solid Glass Bow 5', Wts. to 60 lb. 1 lb. 5 oz.
JG-48	Ea.	6.29	Feature Series Glass Bow 4'8", Wts. to 40 lb. 15 oz.
JG-46	Ea.	5.89	Feature Series Glass Bow 4'6", Wts. to 30 lb. 13 oz.
JG-44	Ea.	4.98	Feature Series Glass Bow 4'4", Wts. to 25 lb. 12 oz.
JG-40	Ea.	3.89	Feature Series Glass Bow 4' Wts. to 22 lb. 8 oz.
JG-36	Ea.	3.19	Feature Series Glass Bow 3'6", Wts. to 16 lb. 7 oz.

### BEST QUALITY LEMONWOOD BOWS

FB-56	Ea.	\$12.50	Fibre Backed Lemonwood Bow 5'6", Wts. to 45 lb. 1 lb. 3 oz.
FB-52	Ea.	12.00	Fibre Backed Lemonwood Bow 5'2", Wts. to 40 lb. 1 lb.
FL-56	Ea.	10.00	Plain Lemonwood Bow 5'6", Wts. to 40 lb. 1 lb. 1 oz.
FL-52	Ea.	9.50	Plain Lemonwood Bow 5'2", Wts. to 35 lb. 15 oz.

### BOW FISHING EQUIPMENT

GFA	Ea.	\$ 3.00	Fish Arrow - detachable barb point 6 oz.
GFA-2	Ea.	2.50	Fish Arrow - solid double barb point 6 oz.
DFP-35	Ea.	1.00	Fishing Point, detachable head 2 oz.
FP-35	Ea.	.50	Fishing Point 2 oz.
M-55	Ea.	4.95	Fishing Reel 12 oz.
M-60	Ea.	2.50	Fishing Reel 10 oz.

### BEST BEGINNERS' ARROWS

PA	Doz.	8.00	Select Practice Arrows 1 lb. 6 oz.
PA-1	Gr.	86.00	Above arrows in gross lot display carton 9 lb. 10 oz.
PA-2	1/2 Gr.	44.00	Above arrows in half gross display carton 4 lb. 12 oz.
BA	Doz.	6.00	Select Beginners' Arrows 1 lb. 6 oz.
BA-1	Gr.	65.00	Above arrows in gross lot display carton 9 lb. 10 oz.
BA-2	1/2 Gr.	33.00	Above arrows in half gross display carton 4 lb. 12 oz.
39FA-1	Gr.	56.00	Field Arrows, non-skid points, 5/16" shafts 9 lb. 10 oz.
39FA-2	1/2 Gr.	28.00	Above arrows in half gross display carton 4 lb. 12 oz.
JA	Doz.	4.75	Beginners' Arrows 12 oz.
JA-1	Gr.	50.50	Above arrows in gross lot display carton 9 lb. 1 oz.
JA-2	1/2 Gr.	25.75	Above arrows in half gross display carton 4 lb. 8 oz.
25A-1	Gr.	36.00	Feature value arrows in gross lot display 9 lb. 1 oz.
25A-2	1/2 Gr.	18.50	Feature value arrows in half gross display 4 lb. 8 oz.

### HUNTING, TARGET AND FIELD ARROWS

CQAA	Doz.	\$30.00*	Aluminum Target Arrows 1 lb. 6 oz.
CQFA	Doz.	30.75*	Aluminum Field Arrows 1 lb. 8 oz.
CQHA	Doz.	33.00*	Aluminum Hunting Arrows 1 lb. 12 oz.
CQHA-H	Doz.	33.75*	Hilbre Point Aluminum Hunting Arrows 1 lb. 12 oz.

\*Prices include 3 vane 120° fletching with either select all white feathers or "Plastifletch" vanes. BE SURE TO SPECIFY CHOICE IN ORDERING.

For 4 vane 90° or 4 vane 75°-105° fletching with all white feathers or "Plastifletch" vanes Extra \$1.50

For 6 vane 60° fletching, choice of all white feathers or "Plastifletch" vanes Extra \$2.25

HA-4	Doz.	\$17.00	Hunting Arrows, mill-tempered 4 blade points 2 lb.
HA-3	Doz.	17.00	Hunting Arrows, 3 blade points 2 lb.
HA-2	Doz.	17.00	Hunting Arrows, mill-tempered 2 blade points 2 lb.
HA-1	Doz.	17.50	Hunting Arrows, 2 blade barbless Hilbre points 2 lb.
HA-S	Doz.	12.75	Hunting Arrows, less points 1 lb. 11 oz.
AR-N	Doz.	13.50	Field Arrows, non-skid points 2 lb.
AR-B	Doz.	13.50	Roving Arrows, blunt points 2 lb.
PHA-4	Doz.	14.00	Hunting Arrows, mill-tempered 4 blade points 2 lb.
PHA-3	Doz.	14.00	Hunting Arrows, 3 blade points 2 lb.
PHA-2	Doz.	14.00	Hunting Arrows, mill-tempered 2 blade points 2 lb.
PHA-1	Doz.	14.50	Hunting Arrows, 2 blade barbless Hilbre points 2 lb.
PHA-S	Doz.	10.00	Hunting Arrows, less points 1 lb. 11 oz.
PFA	Doz.	12.00	Field Arrows, non-skid points 2 lb.
PRA	Doz.	12.00	Roving Arrows, blunt points 2 lb.
FFA	1/2 Doz.	9.00	Flu Flu Arrow with special blunt point 1 lb.
FA	Doz.	16.50	Tournament Footed Arrows 1 lb. 6 oz.
SA	Doz.	14.00	Tournament Self Arrows 1 lb. 5 oz.
RA	Doz.	12.00	Deluxe Footed Arrows 1 lb. 6 oz.
CA	Doz.	9.50	Deluxe Self Arrows 1 lb. 6 oz.

### YORK ARCHERY SETS - FIBER GLASS BOWS

			Shipping Weight
SGS-40	Ea.	\$ 4.98	Warrior, 4' straight fiber glass bow 2 lb.
SGS-46	Ea.	6.98	Ranger, 4 1/2' straight fiber glass bow 2 lb. 6 oz.
RGS-40	Ea.	7.98	Friar Tuck, 4' recurve fiber glass bow 2 lb. 10 oz.
RGS-46	Ea.	10.50	Locksley Hall, 4 1/2' recurve fiber glass bow 3 lb. 8 oz.
SGS-50	Ea.	13.95	Collegiate, 5' straight fiber glass bow 3 lb. 12 oz.
RGS-50	Ea.	16.95	Columbia, 5' recurve fiber glass bow 3 lb. 15 oz.
RGS-56	Ea.	21.95	Deluxe, 5 1/2' recurve fiber glass bow 4 lb. 8 oz.

### YORK HUNTING SETS - FIBER GLASS BOWS

GHS-50	Ea.	\$18.95	The Bowhunter, 5' straight fiber glass bow 4 lb.
GHS-56	Ea.	24.95	The Huntsman, 5 1/2' recurve fiber glass bow 4 lb. 9 oz.

### BOWCASE

BC	Ea.	\$ 4.00	Leather reinforced Arrabuk Bowcase 10 oz.
----	-----	---------	---

### SHOOTING GLOVES, TABS

AG-23	Ea.	\$ 2.50	Archer's Glove, Cordovan tips 3 oz.
AG-24	Ea.	1.35	Archer's Glove, Cowhide tips 3 oz.
AG-22	Ea.	.25	Cowhide Shooting Tab 1 oz.
AG-21	Ea.	.50	Cordovan Shooting Tab 1 oz.
AG-19	Ea.	.75	Cordovan Shooting Tab 1 oz.

### ARM GUARDS

AG-30	Ea.	\$ 1.50	Hook and Lace Arm Guard, large 3 oz.
HG-40	Ea.	2.50	Three-strap Hunting Arm Guard 3 oz.
AG-10	Ea.	1.75	Cool, skeleton Arm Guard, elastic straps 2 oz.
AG-15	Ea.	.75	Single-hook Arm Guard 2 oz.

### HUNTING QUIVERS

HQ-88	Ea.	\$19.95	Finest quality, Center-back Quiver 2 lb. 3 oz.
HQ-88S	Ea.	15.50	As above, of Scotch Grain leather 2 lb.
HQ-66	Ea.	18.95	Finest quality shoulder Quiver 1 lb. 6 oz.
HQ-66S	Ea.	14.50	As above, of Scotch Grain leather 1 lb. 4 oz.
HQ-22	Ea.	9.50	Shoulder Quiver, Elk-tanned Cowhide 15 oz.
HQ-22S	Ea.	7.50	Same as above, of Scotch Grain leather 15 oz.
HQ-21	Ea.	4.50	As above, of heavy Arrabuk 1 lb. 2 oz.
HQ-40	Ea.	5.50	Large shoulder Quiver of Arrabuk 1 lb. 7 oz.
HQ-10	Ea.	3.00	Beginner's shoulder Quiver of Arrabuk 12 oz.
JHQ-10	Ea.	2.50	Small size Arrabuk shoulder Quiver 11 oz.
HQ-20	Ea.	10.00	Center-back Quiver, Elk-tanned Cowhide 10 oz.
HQ-20S	Ea.	7.50	Same as above, of Scotch Grain leather 10 oz.

### TARGET QUIVERS

LQ-20	Ea.	\$ 4.50	Finest quality large Target Quiver 10 oz.
LQ-17	Ea.	4.00	Finest quality regular Target Quiver 5 oz.
WLQ	Ea.	4.00	Women's Finest quality Target Quiver 7 oz.
TQ-17	Ea.	2.00	Men's Arrabuk Target Quiver 7 oz.
WTQ	Ea.	2.00	Women's Arrabuk Target Quiver 9 oz.
HQ-11	Ea.	7.50	Elkhide Target or Hunting Quiver 11 oz.
AQ-17	Ea.	1.25	Imitation Leather Target Quiver 6 oz.
PQ-10	Ea.	2.00	Leather hip-pocket Quiver 3 oz.
WQ	Ea.	2.75	Steel Ground Quiver 9 oz.

### HUNTING POINTS

HP-4	Doz.	\$ 4.25	4-blade, mill tempered Hunting Points 5 oz.
HP-3	Doz.	3.75	3-blade Hunting Points 5 oz.
HP-2	Doz.	3.75	2-blade, mill tempered Hunting Points 4 oz.
HP-1	Doz.	4.50	Hilbre Barbless Hunting Points 4 oz.

### FIELD AND TARGET ARROW POINTS

NS-35	Doz.	\$ .80	Non-skid Field Points, 11/32" bore 5 oz.
NS-30	Doz.	.80	Non-skid Field Points, 5/16" bore 4 oz.
SNS-35	Doz.	.80	Short-nosed Field Points, 11/32" dia., 5° taper bore 4 oz.
SNS-30	Doz.	.80	Short-nosed Field Points, 5/16" dia., 5° taper bore 4 oz.
RP-35	Doz.	.80	Blunt Roving Points, 11/32" dia., 5° taper bore 5 oz.
PP-50	Doz.	.60	5/16" dia. Parallel Target Points 2 oz.
BP-30	Doz.	.45	5/16" dia. Bullet Arrow Points 3 oz.
SB	Doz.	1.50	Spec. Blunt Point, 5° taper bore for all wood shafts 5 oz.

### BOW TIP PROTECTORS

PBT	Pr.	.20	Vinyl protectors for bow tips 1 oz.
-----	-----	-----	-------------------------------------

### BOWSIGHT

M-10	Ea.	\$ 1.25	All Metal Bowsight 2 oz.
------	-----	---------	--------------------------

### BOWTIPS

MPT	Pr.	\$ .60	Molded Bowtips simulated Cowhorn 1 oz.
-----	-----	--------	--

### ARROW NOCKS

			Shipping Weight
PN-11	Doz.	\$ .45	11/32" diameter Arrow Nocks 1 oz.
PN-16	Doz.	.45	5/16" diameter Arrow Nocks 1 oz.
PN-32	Doz.	.45	9/32" diameter Arrow Nocks 1 oz.
PN-14	Doz.	.45	1/4" diameter Arrow Nocks 1 oz.

### BRUSH BUTTONS - TOOLS - BOWSTRING WAX

M-20	Ea.	\$ 1.50	String Serving Tool 2 oz.
BBS	Pr.	.60	Brush Buttons, small size 1 oz.
BBL	Pr.	.75	Brush Buttons, large size 1 oz.
BW	Ea.	.25	Bowstring Wax, 1 oz. cake 1 oz.
M-45	Ea.	3.50	Tapering Tool 3 oz.
M-35	Ea.	2.00	Feathering Tool 9 oz.
M-40	Ea.	4.50	Adjustable Tenon Cutter 5 oz.

### FEATHERS

GB	Doz.	\$ .80	Full-length, ground base, barred Feathers 2 oz.
GD	Doz.	1.00	Full-length, ground base, dyed barred Feathers 2 oz.

### TARGETS

MG-48	Ea.	\$25.00	48" Marsh Grass Target 70 lb.
MG-36	Ea.	15.00	36" Marsh Grass Target 40 lb.
MG-24	Ea.	8.00	24" Marsh Grass Target 20 lb.

Note: Due to their heavy weight, transportation cost on targets is very high in comparison to the actual cost of the targets. Because of this high transportation cost, over-the-counter prices of targets may vary in different parts of the country.

### LOW COST CORRUGATED BOX TARGETS

CT-16	Ea.	1.00	"Fill-it-Yourself" Box Target, cartons of 6 8 lb.
CT-16F	Ea.	2.20	Complete, set-up Box Target, cartons of 2 5 lb.

### OILCLOTH TARGET FACES

TF-48	Ea.	\$ 4.95	48" Drawstring Oilcloth Target Face 1 lb. 6 oz.
TF-36	Ea.	3.95	36" Drawstring Oilcloth Target Face 14 oz.
TF-24	Ea.	2.50	24" Drawstring Oilcloth Target Face 8 oz.
SF-48	Ea.	3.50	48" Sew-on Oilcloth Target Face 1 lb. 1 oz.
SF-36	Ea.	2.75	36" Sew-on Oilcloth Target Face 10 oz.
SF-24	Ea.	1.50	24" Sew-on Oilcloth Target Face 6 oz.

### FIVE COLOR HEAVY PAPER TARGET FACES

PF-48	Ea.	1.00	48" Heavy Paper Target Face 10 oz.
PF-36	Ea.	.75	36" Heavy Paper Target Face 7 oz.
PF-24	Ea.	.50	24" Heavy Paper Target Face 3 oz.
PF-16	Ea.	.25	16" Heavy Paper Target Face 2 oz.

### FIELD TARGET FACES

FF-36	Set	4.50	Set of 36 Field Target Faces 1 lb. 14 oz.
-------	-----	------	---

### "TOUGHENIZED" ANIMAL FACES IN FULL COLOR

AF-24	Ea.	\$ .75	24" Deer 4 oz.
AF-18	Ea.	.50	18" Fox 3 oz.
AF-12	Ea.	.30	12" Bob Cat 2 oz.
AF-6	Ea.	.09	6" Squirrel 1 oz.

### TARGET STANDS

T-60	Ea.	\$5.00	6' Stand for 48" Target 9 lb.
T-50	Ea.	4.50	5' Stand for 36" or 24" Targets 7 lb.

### BOWSTRINGS

DS	Ea.	\$ 1.25	Double-loop Dacron Bowstring 1 oz.
RS	Ea.	1.00	Single-loop Dacron Bowstring 1 oz.
DBS-40	Ea.	.60	4 ft. Double-loop braided Dacron Bowstring 1 oz.
DBS-46	Ea.	.60	4 1/2 ft. Double-loop braided Dacron Bowstring 1 oz.
FS-60	Ea.	.40	Hemp Bowstring 1 oz.

### LEMONWOOD STAVES

Plain Flat Staves			
FS-58	Ea.	\$ 3.00	5'8" x 1 1/2" x 3/4" 2 lb. 7 oz.
FS-53	Ea.	2.75	5'3" x 1 1/2" x 3/4" 2 lb.