



**GOODYEAR**  
*Racing*

Canadian Price List

**2016**

**FAIRCHILD**  
**RACE TIRES**

**(905) 641-8633**

[www.fcraacetires.com](http://www.fcraacetires.com)

email: [info@fcraacetires.com](mailto:info@fcraacetires.com)

# GENERAL INFORMATION

## No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

## Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

**STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.**

## Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

## Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.

## Additional Information

Additional information can be found at [www.racegoodyear.com](http://www.racegoodyear.com) or by contacting Fairchild Race Tires at [www.fcracetires.com](http://www.fcracetires.com).

**\*Prices in this catalogue are subject to change without notice based on exchange rates.**

## Eagle Dragway Special

### Eagle Dragway Special



### TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2016 CDN Price
36.0x17.5-16	808-018-081	2681 217506	D-2F	HG, BL	16.0	36.6	115.0	21.6	17.3	49.1	\$1,195.00
36.0x17.5-16	808-018-081	2747 231233	D-2H		16.0	36.6	115.0	21.6	17.3	49.1	\$1,195.00

### PRO STOCK

33.5x17.0-16	808-043-081	2211 228522	D-4A	SS, BL	16.0	33.4	105.0	20.8	17.4	43.1	\$895.00
--------------	-------------	----------------	------	--------	------	------	-------	------	------	------	----------

### ALCOHOL, FUNNY CAR, PRO MOD

34.5x17.0-16	808-117-081	3122 229258	D-2F		16.0	34.7	109.0	21.0	17.0	42.1	\$695.00
36.0x17.0-16	808-495-081	3036 230875	D-2F		16.0	36.3	114.0	21.4	17.0	49.9	\$665.00
36.0x17.0-16	808-276-081	1230 164841	D-2A	HG, BL	16.0	36.3	114.0	21.4	17.0	49.9	\$840.00

### SUPER GAS, SUPER STREET

32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.1	101.0	17.0	14.4	39.3	\$500.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$502.00
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.5	102.0	18.4	16.0	39.6	\$510.00
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.1	104.0	17.5	15.0	40.6	\$510.00
33.0x17.0-15	808-031-081	2053 191202	D-4A	SS	15.0	32.5	102.0	20.6	17.3	42.9	\$585.00

### COMP, SUPER COMP

31.0x12.0-15	808-095-081	2585 206637	D-3		#	#	#	#	#	#	\$485.00
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.1	101.0	17.7	15.0	34.1	\$500.00
33.0x12.0-15	808-921-081	1288 23654	D-7	HG	12.0	32.5	102.0	16.5	12.3	28.8	\$495.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	33.1	104.0	18.9	14.9	34.1	\$500.00
33.0x16.0-15	808-942-081	2533 215174	D-2A		15.0	33.7	106.0	20.2	16.5	40.5	\$475.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.5	102.0	19.6	16.1	38.0	\$520.00

## Eagle Dragway Special

### COMP, SUPER COMP CONT.

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2016 CDN Price
33.0x17.0-15	808-031-081	2534 215232	D-2A		16.0	33.7	106.0	21.2	17.5	41.2	\$495.00
33.0x17.0-15	808-031-081	2051 190102	D-4A	LW,SS	15.0	31.8	100.0	20.8	17.2	41.1	\$590.00
33.5X17.0-16	808-043-081	2775 226630	D-2A	BL	16.0	33.4	105.0	21.1	16.8	39.1	\$600.00

### STOCK, SUPER STOCK

28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	\$280.00
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	\$285.00
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	\$330.00
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	26.3	\$340.00
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	\$470.00
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	30.9	97.0	16.2	14.0	35.8	\$470.00
32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.1	101.0	17.0	14.4	39.3	\$500.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$502.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	33.1	104.0	18.9	14.9	34.1	\$500.00

### EAGLE FRONTRUNNER

22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.2	69.9	2.5	1.5	4.5	\$245.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$345.00
23.0x5.0-15	808-243-089	1961 189891	Hard		4.0	23.1	72.7	6.8	5.0	12.0	\$300.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.1	75.8	6.8	5.0	11.3	\$260.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.3	79.5	6.5	4.5	9.8	\$270.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	25.8	81.2	6.3	4.5	10.8	\$270.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$270.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.4	89.1	7.7	5.1	12.4	\$270.00

### DRAG RADIAL

30.0x9.0-15	388-717-097	4457 22536	D-4B	R, LW	9.0	29.8	94.0	12.0	9.0	22.7	\$360.00
-------------	-------------	---------------	------	-------	-----	------	------	------	-----	------	----------

## Eagle Dragway Special

### MOTORCYCLE DRAG

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2016 CDN Price
25.0x7.0-18	808-891-919	2982 103311	D-3		6.0	25.5	80.0	7.0	6.6	11.3	\$280.00

### EAGLE LANDSPEED

			Rim	Width	Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	
21.0x5.0-15	808-975-090	2282 196216	4.5		21.3	5.4	4.1	10.0	50.0	1200	300	\$800.00	
23.0x5.0-15	808-243-090	2283 196199	4.5		23.1	7.0	5.0	12.0	70.0	1700	300	\$825.00	
25.0x4.5-15	808-028-090	2284 196198	4.5		24.8	6.7	4.0	12.0	70.0	1700	300	\$840.00	
28.0x4.5-15	808-682-089	2286 196215	4.5		27.8	7.7	4.5	13.0	70.0	1700	300	\$895.00	

### LIFEGUARD SAFETY SPARE

PR-16	185-244-515	2912 230674										\$230.00
-------	-------------	----------------	--	--	--	--	--	--	--	--	--	----------

### DRAG TIRE COMPOUND DATA

**Listed in order from softest to hardest.**

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

- D-2 For Pro Mod. Slightly more starting line hook than D-2A.
- D-2A For Pro Mod, TAD, TAFC, Pro Stock and other high horsepower applications
- D-2E For TF/FC and other high horsepower applications.
- D-11 For TAD.
- D-1 For use on Dragsters and other lightweight cars.
- D-4B For Stock Eliminator. Slightly more tractive than D-4A.
- D-4A Good for hot and/or slick track conditions.
- D-4 Excellent wear/longevity for heavy applications, +3,000 lbs.
- D-6 Works well on Dragsters and 1,500 - 2,500 lbs. cars.
- D-5 Works well on 2,000 - 3,200 lbs. cars.
- D-7 Limited application compound. Can help eliminate shake.
- D-3 For heavier manual and automatic cars, +3,000 lbs.
- # To be announced

### COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,  
**ET** - Extended Tread Life, **MC** - Motorcycle Front, **BL** - Beadlock Wheel Required, **SQ** - Square Corner Profile

## Eagle Sports Car Special



### GT AND PRODUCTION

Size	Product Code	R160	R250	R255	R430	R475	Application	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2016 CDN Price
20.0x9.5-13	807-685-307				1711 229907			7.0	19.9	10.2	9.2	14.2	\$325.00
23.0x9.0-15	807-409-308				1782 221722		Cantilever	7.0	23.0	10.4	9.3	18.0	\$395.00
23.5x10.5-16	807-220-308				1651 221579			11.0	23.3	11.8	10.1	18.0	\$555.00
25.0x13.0-16	807-322-308				1570 221561			12.0	24.5	13.7	12.4	22.5	\$585.00
27.0x14.0-16	807-764-308				1571 221562			14.0	26.6	15.9	13.7	26.5	\$620.00

### FORMULA

	R160	R250	R255	R430	R470								
20.0x7.0-13			2646 229883			S2000	6.0-8.0	20.5	9.0	7.2	9.5		\$330.00
20.0x7.0-13				2659 228938		S2000	6.0-8.0	20.5	9.0	7.2	10.4		\$325.00
20.0x9.5-13		2640 221592				FA	10.0	20.3	10.9	9.1	11.0		\$350.00
22.0x9.0-13			2647 229884			FA/S2000	8.0-10.0	22.5	11.3	9.2	11.9		\$375.00
22.0x9.0-13				2660 228985		FA/S2000	8.0-10.0	22.5	11.3	9.2	11.9		\$370.00
23.0x13.0-13		2453 221813				FA	14.0	23.0	16.1	12.3	19.3		\$435.00

### SPEC RACER FORD

	DRY	RAIN										
22.0x7.0-13		2554 226806			Front/Rear	5.5/7.0	22.4/22.3	8.8/9.4	7.1	14.8		\$270.00
22.0x7.0-13			2626 221355		Front/Rear	5.5/7.0	21.9/21.8	8.8/9.4	7.1	15.8		\$275.00

### FORMULA - RAIN

	R065											
20.0x6.5-13		2661 226343			G-18 S2000	6.0	21.0	7.7	5.9	10.5		\$325.00
22.0x9.0-13		2662 226351			G-18 S2000	8.0	22.4	11.1	8.8	13.0		\$380.00

## Eagle Sports Car Special



### BLUE STREAK SPECIAL & CAN-AM

Size	Product Code	R655	Firm	Application	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2016 CDN Price
6.00-15	807-052-309	1724	1725	G-7	8.0	25.5	10.6	8.4	17.0	\$445.00
	807-052-310	221563	221565							
26.5x8.0-15	807-073-309	2546		Cobra	8.0	26.5	11.0	7.9	17.8	\$415.00
		221811								
26.5x10.0-15	807-481-320	2547		Cobra	10.0	27.0	12.9	10.2	22.3	\$415.00
		221580								
7.00-15	807-118-309	1756	1757	G-7	9.0	26.8	12.0	8.7	18.7	\$450.00
	807-118-310	221564	221706							
8.00-15	807-289-309	1758		G-7	10.0	26.8	13.1	10.1	19.7	\$450.00
		221581								

### SPORTS CAR RADIAL

		R210	R250	R370	R430	R465							
23.5x10.5-16	387-236-326	5875					GT	10.0	23.5	11.2	10.6	18.0	\$680.00
		221826											
25.5x12.0-16	387-112-326	5880					GT	12.0	25.5	13.5	12.2	24.5	\$705.00
		221828											
25.5x14.0-16	387-160-334	4331	4333				GT1	12.0	25.4	15.2	14.0	24.5	\$665.00
	387-160-308	221858	221577										
28.5x14.5-16	387-132-318	6898	4265				GT1	13.0	28.5	15.4	14.8	28.5	\$710.00
	387-132-308	221582	221574										
21.5x8.0-13	387-063-343			4540			WS	9.0	21.6	9.8	8.2	13.2	\$500.00
				226363									
22.5x11.0-13	387-061-343			4541			WS	11.0	22.6	12.2	10.6	16.4	\$525.00
				226364									
25.0x9.0-18	387-367-308		4452				Porsche Cup	9.0	25.3	10.0	9.0	18.1	\$645.00
			222763										
26.5x10.5-18	387-362-097		4453				Porsche Cup	11.0	26.7	12.0	10.6	23.8	\$710.00
			222761										

### SPORTS CAR RADIAL RAIN

		R065	R065	R085							
25.5x14.0-16	387-160-325			6672	GT1	12.0	25.5	14.1	14.0	30.0	\$715.00
				221837							
28.5x14.5-16	387-132-325			6673	GT1	13.0	28.5	15.4	14.8	36.6	\$765.00
				221838							
21.5x8.0-13	387-063-314	4286	4544		WS	9.0	21.6	9.8	8.2	15.1	\$480.00
	387-063-341	221576	226361								
22.5x11.0-13	387-061-314	4287	4545		WS	11.0	22.6	12.2	10.6	19.0	\$505.00
	387-061-341	221575	226509								