

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name King's Restaurant- Inwood	Facility Type Food Service Establishment	
Licensee Name Domenico or Pasquale Colandrea	Facility Telephone # 304 229-0800	
Facility Address 785 Middleway Pike Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/22/2017	Total Time Spent 2.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Dessert cooler	39
Walk in cooler	38
Dinner prep 1	39
Sandwich case	37
Pizza cooler	39
True	38
Dinner Prep 2	40
Excellence	40
Spaghetti Sauce	185

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket3- BayBucketUnderMicrowaveP repDishmachine	ChemicalChemical Heat		10010 0100	ChlorineChlo rineChlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 5

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

REPEAT OBSERVATION Cut lemons in dessert cooler need dated

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Hobart Mixer needs cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Small Kitchen Aid mixer needs cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Slicer needs cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: Soda nozzles need cleaned (mold)

Observed Non-Critical Violations

Total # 19

Repeated # 5

2-402.11 - HAIR RESTRAINTS

OBSERVATION: Employees noted/observed working in food preparation/cooking area without a hair restraint.

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

OBSERVATION: Sugar container at slicer station needs labeled

3-304.14 - WIPING CLOTHS AND WORKING CONTAINERS, USE LIMITATION

OBSERVATION: Wiping cloths need to be stored in sanitizer solution/bucket

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: Thermometers needed in Sandwich Prep/Dinner Prep 1/Dinner Prep 2.

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Vent cover above oven needs replaced/repared (missing)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Gaskets on True refrigerator/Continental drawers/Dinner Prep 1 need replaced (torn)

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting boards need cleaned/replaced/refurbished.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving above slicer needs cleaned

6-301.12 - HAND DRYING PROVISION

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): No toweling available at handsink for hand drying.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Cabinet door under soda machine needs repaired (hinge broke)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor tiles by back door need repaired (missing/cracked).

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Light switch above bread storage in kitchen needs replaced (cracked).

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Cabinet at server station 3 needs repaired (not closing)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent covers in all bathrooms need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent in hot water heater room needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Top of Oven needs cleaned .

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION Hood vents need cleaned

6-501.16 - DRYING MOPS

REPEAT OBSERVATION Mop needs to air dry.

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Andrea Colandrea



Keith Allison