

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS PRIORITY: 5 PRIORITY FOUNDATION: 2
CORE: 24 TOTAL: 31

ESTABLISHMENT: Camp Frame PERMIT NO.: DATE: 4/19/21
ADDRESS: 1362 Camp Frame Rd CITY: Hedgesville STATE: WV ZIP: 25427
PERSON IN CHARGE/TITLE: X Felicia Smalley (caretaker) TELEPHONE: 304-620-3442
RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature] RS
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: TIME: 10am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.12	Cleaning needed under 3 Bay Sinks, Stove
			6-501.115 PF	Mouse Droppings under 3 Bay Throughout
			4-602.12	Inside of ovens need cleaning *Outside too
			6-501.11	Wall coving needs repair
			6-501.14	Vents need cleaning
	✓		4-602.11	Ice maker needs cleaned inside
			6-501.11	Floor tile needs repair
	✓		4-602.11	Droppings in Mixer, Oven & Other Equipment
			6-501.11	Holes in walls need sealing
			6-501.14	Walk-in vents need cleaned
	✓		4-602.11	Floor and Racks in Walk-ins have mold
			6-501.114	Milk cooler needs removed - owner plans to remove it
	✓		7-206.12	"Snap Trap" Mouse Traps ² in use
			4-602.13	Dish Dish Storage racks need cleaned
			6-501.11	Hole in Wall of Dish Dish Storage, Behind Freezer
			6-501.11	Bug Screen on Screen door needs repaired/replaced
			4-501.11	Dishwasher & Hood needs service d needs serviced
		✓	4-501.11	Can opener ^{blade} needs replaced
		✓	6-501.12	Bathrooms need cleaning
			4-602.12	Grill & Toaster needs cleaning
			4-602.13	Hot box needs cleaning

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walk in Fridge	37						
Walk in Freezer	13						
Beverage Cooler	49						

