

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Taco Bell-Foxcroft	Facility Type Food Service Establishment	
Licensee Name Burger Busters, Inc.	Facility Telephone # 304 264-9161	
Facility Address 1020 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 03/04/2019	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	34
Heating cabinet	167
Hashbrowns, potato warmer	148
Heating Cabinet 2	152
Cold Prep	33
Server warmer	137
Hot Prep	140
Upper Warmer/Tacos	138
Crescor heating	

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Tacolinebucketleft	ChemcialChemci		30030030		
Tacolinebucketrig	alChemcial		0		
ht3baysink					

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Small flies observed near drive thru and in back of kitchen</p>

**Observed Non-Critical Violations**

**Total # 6**

**Repeated # 0**

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Tops of ice machine near drive thru needs cleaned, lime build up coming out of top of machine

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** ceiling vents near dry stock need cleaned, dust

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor drain near registers needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Fans in walk in need cleaned, dust

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Tops of equipment need dusted

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Gasket of freezer next to fryer needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



**Luke Hartley**