

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Shop N Save Hedgesville Deli/Bakery	Facility Type Food Service Establishment	
Licensee Name Shop N Save East, LLC	Facility Telephone # 304 754-9152	
Facility Address 147 Roaring Lion Drive Hedgesville, WV	Licensee Address Roaring Lion , WV	
Inspection Information		
Inspection Type Routine	Inspection Date 02/09/2017	Total Time Spent 2.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	40
Meat case	38
Fresh food case	38
Cake case	39
Hot Hold	147

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sanitizerdeli3-Bay	chemChemical		100300	QuatQuat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

ObservedNon-CriticalViolations
Total # 4
Repeated # 1
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>REPEAT OBSERVATION Gasket on Walk-In refrigerator needs replaced (torn)</i>
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>OBSERVATION: Outside window gasket on LBC Oven needs repaired</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: Faucet on mop sink leaking and needs repaired</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS <i>OBSERVATION: Water laying under/behind oven and rotisserie</i>

Inspection Outcome

Comments

Disclaimer

Person in Charge



Dustin Weigle

Sanitarian



Keith Allison