

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name JT's Bar & Grill	Facility Type Food Service Establishment
Licensee Name John Tobin Jr.	Facility Telephone # 304 229-3731
Facility Address 6332 Winchester Ave Inwood , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 08/03/2017	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	41
Sandwich cooler	39
Bartender salad cooler	39
Cooler beer	40
Wine cooler	39

Food Temperatures	
Description	Temperature (Fahrenheit)
Noodles	148
Green beans	89
Burgers	112

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkDishmachineBarsanitizer	bleachChemChem		300300	quatquat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations

Total # 6

Repeated # 1

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Gaskets need repaired, torn

4-502.11 - GOOD REPAIR AND CALIBRATION

REPEAT OBSERVATION Walk in cooler shelves need repaired rust

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Under the grill shelf needs cleaned, grease

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Gaskets need cleaned in the sandwich case

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Can opener needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ticket rack and wiring needs cleaned, grease

Inspection Outcome

Comments

Disclaimer

Person in Charge



John Tobin

Sanitarian



Glenn GCO Ondick