BIRDS in and around LAKE PEND OREILLE AND PRIEST LAKE

BONNER COUNTY, IDAHO AND THE IDAHO PANHANDLE NATIONAL FOREST



RED-NECKED GREBE *Podiceps grisegena (Builds floating nest in marsh, squawking call)*









WESTERN GREBE Aechmophorus occidentalis (Builds floating nest, "walks on water" in courtship)







COMMON LOON Gavia immer



AMERICAN WHITE PELICAN *Pelecanus erythrorhynchos*



CALIFORNIA GULL Larus californicus (Red blotch on lower bill near tip with black dots)



RING-BILLED GULL Larus delawarensis (Adult with yellow bill & legs, no red on bill tip, black ring around bill tip, immature on right)



KILLDEER Charadrius vociferous (Nests on beaches, please take care)



<image>

SANDERLING Calidris alba

SPOTTED SANDPIPER Actitis macularius (Nests on beaches, please take care)



DOUBLE-CRESTED CORMORANT Phalacrocorax auritus (Yellow throat pouch)



TUNDRA SWAN Cygnus columbianus (Adults have dark beak with yellow spot before eye, immature with reddish-yellow beak)



TRUMPETER SWAN Cygnus buccinators (Larger than Tundra Swan, adults have dark beak" without" yellow spot before eye)




CANADA GOOSE Branta canadensis (Loud honkers, walk around beaches and docks, leave droppings everywhere)



MALLARD Anas platyrhynchos (Male standing, female in flight)







GADWALL Mareca strepera

RING-NECKED DUCK Aythya collaris (White band around beak, male dark with white sides, female brown)



GREATER SCAUP Aythya marila







LESSER SCAUP Aythya affinis (Scaup species are very similar)



COMMON GOLDENEYE Bucephala clangula (Male with greenish head and round white patch between bill and eye, female's head brown)



BARROW'S GOLDENEYE Bucephala islandica (Male with purplish head and crescent-shaped white patch between bill and eye, female's head brown)



BUFFLEHEAD Bucephala albeola (Male with broadly white nape behind eye, female has smaller patch behind and below eye)





RUDDY DUCK Oxyura jamaicensis



GREEN-WINGED TEAL Anas crecca





REDHEAD Aythya americana (Males have red heads, females brown)



NORTHERN PINTAIL Anas acuta (Male has white "bib" and neck stripes, female mottled brown)



AMERICAN WIGEON Anas americana



WOOD DUCK Aix sponsa (Male colorfully patterned, female has white eye ring)



AMERICAN **COMMON MERGANSER** *Mergus merganser ssp.americanus* (Female's head brown, male's greenish)



HOODED MERGANSER Lophodytes cucullatus (Male, hood retracted, expanded) (female with yellow on beak)



AMERICAN COOT Fulica americana ("Chicken-like" in appearance, assemble in rafts of hundreds)



GREAT BLUE HERON Ardea herodias



WILD TURKEY Meleagris gallopavo (Hanging beard on male's breast)



RUFFED GROUSE *Bonasa umbellus* (Head crest, neck ruff prominent in males)



CALIFORNIA QUAIL Callipepla californica ("Comma-shaped" plume on crown of head)



RING-NECKED PHEASANT *Phasianus colchicus*



TURKEY VULTURE Cathartes aura (Head red, naked)







NORTHERN HARRIER *Circus hudsonius (White rump patch conspicuous in flight)*



RED-TAILED HAWK Buteo jamaicensis



COOPER'S HAWK Accipiter cooperii (Adult with rusty, barred breast, immature in flight and far right)



AMERICAN KESTREL Falco sparverius



NORTHERN BALD EAGLE Haliaeetus leucocephalus ssp. washingtoniensis



OSPREY Pandion haliaetus (White breast and throat, eye stripe, frequently seen fishing in lakes, high-pitched whistle calls)



GOLDEN EAGLE Aquila chrysaetos (Dark head and breast, rare)

BARRED OWL Strix varia



Glaucidium gnoma (A tiny owl, "eye-like spots on back of head)



GREAT HORNED OWL Bubo virginianus



BELTED KINGFISHER Ceryle alcyon (Female with rufous belt on chest, male has a fish for chicks)



EURASIAN COLLARED DOVE Streptopelia decaocto





ROCK PIGEON *Columba livia (Roosts under bridges)*









ANNA'S HUMMINGBIRD Calypte anna

BLACK-CHINNED HUMMINGBIRD Archilochus alexandri





RUFOUS HUMMINGBIRD Selasphorus rufus (Adult male perched, females in flight, female on nest)



CALLIOPE HUMMINGBIRD Stellula calliope



PILEATED WOODPECKER Dryocopus pileatus (Almost big as a crow, male has red stripe on cheek, pecks squarish holes in tree trunks, fast "wuk" series call)



RED-SHAFTED FLICKER Colaptes auratus (Underside of wings in flight salmon colored, male has red cheek, "kyeer" call)



color and pattern very similar to Hairy Wodpecker)



DOWNY WOODPECKER Dryobates pubescens (Short bill, HAIRY WOODPECKER Dryobates villosus (Male has red patch on back of head, body larger than Downy Woodpecker and bill much longer)



RED-NAPED SAPSUCKER Sphyrapicus nuchalis



CORDILLERAN FLYATCHER *Empidonax* occidentalis



WILLOW FLYCATCHER Empidonax traillii



CLIFF SWALLOW Petrochelidon pyrrhonota



TREE SWALLOW Tachycineta bicolor (White throat and breast, white doesn't extend above eye, back blue-black, immature grayish, catches insects in flight)



VIOLET-GREEN SWALLOW Tachycineta thalassina (White extends above eye, back green-black, white rump patches in flight)



BANK SWALLOW Riparia riparia



NORTHERN ROUGH-WINGED SWALLOW Stelgidopteryx serripennis



BARN SWALLOW Hirundo rustica (Forked "swallow tail" conspicuous in flight)



EASTERN KINGBIRD Tyrannus tyrannus





COMMON RAVEN Corvus corax (Larger than crow, heavier bill, back of tail rounded or "V" shaped in flight)





AMERICAN CROW Corvus brachyrhynchos (Tail square in back)



BLACK-BILLED MAGPIE *Pica hudsonia*




STELLER'S JAY Cyanocitta stelleri



BLUE JAY Cyanocitta cristata







REDWING BLACKBIRD *Agelaius phoeniceus* (Nests in marshes, high-pitched "ricochet-like" call)



YELLOW-HEADED BLACKBIRD Xanthocephalus xanthocephalus



BREWER'S BLACKBIRD Euphagus cyanocephalus



Thomas Quine Elsette Lebailit BROWN-HEADED COWBIRD Molothrus ater



BLACK-CAPPED CHICKADEE *Poecile atricapillus*





CHESTNUT-BACKED CHICKADEE Poecile rufescens



BROWN CREEPER Certhia Americana



RED-BREASTED NUTHATCH Sitta Canadensis



AMERICAN DIPPER Cinclus mexicanus (White waterproof eyelids) GOLDEN-CROWNED KINGLET Regulus satrapa



GRAY CATBIRD Dumetella carolinensis



AMERICAN ROBIN Turdus migratorius



VARIED THRUSH Ixoreus naevius



HERMIT THRUSH Catharus guttatus



MOUNTAIN BLUEBIRD Sialia currucoides



WESTERN BLUEBIRD Sialia Mexicana



EUROPEAN STARLING Sturnus vulgaris



TOWNSEND'S WARBLER Setophaga townsendi



COMMON YELLOWTHROAT Geothlypis trichas



NASHVILLE WARBLER Oreothlypis ruficapilla



AUDUBON'S WARBLER Setophaga coronata ssp. auduboni

PLUMBEOUS VIREO Vireo plumbeus



CEDAR WAXWING Bombycilla cedrorum (White under rump)



BOHEMIAN WAXWING *Bombycilla garrulous (Red under rump)*



WESTERN TANAGER Piranga ludoviciana





SONG SPARROW Melospiza melodia (Distinctive breast Spot, melodious song)

LAZULI BUNTING Passerina amoena



HOUSE FINCH Haemorhous mexicanus



CASSIN'S FINCH Haemorhous cassinii (Brown cheek patch)



DARK-EYED JUNCO Junco hyemalis

BLACK-HEADED GROSBEAK Pheucticus melanocephalus



EVENING GROSBEAK Coccothraustes vespertinus (Male has yellow brow)



PINE SISKIN Spinus pinus

AMERICAN GOLDFINCH Spinus tristis

This picture guide will help you recognize birds you are most likely to see in the vicinity of Lake Pend Oreille and Priest Lake in Bonner County, Idaho, largely surrounded by the Idaho Panhandle National Forest. You may download this public domain guide at http://www.campgroundcritters.com. For more details on Idaho Wildlife, download the Idaho Dept. of Fish and Game Species Guide at (https://idfg.idaho.gov/species/) or the Idaho State Univ. "Atlas of Idaho's Wildlife" at (https://digitalatlas.cose.isu.edu/bio/atlswf.pdf).

Certain public domain and Wikimedia Commons images are used herein under conditions of the Creative Commons Attribution-ShareAlike 4.0 International Public License

Except where otherwise credited, photographs are by Tom Bright March 2020