

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Sam & Jakes Sports Bar	Facility Type Food Service Establishment
Licensee Name Carol Jean LLC	Facility Telephone # 304
Facility Address 3485 Winchester Ave Martinsburg, WV	Licensee Address 3485 Winchester Ave Martinsburg, WV 25404

Inspection Information		
Inspection Type Routine	Inspection Date January 28, 2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Beer Cooler Coolers	36
Keg Cooler	38
Mini Fridge	40
2 Door Fridge	38
Prep Unit	39
Outside Fridge	35
Bar cooler other side	38
Victory cooler	41

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bar 3 Bay	Chemical		200		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 0</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Marinara sauce from 1-9 found in victory fridge</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation</p>

OBSERVATION: (CORRECTED DURING INSPECTION): Pulled pork from 1-18 found in true refrigerator

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Racks of True Refrigerator need cleaned, mold

Observed Non Critical Violations

Total # 7

Repeated # 0

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Inside of sandwich prep unit bottom needs cleaned, old foodstuffs

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: inside of microwave needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Missing ceiling tile in stock room off of kitchen needs replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Tops of equipment need cleaned, fridges etc

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor in bar under equipment and hard to reach areas need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Sides and under fryer need cleaned, spilled grease

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Wall behind flat top grill needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian

K. Swasey

Luke Hartley

Luke Hartley

