

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Trinity United Methodist Church	Facility Type Food Service Establishment	
Licensee Name Trinity United Methodist Church	Facility Telephone # 304 263-9215	
Facility Address 220 West Martin St Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 07/17/2017	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Beverage Air	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 1 7-202.11 - RESTRICTION <i>This is a critical violation</i> OBSERVATION: <i>Using Great Value Disinfecting Wipes and Lysol Antibacterial Kitchen cleaned to clean kitchen surfaces. Should use chlorine/quaternary based sanitizers that can be tested with test strips. Too strong for food contact surfaces</i>

Observed Non-Critical Violations
Total # 2 Repeated # 1 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: <i>Prep table shelving needs cleaned</i>
4-602.13 - NONFOOD CONTACT SURFACES REPEAT OBSERVATION <i>Outside of In Sink Erator needs cleaned</i>

Inspection Outcome

Comments
Watch best by dates: Italian Dressing 6/29/2017, Ranch Dressing 6/8/2017

Disclaimer

Person in Charge



Ashley Albright

Sanitarian



Keith Allison