


MAKAI RANCH, LLC, OWNER
MARCONI POINT CONDOMINIUMS UNIT 5
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: (1) 5-6-003:053


- FIRE PROTECTION NOTES**
1. PROVIDE AN APPROVED WATER SUPPLY TO WITHIN 150 FEET OF THE FURTHEST EXTERIOR WALL OF THE BUILDING.
 2. PROVIDE AN APPROVED ACCESS ROAD TO WITHIN 50 FEET OF A DOOR WHICH LEADS TO THE INTERIOR OF THE BUILDING.
 3. FIRE HYDRANT SHALL SUPPLY 1000 GPM FOR 1 HOUR AT 20 PSI RESIDUAL PRESSURE.
 4. FIRE HYDRANT PUMP SHALL BE CAPABLE OF PROVIDING 1000 GPM AT 20 PSI RESIDUAL PRESSURE.
 5. FIRE HYDRANT PUMP SHALL BE MAINTAINED IN OPERABLE CONDITION.



1 VICINITY MAP
A001 SCALE: NOT TO SCALE



2 PARTIAL PLOT PLAN
A001 SCALE: 1/64" = 1'-0"



3 COMPLETE PLOT PLAN
A001 SCALE: 1" = 500'

- GENERAL NOTES**
1. ALL WORK SHALL BE IN STRICT ACCORDANCE WITH I.R.C., STATE AND LOCAL BUILDING CODES.
 2. ALL WORK SHALL BE PERFORMED BY LICENSED BUILDING CONTRACTORS.
 3. CONTRACTOR SHALL VERIFY SITE AND DIMENSIONS PRIOR TO STARTING WORK. CONTRACTOR SHALL NOTIFY ARCHITECT OR ENGINEER OF ANY CONFLICTS PRIOR TO STARTING CONSTRUCTION.
 4. CONTRACTOR SHALL NOT SCALE PLANS FOR DIMENSIONS. FOLLOW WRITTEN DIMENSIONS AND IF DRAWING IS NOT TO SCALE VERIFY WITH THE ARCHITECT THE CORRECT DIMENSION PRIOR TO FORMING CONCRETE OR FASTENING STRUCTURAL MEMBERS.
 5. CONTRACTOR SHALL PROTECT ADJOINING LAND, BUILDING AND OTHER IMPROVEMENTS SITUATED THEREON. ANY DAMAGES OCCURRING DURING CONSTRUCTION SHALL BE REPAIRED AT NO ADDITIONAL COST TO THE OWNER OR ARCHITECT.
 6. ANY CONDITIONS, MATERIALS, DEVICES OR DETAILS NOT SPECIFICALLY SHOWN OR SPECIFIED ON THE DRAWINGS SHALL BE CLARIFIED WITH THE ARCHITECT OR ENGINEER BEFORE CONSTRUCTION, INSTALLATION AND COMPLETION.
 7. CONTRACTOR SHALL PROVIDE ADEQUATE BRACING AND SHORING FOR ALL STRUCTURAL MEMBERS DURING CONSTRUCTION.
 8. ALL LUMBER SHALL BE WOLMANIZED PRESSURE TREATED, DOUGLAS FIR-LARCH, NO. 2 OR BETTER.
 9. UNLESS OTHERWISE SHOWN, THE NAILING SHALL BE PER 2006 IRC TABLE R002.3(1).
 10. ALL MATERIALS REQUIRED FOR FINISHING OUT THE SPACE SHALL BE PROVIDED AS SPECIFIED ON THE DRAWINGS. IN THE CASE OF SUBSTITUTIONS THE CONTRACTOR SHALL PRESENT THE ALTERNATE PRODUCT TO THE ARCHITECT FOR THE OWNER'S APPROVAL.
 11. ALL BATHROOM DOORS SHALL BE UNDERCUT 1/2" ABOVE FINISH FLOOR.
 12. ALL GLASS IN DOORS OR HAZARDOUS LOCATIONS SHALL BE SAFETY GLASS.
 13. ALL PLUMBING WORK SHALL CONFORM TO CURRENT UPC STANDARDS AND BE INSTALLED BY A LICENSED PLUMBER. PLUMBER SHALL VERIFY ROUGH-IN REQUIREMENTS WITH EQUIPMENT SUPPLIER.
 14. ALL ELECTRICAL WORK SHALL BE UL APPROVED AND BE INSTALLED BY A LICENSED ELECTRICIAN. BATH AND KITCHEN HAZARDOUS AREAS SHALL BE ON A GROUND FAULT CIRCUIT.
 15. NO AFS OR IRRIGATION ON THIS WATER METER.
 16. WATER SERVICE FROM PRIVATE WATER SOURCE.

SHEET INDEX

A001	SITE PLAN
A002	SITE PLAN - AGRICULTURAL
A003	GROUND FLOOR PLAN
A004	FIRST FLOOR PLAN
A005	SECOND FLOOR PLAN
A006	ROOF PLAN
A007	SOUTH ELEVATION
A008	NORTH ELEVATION
A009	EXTERIOR ELEVATIONS 1
A010	SECTIONS
A011	INTERIOR ELEVATIONS
A012	WINDOW SCHEDULE
A013	DOOR SCHEDULE
A014	DETAILS
A015	DETAILS
E001	ELECTRICAL GROUND FLOOR PLAN
E002	ELECTRICAL FIRST FLOOR PLAN
E003	ELECTRICAL SECOND FLOOR PLAN
S001	FOUNDATION PLAN
S002	FIRST FLOOR FRAMING PLAN
S003	SECOND FLOOR FRAMING PLAN
S004	ROOF FRAMING PLAN

DEPARTMENT OF PLANNING AND PERMITTING
BUILDING DIVISION
CITY AND COUNTY OF HONOLULU

ACCEPTANCE: _____ DATE _____

ZONING: _____

ELECTRICAL: _____

PLUMBING: _____

BUILDING: _____

PROJECT: _____

TMK: _____ PERMIT: _____

DPP OFFICE USE ONLY	REVISIONS / PLOTTED
	ADDRESS/TMK
J.A.SCHMIT ARCHITECT 2 PROSPECT STREET, HONOLULU, HAWAII 96813 TELEPHONE: (808) 371-9191, js@jasarchitect.com	
THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT.	
SITE PLAN	
MAKAI RANCH, LLC, OWNER MARCONI POINT CONDOMINIUMS UNIT 5 56-1093 KAM HWY KAHUKU, HAWAII 96731 TMK: (1) 5-6-003:053	
DATE	10.15.2020
SCALE	AS SHOWN
DRAWN	
JOB	
SHEET	A001

Boundary follows highwater mark at seashore as shown on Map 66 of Land Court Application 1095



LANDSCAPE LEGEND	
	WATER MIRROR
	CONCRETE SHAPES
	EXOTIC PLANTS (3' RAISE PLANTER)
	ULU TREE
	COCONUT TREE
	FRUIT
	SMALL TREE
	LEYLAND CYPRESS
	FIG TREE
	PALM TREE
	MOND GRASS PLAN IN PODS
	SWEET POTATO
	PUMP TREE
	PALM TREE ROYAL
	FLOWER TREE

DPP OFFICE USE ONLY	REVISIONS / PLOTTED
	ADDRESS/TMK


GENERAL NOTES

- ALL WORK SHALL BE IN STRICT ACCORDANCE WITH I.R.C., STATE AND LOCAL BUILDING CODES.
- ALL WORK SHALL BE PERFORMED BY LICENSED BUILDING CONTRACTORS.
- CONTRACTOR SHALL VERIFY SITE AND DIMENSIONS PRIOR TO STARTING WORK. CONTRACTOR SHALL NOTIFY ARCHITECT OR ENGINEER OF ANY CONFLICTS PRIOR TO STARTING CONSTRUCTION.
- CONTRACTOR SHALL NOT SCALE PLANS FOR DIMENSIONS. FOLLOW WRITTEN DIMENSIONS AND IF DRAWING IS NOT TO SCALE VERIFY WITH THE ARCHITECT THE CORRECT DIMENSION PRIOR TO FORMING CONCRETE OF FASTENING STRUCTURAL MEMBERS.
- CONTRACTOR SHALL PROTECT ADJOINING LAND, BUILDING AND OTHER IMPROVEMENTS SITUATED THEREON. ANY DAMAGES OCCURRING DURING CONSTRUCTION SHALL BE REPAIRED AT NO ADDITIONAL COST TO THE OWNER OR ARCHITECT.
- ANY CONDITIONS, MATERIALS, DEVICES OR DETAILS NOT SPECIFICALLY SHOWN OR SPECIFIED ON THE DRAWINGS SHALL BE CLARIFIED WITH THE ARCHITECT OR ENGINEER BEFORE CONSTRUCTION, INSTALLATION AND COMPLETION.
- CONTRACTOR SHALL PROVIDE ADEQUATE BRACING AND SHORING FOR ALL STRUCTURAL MEMBERS DURING CONSTRUCTION.
- ALL LUMBER SHALL BE WOLMANIZED PRESSURE TREATED, DOUGLAS FIR-LARCH, NO. 2 OR BETTER.
- UNLESS OTHERWISE SHOWN, THE NAILING SHALL BE PER 2006 IRC TABLE R002.3(1).
- ALL MATERIALS REQUIRED FOR FINISHING OUT THE SPACE SHALL BE PROVIDED AS SPECIFIED ON THE DRAWINGS. IN THE CASE OF SUBSTITUTIONS THE CONTRACTOR SHALL PRESENT THE ALTERNATE PRODUCT TO THE ARCHITECT FOR THE OWNER'S APPROVAL.
- ALL BATHROOM DOORS SHALL BE UNDERCUT 1/2" ABOVE FINISH FLOOR.
- ALL GLASS IN DOORS OR HAZARDOUS LOCATIONS SHALL BE SAFETY GLASS.
- ALL PLUMBING WORK SHALL CONFORM TO CURRENT UPC STANDARDS AND BE INSTALLED BY A LICENSED PLUMBER. PLUMBER SHALL VERIFY ROUGH-IN REQUIREMENTS WITH EQUIPMENT SUPPLIER.
- ALL ELECTRICAL WORK SHALL BE UL APPROVED AND BE INSTALLED BY A LICENSED ELECTRICIAN. BATH AND KITCHEN HAZARDOUS AREAS SHALL BE ON A GROUND FAULT CIRCUIT.
- NO AFS OR IRRIGATION ON THIS WATER METER.
- WATER SERVICE FROM PRIVATE WATER SOURCE.

THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT

J.A.S.

J.A.SCHMIT ARCHITECT
 2 PROSPECT STREET, HONOLULU, HAWAII 96813
 TELEPHONE: (808) 371-9191, js@jasarchitect.com



1 SITE PLAN
 A002 SCALE: 1/64" = 1'-0"

DEPARTMENT OF PLANNING AND PERMITTING BUILDING DIVISION CITY AND COUNTY OF HONOLULU		DATE
ACCEPTANCE:		
ZONING:		
ELECTRICAL:		
PLUMBING:		
BUILDING:		
PROJECT:		
TMK:		PERMIT:

SITE PLAN - AGRICULTURAL


MAKAI RANCH, LLC, OWNER
 MARCONI POINT
 CONDOMINIUMS UNIT 5
 56-1093 KAM HWY
 KAHUKU, HAWAII 96731
 TMK: (1) 5-6-003:053

DATE 10.15.2020
 SCALE AS SHOWN
 DRAWN
 JOB
 SHEET
A002


NEW SHEET

DPP OFFICE USE ONLY


REVISIONS / PLOTTED



1 GROUND FLOOR PLAN
1/4"=1'-0"



J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT

J.A. Schmit

GROUND FLOOR PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020

SCALE AS SHOWN

DRAWN

JOB


SHEET

A-003

EVERY LINE IS CHANGED

DPP OFFICE USE ONLY


REVISIONS / PLOTTED




First Floor 3685 SQ.FT.

4816 Sq.Ft. POLYGON

1 FIRST FLOOR PLAN
1/4"=1'-0"



J.A.SCHMIT ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT.

J.A. Schmit


FIRST FLOOR PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET

A-004

NEW SHEET




Second Floor 3009 SQ.FT.

1 SECOND FLOOR PLAN
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A.SCHMIT ARCHITECT
 2 PROSPECT STREET, HONOLULU, HAWAII, 96813
 TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DETERMINED BY THE BUILDING DEPARTMENT.


J.A. Schmit

SECOND FLOOR PLAN


RESIDENCE FOR
 MAKAI RANCH
 56-1093 KAM HWY
 KAHUKU, HAWAII 96731
 TMK: 5-6-003:053

DATE 10.15.2020
 SCALE AS SHOWN
 DRAWN
 JOB
 SHEET

A-005



△ EVERY LINE IS CHANGED




1 ROOF PLAN
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A. SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT

J.A. Schmit

ROOF PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020


SCALE AS SHOWN

DRAWN

JOB

SHEET


A-006



△ EVERY LINE IS CHANGED


DPP OFFICE USE ONLY

REVISIONS / PLOTTED



1 SOUTH ELEVATION
1/4"=1'-0"

J.A. SCHMIT ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191; js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT

J.A. Schmit

ELEVATIONS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020

SCALE AS SHOWN


DRAWN

JOB


SHEET

A-007

EVERY LINE IS CHANGED



1 WEST ELEVATION
1/4"=1'-0"




2 EAST ELEVATION
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

NO.	DESCRIPTION	DATE

J.A. SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT.

J.A. Schmit

ELEVATIONS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020

SCALE AS SHOWN

DRAWN

JOB

SHEET

A-009

EVERY LINE IS CHANGED



1 SECTION 2
1/4"=1'-0"




2 SECTION 1
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A. SCHMIT ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT


SECTIONS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET
A-010

△ EVERY LINE IS CHANGED

Kitchen




Kitchen island


DPP OFFICE USE ONLY

REVISIONS / PLOTTED


Bath 1




Master Bath




Bath 3



Laundry




Bath 2



○ INTERIOR ELEVATIONS
1/4"=1'-0"

J.A. SCHMIT ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191; js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT. *J.A. Schmit*

INTERIOR ELEVATIONS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET

A-011

△ EVERY LINE IS CHANGED




WINDOW SCHEDULE					
MARK	SIZE	DESCRIPTION	GLASS	LOCATION	TOTAL NUMBER
1	6'-0" x 12'-0" x 9'-0"	MITERED FRAME	TEMPERED	STAIRCASE	2
2	3'-0" x 3'-4" x 9'-0"	MITERED FRAME	TEMPERED OBSCURE	MASTER BATH	1
3	6'-6" x 9'-0"	DOUBLE SLIDING	TEMPERED	MASTER BATH	1
4	4'-2" x 6'-0" x 9'-0"	MITERED FRAME	TEMPERED OBSCURE	MASTER BATH	1
5	1'-3" x 6'-0"	FIXED		MASTER BATH	2
6	3'-0" x 6'-0"	CASEMENT		MASTER BEDROOM	1
7	6'-0" x 6'-0"	DOUBLE SLIDING		MASTER BEDROOM	1
8	5'-6" x 9'-0"	FIXED	TEMPERED	MASTER BEDROOM	1
9	6'-6" x 6'-0"	FIXED		MASTER BEDROOM	1
10	8'-0" x 6'-0"	3 PANEL SLIDING		DINING	1
11	5'-10" x 9'-0"	FIXED	TEMPERED	KITCHEN	1
12	8'-0" x 6'-0"	FIXED		KITCHEN	1
13	5'-11" x 7'-0" x 6'-0"	MITERED FRAME		KITCHEN	1
14	2'-0" x 6'-0"	AWNING		LAUNDRY	2
15	2'-0" x 6'-0"	FIXED	OBSCURE	BATH 1	1
16	6'-0" x 4'-0" x 9'-0"	MITERED FRAME	TEMPERED	BEDROOM 1	1
17	8'-0" x 9'-0"	DOUBLE SLIDING		BEDROOM 1	1
18	5'-0" x 3'-0" x 9'-0"	MITERED FRAME	TEMPERED	BEDROOM 1	1
19	3'-0" x 9'-0"	FIXED	TEMPERED OBSCURE	ENTRY	2
20	12'-0" x 9'-0"	3 PANEL FIXED		ENTRY	1
21	6'-0" x 10'-5" x 8'-0"	MITERED FRAME	TEMPERED	STAIRCASE	2
22	6'-6" x 7'-0"	DOUBLE SLIDING	TEMPERED	BEDROOM 3	1
23	4'-2" x 6'-0" x 7'-0"	MITERED FRAME	TEMPERED	BEDROOM 3	1
24	3'-0" x 7'-0"	FIXED	TEMPERED	BEDROOM 3	1
25	3'-0" x 4'-0"	AWNING	OBSCURE	BATH 3	1
26	5'-6" x 4'-6" x 5'-0"	MITERED FRAME		BEDROOM 4	1
27	9'-0" x 5'-0"	3 PANEL SLIDING		BEDROOM 4	1
28	9'-0" x 8'-0"	3 PANEL FIXED		STAIRCASE	1
29	12'-0" x 8'-0"	DECORATIVE	TEMPERED	DECK	1
30	1'-6" x 5'-0"	AWNING		BATH 2	3
31	3'-0" x 5'-0"	FIXED	OBSCURE	BATH 2	1
32	4'-6" x 4'-6"	DOUBLE SLIDING		BEDROOM 2	1
33	3'-0" x 7'-0"	FIXED	TEMPERED	BEDROOM 2	1
34	6'-0" x 4'-0" x 8'-0"	FIXED	TEMPERED	BEDROOM 2	1
35	8'-0" x 7'-0"	DOUBLE SLIDING	TEMPERED	BEDROOM 2	1
36	4'-0" x 8'-0"	FIXED	OBSCURE	BEDROOM 2	1
37	2'-6" x 1'-6"	FIXED		INTERIOR	3

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A. SCHMIT ARCHITECT
 2 PROSPECT STREET, HONOLULU, HAWAII 96813
 TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT

WINDOW SCHEDULE


RESIDENCE FOR
 MAKAI RANCH
 56-1093 KAM HWY
 KAHUKU, HAWAII 96731
 TMK: 5-6-003:053

DATE 10.15.2020
 SCALE AS SHOWN
 DRAWN
 JOB
 SHEET

A-012

1 WINDOW SCHEDULE
 1/4"=1'-0"

EVERY LINE IS CHANGED



DOOR SCHEDULE				
MARK	SIZE	DESCRIPTION	LOCATION	TOTAL NUMBER
1	6'-0" x 8'-10"	WOOD SOLID ENTRY DOOR	ENTRY	1
2	10'-10" x 9'-0"	SLIDING, 4 PANEL, GLASS DOOR	MASTER BEDROOM	1
3	7'-5" x 9'-0"	SLIDING, 3 PANEL, GLASS DOOR	MASTER BEDROOM	1
4	12'-0" x 9'-0"	SLIDING POCKET, 4 PANEL, GLASS DOOR	LIVING ROOM	1
5	6'-0" x 9'-0"	CASEMENT, 2 PANEL, GLASS DOOR	KITCHEN	1
6	5'-0" x 9'-0"	SLIDING, 2 PANEL, GLASS DOOR	LANAI	2
7	2'-8" x 7'-0"	CASEMENT, GLASS DOOR	BEDROOM	2
8	3'-0" x 8'-0"	CASEMENT, GLASS DOOR	LANAI	1
9	2'-8" x 9'-0"	CASEMENT, SOLID DOOR		16
10	2'-6" x 7'-0"	CASEMENT, SOLID DOOR		3
11	5'-6" x 7'-0"	SLIDING, 2 PANEL, OBSCURE GLASS	MASTER BATHROOM	2
12	6'-0" x 7'-0"	SLIDING, 2 PANEL, SOLID WOOD	CLOSET	1
13	6'-0" x 7'-0"	DOUBLE CASEMENT, SOLID WOOD	PANTRY, CLOSET	3
14	3'-0" x 7'-0"	CASMENT, SOLID	STAIRCASE	1
15	9'-0" x 8'-0"	3 PANNEL, SLIDING, GLASS	DECK	1

GLAZING NOTES:

- GLAZING IN THE FOLLOWING LOCATIONS SHALL BE SAFETY GLAZING CONFORMING TO THE HUMAN IMPACT LOADS OF SECTION R308.3 (SEE EXCEPTIONS) (R308.4)
- FIXED AND OPERABLE PANELS OF SWINGING, SLIDING AND BI-FOLD DOOR ASSEMBLIES.
 - GLAZING IN AN INDIVIDUAL FIXED OPERABLE PANEL ADJACENT TO A DOOR WHERE THE NEAREST VERTICAL EDGE IS WITHIN 24-INCH ARC OF EITHER VERTICAL EDGE OF THE FLOOR IN A CLOSED POSITION AND WHOSE BOTTOM EDGE IS LESS THAN 60 INCHES ABOVE FLOOR OF WALKING SURFACE.
 - GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL THAT MEETS ALL OF THE FOLLOWING CONDITIONS:
 - EXPOSED AREA OF AN INDIVIDUAL PANE GREATER THAN 9 SQUARE FEET.
 - BOTTOM EDGE LESS THAN 18 INCHES ABOVE THE FLOOR.
 - TOP EDGE GREATER THAN 36 INCHES ABOVE THE FLOOR.
 - ONE OR MORE WALKING SURFACES WITHIN 36 INCHES HORIZONTALLY OF THE GLAZING.
 - GLAZING IN GUARDS AND RAILINGS
 - GLAZING IN ENCLOSURES FOR OR WALLS FACING HOT TUBS, WHIRLPOOLS, SAUNAS, STEAM ROOMS, BATHTUBS AND SHOWERS WHERE THE BOTTOM EDGE OF THE GLAZING IS LESS THAN 60 INCHES MEASURED VERTICALLY ABOVE ANY STANDING FOR WALKING SURFACE.
 - GLAZING IN WALLS AND FENCES ADJACENT TO INDOOR AND OUTDOOR SWIMMING POOLS, HOT TUBS AND SPAS WHERE THE BOTTOM EDGE OF THE GLAZING IS LESS THAN 60 INCHES ABOVE A WALKING SURFACE AND WITHIN 60 INCHES, MEASURED HORIZONTALLY AND IN STRAIGHT LINE OF THE WATER'S EDGE.
 - GLAZING WHERE THE BOTTOM EXPOSED EDGE OF THE GLAZING IS LESS THAN 36 INCHES ABOVE THE PLANE OF THE ADJACENT WALKING SURFACE OF STAIRWAYS, LANDINGS BETWEEN FLIGHTS OF STAIRS AND RAMPS.
 - GLAZING ADJACENT TO THE LANDING AT THE BOTTOM OF A STAIRWAY WHERE THE GLAZING IS LESS THAN 36 INCHES ABOVE THE LANDING AND WITHIN A 60 INCH HORIZONTAL ARC LESS THAN 180 DEGREES FROM THE BOTTOM TREAD NOSING (R304.2).
 - SKYLIGHTS AND SLOPED GLAZING SHALL COMPLY WITH SECTION R308.6
- NOTES:
- ALL GLAZING TO BE LOW-E DUAL GLAZED GLASS - EXTERIOR FLOOR TO CEILING WINDOWS AND DOORS TO BE TEMPERED
 - WINDOWS LOCATED IN SHOWERS SHALL BE TEMPERED AND SPECIFIED FOR USE IN SHOWER (WET RATED). CONTRACTOR TO INSTALL SHOWER WATERPROOFING MEMBRANE OVER WINDOW JAMB AND CAULK COMPLETELY AROUND WINDOW/TILE JOINT
 - EXTERIOR WINDOWS AND DOORS SHALL HAVE A U-FACTOR OF 0.20 AND AN SHGC OF 0.36


DPP OFFICE USE ONLY

REVISIONS / PLOTTED


1 DOOR SCHEDULE
1/4"=1'-0"

GENERAL NOTES


- *SEAL ALL TYVEK® JOINTS AND PENETRATIONS WITH APPROVED TAPE. (ex. DUPONT CONTRACTOR TAPE).
- *FASTEN TYVEK® TO SHEATHING WITH LARGE HEAD NAILS OR USE NAILS WITH LARGE PLASTIC WASHER HEADS. (ex. DUPONT WRAPCAPS)
- *LOCAL LAWS, ZONING, AND BUILDING CODES VARY AND THEREFORE GOVERNS OVER MATERIAL SELECTION AND DETAILING SHOWN BELOW.



2 MULTI - SLIDE POCKET DOOR DETAILS





3 WINDOW SILL DETAIL
RESIDENTIAL WOOD FRAME STRUCTURE w/ WOOD SIDING (COOLING CLIMATE)





4 WINDOW HEAD DETAIL
RESIDENTIAL WOOD FRAME STRUCTURE w/ WOOD SIDING (COOLING CLIMATE)

5 INTERIOR DOOR HEAD DETAIL




6 INTERIOR DOOR SILL DETAIL

7 DOOR HEAD DETAIL



8 DOOR SILL DETAIL

J.A. SCHMIT ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191 | js@jasarchitect.com




THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT

DOOR SCHEDULE


RESIDENCE FOR MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET


A-013




TYPICAL GRS GLASS RAILING PLAN VIEW - SURFACE MOUNT




TYPICAL GRS GLASS RAILING ELEVATION VIEW - SURFACE MOUNT




1 GLASS RAILING SECTION
SURFACE MOUNT BASE SHOE




GLASS RAILING HEAD DETAIL 2



GLASS RAILING SILL DETAIL 3



SURFACE MOUNT STEEL STRINGER ATTACHMENT 4




SURFACE MOUNT WOOD ATTACHMENT 5

2 SECTION 1
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A. SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DETERMINED BY THE BUILDING DEPARTMENT.

DETAILS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020

SCALE AS SHOWN


DRAWN

JOB

SHEET


A-014

EVERY LINE IS CHANGED




1 PILE DETAIL 1
NTS

GENERAL NOTES
INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.
PLYWOOD TO BE MIN 5/8" TAG (3/4" RECOMMENDED) PLYWOOD JOINTS TO BE BLOCKED FROM BELOW.




2 PILE SECTION DETAIL
1/2"=1'-0"

5 DECK OVER CONDITIONED SPACE FLASHING DETAIL
SCALE N.T.S.




8 BREAKAWAY WALL DETAIL
SCALE N.T.S.




Handrail height, measured vertically from the slope plane adjoining the tread nosing, or finish surface of ramp slope, shall be not less than 34 inches and not more than 38 inches .

4 TYPICAL HAND RAIL DETAIL
SCALE N.T.S.


3 EXTERIOR STAIRS DETAIL
1/2"=1'-0"



6 STAIRS AT TOP DETAIL
SCALE 1\"/>



7 STAIRS AT BOTTOM DETAIL
SCALE 1\"/>




9 TYPICAL GUTTER DETAIL
SCALE: NTS

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191; js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DETERMINED BY THE BUILDING DEPARTMENT.


DETAILS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET

A-015

△ EVERY LINE IS CHANGED




1 GROUND FLOOR PLAN
1/4"=1'-0"

DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371 - 9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT

J.A. Schmit

ELECTRICAL PLANS

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020


SCALE AS SHOWN

DRAWN

JOB

SHEET

E-001




EVERY LINE IS CHANGED


DPP OFFICE USE ONLY

REVISIONS / PLOTTED


4816 Sq.Ft.
POLYGON



1 SECOND FLOOR PLAN
1/4"=1'-0"



J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DERIVED BY THE BUILDING DEPARTMENT.

J.A. Schmit

ELECTRICAL PLANS


RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET
E-002


1 EVERY LINE IS CHANGED

DPP OFFICE USE ONLY


REVISIONS / PLOTTED



1 SECOND FLOOR PLAN
1/4"=1'-0"



J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DETERMINED BY THE BUILDING DEPARTMENT.


J.A. Schmit

ELECTRICAL PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003:053

DATE 10.15.2020
SCALE AS SHOWN
DRAWN
JOB
SHEET
E-003


EVERY LINE IS CHANGED



DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT

J.A. Schmit

FOUNDATION PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020

SCALE AS SHOWN


DRAWN

JOB


SHEET

S-001

1 FOUNDATION PLAN
1/4"=1'-0"




NEW SHEET



DPP OFFICE USE ONLY

REVISIONS / PLOTTED

J.A.SCHMIT
ARCHITECT
 2 PROSPECT STREET, HONOLULU, HAWAII, 96813
 TELEPHONE: (808) 371-9191, js@jasarchitect.com



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY SUPERVISION AS DEFINED BY THE BUILDING DEPARTMENT

FIRST FLOOR FRAMING PLAN

RESIDENCE FOR
 MAKAI RANCH
 56-1093 KAM HWY
 KAHUKU, HAWAII 96731
 TMK: 5-6-003-053

DATE 10.15.2020

SCALE AS SHOWN


DRAWN

JOB

SHEET

S-002


1 FIRST FLOOR FRAMING PLAN
 1/4"=1'-0"




NEW SHEET

DPP OFFICE USE ONLY

REVISIONS / PLOTTED



1 SECOND FLOOR FRAMING PLAN
1/4"=1'-0"



THIS WORK WAS PREPARED BY ME OR
UNDER MY SUPERVISION AND
CONSTRUCTION OF THIS PROJECT WILL BE
UNDER MY SUPERVISION AS DEFINED BY
THE BUILDING DEPARTMENT

J.A.SCHMIT
PROFESSIONAL ARCHITECT
No. 4853
HAWAII, U.S.A.
EXPIRES 4/30/20

SECOND FLOOR FRAMING
PLAN

RESIDENCE FOR
MAKAI RANCH
56-1093 KAM HWY
KAHUKU, HAWAII 96731
TMK: 5-6-003-053

DATE 10.15.2020

SCALE AS SHOWN

DRAWN

JOB

SHEET

S-003

J.A.SCHMIT
ARCHITECT
2 PROSPECT STREET, HONOLULU, HAWAII, 96813
TELEPHONE: (808) 371-9191, js@jasarchitect.com

