

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>					
Facility Name Back Creek Valley Elementary School	Facility Type Food Service Establishment				
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 227-1978				
Facility Address 1962 Back Creek Valley Rd Hedgesville, WV	Licensee Address ,				
<b>Inspection Information</b>					
Inspection Type Routine	Inspection Date 12/21/2017	Total Time Spent 1.02			
<b>Equipment Temperatures</b>					
Description	Temperature (Fahrenheit)				
Walk in	41				
Milk cooler	37				
hot box					
<b>Food Temperatures</b>					
Description	Temperature (Fahrenheit)				
Green beans	154				
<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
KitchenbucketDis hmachine	chemHeat				heat
<b>OPERATOR</b> - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).					
<b>Observed Critical Violations</b>					
<b>Total # 0</b>					
<b>Repeated # 0</b>					
<b>Observed Non-Critical Violations</b>					
<b>Total # 1</b>					
<b>Repeated # 0</b>					
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b>					
<b>OBSERVATION:</b> Hot water tank leaking water on to the floor, needs repaired or replaced					
<b>Inspection Outcome</b>					
<b>Comments</b>					

Disclaimer

Person in Charge



**Michelle Kenney**

Sanitarian



**Glenn GCO Ondick**