


# NORTH DELTA WATER AGENCY

## SACRAMENTO RIVER AT RIO VISTA


### 14-DAY MEAN ELECTRICAL CONDUCTIVITY



# NORTH DELTA WATER AGENCY

## SACRAMENTO RIVER AT THREE-MILE SLOUGH


### 14-DAY MEAN ELECTRICAL CONDUCTIVITY



# NORTH DELTA WATER AGENCY

## MOKELUMNE RIVER AT TERMINUS (STATEN ISLAND)

### 14-DAY MEAN ELECTRICAL CONDUCTIVITY



# NORTH DELTA WATER AGENCY

## SAN JOAQUIN RIVER AT SAN ANDREAS LANDING


### 14-DAY MEAN ELECTRICAL CONDUCTIVITY

#### WQ Criteria

Based on DWR's May 1, 2021 Bulletin 120 SRI  
50% Probability Forecast of 6.73 MAF, the  
NDWA WQ Criteria for the *San Joaquin River*  
at *San Andreas Landing* is:

0.87 mS/cm for Apr 1 - Aug 15


1.20 mS/cm for Aug 16 - Jan 31




# NORTH DELTA WATER AGENCY

## STEAMBOAT SLOUGH AT SUTTER SLOUGH

### 14-DAY MEAN ELECTRICAL CONDUCTIVITY



# NORTH DELTA WATER AGENCY SACRAMENTO RIVER AT WALNUT GROVE 14-DAY MEAN ELECTRICAL CONDUCTIVITY



# NORTH DELTA WATER AGENCY MOKELUMNE RIVER NEAR WALNUT GROVE 14-DAY MEAN ELECTRICAL CONDUCTIVITY

