

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Bedington Crossroads Store	Facility Type Food Service Establishment	
Licensee Name Bedington Plaza Inc.	Facility Telephone # 304 274-1084	
Facility Address 8041 Williamsport Pike Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/19/2019	Total Time Spent 1.02

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Deli case	40
Sandwich case cooler	41
True cooler	38
Sandwich Prep	41
Hot holds	143
Produce cooler	36
Walk In	35

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysanitizerSanitizerBucket	Chemical		50	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 3

Repeated # 1

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Potato salad from 2/9 found in walk in

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Racks of bottom of sandwich prep cooler need cleaned, old foodstuffs on racks

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Found containers and pans stored not clean with clean dishes

Observed Non-Critical Violations

Total # 6

Repeated # 1

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Bottom of true refrigerator needs cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: Clean utensils are being stored or stacked without being air-dried first..

6-301.11 - HANDWASHING CLEANSER, AVAILABILITY

OBSERVATION: (CORRECTED DURING INSPECTION): Soap not available at food employee handwash sink.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Gaskets of true refrigerator need replaced, ripped

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Gaskets on doors of sandwich prep coolers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors under equipment need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Luke Hartley