

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>		
Facility Name Falling Waters Group Home	Facility Type Food Service Establishment	
Licensee Name Stonebrook	Facility Telephone # 304	
Facility Address 432 Regency Drive Falling Waters, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/05/2017	Total Time Spent 0.75

<b>Equipment Temperatures</b>	
Description Refrigerator	Temperature (Fahrenheit) 40

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b>  <b>Repeated # 0</b>  <b>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</b>  <i>This is a critical violation</i>  <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Salsa out of date 3-17-17, cream cheese out of date 3-7-17</p>

<b>Observed Non-Critical Violations</b>
<p><b>Total # 1</b>  <b>Repeated # 0</b>  <b>4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES</b>  <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> No bleach testing equipment for PPM</p>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge

  
**hailee holloway**

Sanitarian

  
**Glenn GCO Ondick**