WWW.HAMRADIO.COM

# HRO IS FAMILY OWNED AND OPERATED!



# IC-9100 | The All-Round Transceiver

• HF/50MHz 144/430 (440) MHz and 1200MHz\*1 coverage • 100W on HF/50/144MHz, 75W on 430 (440) MHz, 10W on 1200MHz\*1 • Double superheterodyne with image rejection mixer



## IC-7851 | HF/50MHz Transceiver

- 1.2kHz "Optimum" roofing filter New local oscillator design Improved phase noise • Improved spectrum scope • Dual scope function
- Enhanced mouse operation for spectrum scope More features



### IC-7700 | HF/50MHz Transceiver

The Contester's Rig • HF + 6m operation • +40dBm ultra high intercept point • IF DSP, user defined filters • 200W output power full duty cycle · Digital voice recorder



# IC-7600 | All Mode Transceiver

• 100W HF/6m Transceiver, gen cov. receiver • Dual DSP 32 bit • Three roofing filters- 3, 6, 15khz • 5.8 in WQVGA TFT display • Hi-res real time spectrum scope



# IC-7300 | HF/50MHz Transceiver

- RF Direct Sampling System New "IP+" Function Class Leading RMDR and Phase Noise Characteristics • 15 Discrete Band-Pass Filters
- Built-In Automatic Antenna Tuner Large Touch Screen Color TFT LCD



### IC-718 | HF Transceiver

• 160-10M\* • 100W • 12V operation • Simple to use • CW Keyer Built-in • One touch band switching • Direct frequency input • VOX Built-in • Band stacking register • IF shift • 101 memories



# IC-7100 | All Mode Transceiver

• HF/50/144/430/440 MHz Multi-band, Multi-mode, IF DSP • D-STAR DV Mode (Digital Voice + Data) ● Intuitive Touch Screen Interface ● Built-in RTTY Functions



# IC-2730A | VHF/UHF Dual Band Transceiver

• VHF/VHF, UHF/UHF simultaneous receive • 50 watts of output on VHF and UHF • Optional VS-3 Bluetooth® headset • Easy-to-See large white backlight LCD . Controller attachment to the main Unit with optional MBA-4 • Wideband receiver



# IC-2300H | VHF FM Transceiver

• 65W RF Output Power • 4.5W Audio Output • MIL-STD 810 G Specifications • 207 alphanumeric Memory Channels • Built-in CTCSS/DTCS Encode/Decode • DMS



# ID-5100A Deluxe | VHF/UHF Dual Band Digital Xcvr

- Analog FM/D-Star DV Mode SD Card Slot for Voice & Data Storage
- 50W Output on VHF/UHF Bands Integrated GPS Receiver AM Airband Dualwatch • FM Analog/DV Repeater List Function



# IC-PW1 | HF/50 MHz Amplifier

• Wide freq. coverage - 1 kW from 1.8 MHz to 50 MHz (amateur bands only) • Wide ALC adjustable range • Full duty cycle • Auto antenna tuner built-in • Auto AC input voltage selector is employed • Current (Ip), Voltage (Vp), temperature, SWR and output power protectors



# **ID-880H** | Analog+Digital Dual Bander D-STAR

• D-STAR DV mode operation • DR (D-STAR repeater)mode • Free software download • GPS A mode for easy D-PRS operation • One touch reply button (DV mode) • Wideband receiver D-STAR ready



# IC-V80 | HD 2 Meter FM Transceiver

• Tough construction • 750mW loud audio • Powerful 5.5W of output power • IP54 and MIL-STD-810 rugged construction • Built-in CTCSS/DTCS • WX channel & weather alert function

## ID-51A Plus | VHF/UHF Dual Band Xcvr

• 5/2.5/1.0/0.5/0.1W Output • RX: 0.52-1.71, 88-174, 380-479 MHz\*\* • AM/FM/FM-N/WFM/DV • 1304 Alphanumeric Memory Chls • Integrated GPS • D-STAR Repeater Directory • IPX7 Submersible D-STAR ready



# ID-51A PLUS2 | VHF/UHF D-STAR Portable

- RS-MS1A. free download Android™ application
  New modes for extended D-STAR coverage • Terminal Mode & Access Point Mode allow D-STAR operation through Internet • DV & FM repeater search function
- Dplus reflector link commands



- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
  FAX All store locations
- ONLINE WWW.HAMRADIO.COM
- MAIL All store locations



ANAHEIM, CA (800) 854-6046

**BURBANK, CA** (877) 892-1748

OAKLAND, CA (877) 892-1745 SAN DIEGO, CA

(877) 520-9623

SUNNYVALE, CA (877) 892-1749

**NEW CASTLE. DE** (800) 644-4476

PORTLAND, OR (800) 765-4267

DENVER, CO (800) 444-9476 PHOENIX, AZ (800) 559-7388

ATLANTA, GA (800) 444-7927 **WOODBRIDGE, VA** (800) 444-4799

SALEM, NH (800) 444-0047 PLANO, TX (877) 455-8750

MILWALIKEE WI (800) 558-0411

WWW.HAMRADIO.COM

# **HRO IS FAMILY OWNED AND OPERATED!**



# FTDX5000MP Limited | 200W HF + 6M Txcvr

• Internal Power Supply • Two Totally Independent Receivers • Super Sharp "Roofing" Filters • High Performance Yaesu Customdesigned 32-bit Floating Point DSP • True Analog Meter Precision



## FTDX3000 | 100W HF + 6M Transceiver

• 100 Watt HF/6 Meters • Large and wide color LCD display • High Speed Spectrum Scope built-in • 32 bit high speed DSP /Down Conversion 1st IF **Call For Low Pricing!** 



### FT-991A | HF/VHF/UHF All ModeTransceiver

Real-time Spectrum Scope with Automatic Scope Control • Multi-color waterfall display • State of the art 32-bit Digital Signal Processing System • 3kHz Roofing Filter for enhanced performance • 3.5 Inch Full Color TFT USB Capable • Internal Automatic Antenna Tuner • High Accuracy TCXO



# FTDX1200 | 100W HF + 6M Transceiver

• Triple Conversion Receiver With 32-bit Floating Point DSP • 40 MHz 1st IF with selectable 3 kHz, 6kHz & 15 kHz Roofing Filters • Optional FFT-1 Supports AF-FFT Scope, RTTY/PSK31 Encode/ Decode, CW Decode/Auto Zero-In • Full Color 4.3" TFT Display



# FT-817ND | HF/VHF/UHF All Mode Portable Transceiver

Ultra Compact HF/VHF/UHF Multimode Rig • Wide Receiver Frequency Coverage • Two Antenna Connectors for Ease of Installation Front/Back • Outstanding CW Features • Versatile, Easy-To-See LCD Display • High Performance CollinsR Mechanical Filter Options . Internal Battery Power



## FT-857D | Ultra Compact HF/VHF/UHF

- 100w HF/6M, 50W 2M, 20W UHF DSP included 32 color display
- 200 mems Detachable front panel (YSK-857 required)

### **Call For Our Low Price!**



# FT-2900R | Heavy-Duty 75W 2M FM Transceiver

· Massive heatsink guarantees 75 watts of solid RF power · Loud 3 watts of audio output for noisy environments • Large 6 digit backlit LCD display for excellent visibility • 200 memory channels for serious users



# FTM-100DR | C4FM FDMA/FM 144/430 MHz Txcvr

• Power Packed System Fusion Transceiver • High Audio Output Power • Rugged Powerful Transmitter • Integrated 66ch High Sensitivity GPS • 1200/9600 APRS Data Communications • Voice Guide and Recording Function \*Optional FVS-2 Required • Digital Group Monitor (GM) Function • Digital Clock & Timer Functions



### FTM-400XD | 2M/440 Mobile

· Color display-green, blue, orange, purple, gray · GPS/APRS · Packet 1200/9600 bd ready • Spectrum scope • Bluetooth • MicroSD slot • 500 memory per band



# FT1XD | 144/430 5W Digital Transceiver

• C4FM/FDMA • 1200/9600bps AX.25 APRS & GPS Recvr Built-in . Dual Band Operation w/Dual Receivers (V+V/U+V/V+U) • Wideband Receive/ AM Bar Antenna/Aircraft Receive • 1266 Memory Channels w/16 Char Alpha Tagging

# FT-2DR | C4FM/FM 144/430 MHz Txcvr

• Analog/C4FM Dual Monitor (V+V/U+U/V+U) • System Fusion compatible • 1200/9600 APRS Data Communications • Integrated 66ch High Sensitivity GPS • Wide Band Receiver • Snapshot Picture Taking Capability With Optional MH-85A11U



## **VX-8DR** | 50/144/220/440

50/144/220/440 • 5W (1W 222 MHz) • Bluetooth optional • Waterproof/ submersible (3' for 30 min) · GPS APRS operation optional · Li-ion Hi-capacity battery . Wide band Rx

# FT-60R | 2M/440 5W HT

- Wide receiver coverage AM air band receive • 1000 memory channels w/alpha labels • Huge
- LCD display . Rugged die-cast, water resistant case . NOAA severe weather alert with alert scan





- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
  FAX All store locations
- ONLINE WWW.HAMRADIO.COM
- MAIL All store locations



ANAHEIM, CA (800) 854-6046 **BURBANK, CA** 

(877) 892-1748

OAKLAND, CA (877) 892-1745 SAN DIEGO, CA (877) 520-9623

SUNNYVALE, CA (877) 892-1749 **NEW CASTLE. DE** 

(800) 644-4476

PORTLAND, OR (800) 765-4267

**DENVER. CO** (800) 444-9476 PHOENIX, AZ (800) 559-7388

ATLANTA, GA (800) 444-7927 **WOODBRIDGE, VA** (800) 444-4799

SALEM, NH (800) 444-0047 PLANO, TX (877) 455-8750 MILWAUKEE, WI

(800) 558-0411

WWW.HAMRADIO.COM

# **HRO IS FAMILY OWNED AND OPERATED!**



# **TS-990S** | 200W HF + 6M Transceiver

• World's first dual TFT display • 200W output on all bands • ±0.1ppm TCXO ensures both high stability and reduced power consumption • Triple 32-bit DSP's dedicated to main/sub receivers and band scope . Main receiver employs full down conversion, new mixer & narrow band roofing filters • Third order intercept point (IP3) +40dBm for highest level of RX performance (main receiver)

## **Call For Special Price!**



# TS-590SG | HF/50MHz Transceiver

• Equipped with 500 Hz/2.7 kHz roofing filter as standard • ALC derived from TS-990S eliminating spike issues • Antenna output function (shared with DRV connector) • CW - morse code decoder function • Improved 1st mixer • New PFB key with multi-function knob • New split function enabling quick setting • LED backlight with selectable color tone



# TS-2000/2000X | HF/VHF/UHF Transceiver

- 100W HF, 6M, 2M 50W 70CM TS-2000X 10W 1.2GHz
- · Built-in TNC, DX packet cluster · IF Stage DSP · Backlit front key nanel

# **Call For Special Price!**



### **TM-D710G** | 2M/440 Dualband

• V+V/V+U/U+U operation • Built-in GPS • Built-in TNC for APRS & DX-Cluster operation • 50W 2M & UHF • 1,000 memories • Dual receive • Green or amber backlight colors • Latest APRS firmware w/new features • Sky Command II remote functions

# **Call For Special Price!**



# TM-V71A | 2M/440 DualBand

• High RF output (50W) • Multiple Scan • Dual receive on same band (VxV, UxU) . Echolink® memory (auto dialer) . Echolink® Sysop mode for node terminal ops • Invertible front panel • Choice of green/amber for LCD panel • 104 code digital code squelch • "Five in One" programmable memory • 1000 multifunction memory

### **Call Now For Your Low Price!**



# **TM-281A** | 2 Mtr Mobile

• 65 Watt • 200 Memories • CTCSS/DCS • Mil-Std specs • Hi-quality audio

# **Call For Special Low Price!**



# TS-480SAT/HX | HF + 6M Transceiver

• 480HX 200W HF & 100W 6M (no tuner) • 480SAT 100W HF & 6M w/AT • Remotable w/front panel/speaker • DSP built-in

### **Call Now For Low Price!**



# TH-D72A | 2M/440 HT w/extended RX

- 5W TX, RX 118-524 MHz, VxU, VxV, UxU APRS w/built-in 1200/9600 TNC • Built-in GPS. Built-in USB, digipeater • Echolink® compatible,
- Mil-Spec STD810

**Call For Special Low Price!** 

## TH-D74A | 2M/220/440 HT w/D-STAR!

• D-STAR compatible • APRS ready w/built in GPS • Color weather station information • Built-in KISS mode TNC • High-performance DSP voice processing • Standard compatibility for Bluetooth

# **Call For Low Price!**





# TH-K20A | 2M Handheld

• 2M 5.5W • VOX • CTCSS/DCS/1750 Burst built-in • Weather alert

# **Call For Special Low Price!**



- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM FAX All store locations
- ONLINE WWW.HAMRADIO.COM
- MAIL All store locations



ANAHEIM, CA (800) 854-6046 **BURBANK, CA** (877) 892-1748

OAKLAND, CA (877) 892-1745 SAN DIEGO, CA (877) 520-9623

SUNNYVALE, CA (877) 892-1749

PORTLAND, OR (800) 765-4267 **NEW CASTLE, DE** (800) 644-4476

**DENVER, CO** (800) 444-9476 PHOENIX, AZ (800) 559-7388

ATLANTA, GA (800) 444-7927 **WOODBRIDGE, VA** (800) 444-4799 SALEM, NH

(800) 444-0047

PLANO, TX (877) 455-8750 MILWAUKEE, WI (800) 558-0411

WWW.HAMRADIO.COM

# **HRO IS FAMILY OWNED AND OPERATED!**





## ACOM-1000

- HF and 6 Meter 1KW Amplifier Match 3:1 SWR with No Tuner
- User Friendly QSK Operation LCD Message Display Single 4CX800a Tube • Vacuum Antenna Relays

## **Call For Additional ACOM Products!**





# The SDRplay RSP

ALL MODE SDR RECEIVER

- . Continuous Coverage from 100kHz to 2GHz
- 12-bit ADC Technology (not another 8-bit dongle!)
- Built-in High performance Front-end Filters
- . Works with popular SDR Software (HDSDR, SDR-Console & Cubic SDR)
- Outstanding Reviews on eHam
- · Call for special low price



### **MA-40**

· 40' Tubular Tower

# **Call For Latest Pricing!**

## **MA-550**

• 55' Tubular Tower • Handles 10 sq. ft. at 50 mph • Pleases neighbors with tubular streamlined look

### **Call For Latest Pricing!**

All US Towers shipped by truck; freight charges additional.



### TX-455

• 55' freestanding crank-up • Handles 18 sq. ft. @ 50 mph . No guying required . Extra-strength construction · Can add raising and motor drive accessory · Towers rated to EIA specifications • Other models available at





# **Navigator**

**The Premier Sound Card Modem!** 

- Ouiet hear what others miss!
- Proven USB Sound Card built-in
- Precise FSK & Winkeyer CW on board
- Complete Six FTDI COM ports
- Universal Rig Control for every radio
- Works well with HRD, M110A, Fldigi, WSJT & many more software programs
- Front-Panel Audio & CW controls
- USB connected and powered
- Convenient No annoying jumpers!



lengths.

- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM FAX All store locations
- ONLINE WWW.HAMRADIO.COM
- MAIL All store locations

HRO is family owned and operated by active hams!

ANAHEIM, CA (800) 854-6046 **BURBANK, CA** 

(877) 892-1748

OAKLAND, CA (877) 892-1745 SAN DIEGO, CA (877) 520-9623

SUNNYVALE, CA (877) 892-1749 **NEW CASTLE. DE** 

(800) 644-4476

PORTLAND, OR (800) 765-4267 DENVER, CO (800) 444-9476

PHOENIX, AZ (800) 559-7388

ATLANTA, GA (800) 444-7927 **WOODBRIDGE, VA** (800) 444-4799

SALEM, NH (800) 444-0047 PLANO, TX (877) 455-8750 MILWAUKEE. WI (800) 558-0411