

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Family Dollar-Inwood	Facility Type Retail Food Store	
Licensee Name Family Dollar Stores of WV, Inc #2319	Facility Telephone # 304	
Facility Address 4996 Gerrardstown Rd Inwood , WV	Licensee Address 4996 Gerrardstown Rd Inwood , WV 25428	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 03/19/2018	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
dairy cooler	39/37
freezer	-7
coke refrigerator (center of store)	40

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 4</b></p> <p><b>3-202.15 - PACKAGE INTEGRITY</b> <b>This is a critical violation</b> REPEAT OBSERVATION (<b>CORRECTED DURING INSPECTION</b>): dented cans found for sale</p> <p><b>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> pkgs of flour tortillas with Sell by date of February 9, 2018</p>

**ObservedNon-CriticalViolations**

**Total # 9**

**Repeated # 4**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** snack chip shelving needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION milk and juice refrigeration unit needs cleaned-spills in bottom and shelving buildup

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION Coke refrigerator located in center of store needs cleaned inside and on outside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Pepsi refrigerator(center of store) needs cleaned-door tracks, bottom and outside vent

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** inside bottom of freezer unit, inside fans and outside vent needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** vinyl floor in restrooms needs repaired/replaced

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION stained ceiling tiles need replaced

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** ceiling vents need cleaned

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

REPEAT OBSERVATION floor in stock room needs cleaned

**Inspection Outcome**

**Comments**

Best by March 8- Mexican style 4 cheese , March 15-Gel Farfait(refrigerated), Tartar sauce-March 9  
Employee break area-microwave and table needs cleaned

Disclaimer

Person in Charge

Sanitarian



**Amy ARE Edwards**