

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name China King	Facility Type Food Service Establishment	
Licensee Name China King of Martinsburg, Inc	Facility Telephone # 304 267-7166	
Facility Address 1313 Old Courthouse Square Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 10/29/2018	Total Time Spent 1.58

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Soda cooler	40
Walk in cooler	41
Wok line cooler	39

Food Temperatures	
Description	Temperature (Fahrenheit)
White rice	139
Fried rice	152
Chicken base soup	172

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bay	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 3</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Back of the wok case lid needs cleaned, old dried food stuffs can mix with fresh product</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation REPEAT OBSERVATION Stainless steel shelves need cleaned in the walk in cooler</p>

Observed Non-Critical Violations
<p>Total # 14 Repeated # 3</p>

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the dry powder containers need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside the center stainless steel freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the rice bins need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Tops of equipment need cleaned in the kitchen

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the grinder needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Multiple stainless steel tables need cleaned, legs and lower shelves

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Stained steel drip pan under the produce needs cleaned, standing water and food stuffs floating in the water

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Stainless steel shelves need dusted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Carryout condiment containers need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Rubber tips for fire system need replaced.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Back door fire extinguisher needs cleaned, grease

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling fans need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned behind and under equipment.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Hoods need cleaned inside and out, grease

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sheng Dong

Sanitarian



Glenn GCO Ondick