




GT GRANDSTANDS®

A PLAYCORE Company



We're In The Game!



Grandstands • Press Boxes • Stadium Seating • Bleachers





A PLAYCORE Company

The GT Grandstands Advantage

GT Grandstands designs and manufactures premium quality grandstands, bleachers and a range of spectator seating options including:

- **Permanent Grandstands**
- **Press Boxes**
- **Existing Structure Renovations**
- **Standard Portable Angle Frame Bleachers**
- **Team Benches**
- **Custom grandstands and bleachers built to meet your needs and requirements**

GT Grandstands representatives will work directly with you to guide your seating project from start to finish. Site measurement, product planning, design consultation, and installation are all a part of the custom grandstand services that we provide.



Press Boxes



Angle Frame Bleachers



Team Benches



Permanent Grandstands



Renovations - Before



Renovations - After

Permanent Grandstands

Permanent grandstands are custom built to your requirements and site considerations:

- Desired seating capacity
- Spectator flow
- Space available
- Sightlines
- Applicable building codes



The good news is that about half of all the aluminum used in the United States is being recycled these days. A lot of **energy is saved** in the recycling process -- since it avoids the need to make new aluminum from raw ore. GT Grandstands has created sustainable designs that use the highest aluminum content commercially available.



Choose from three different understructure designs:



- Best for level sites
- Attached to either a concrete foundation or installed with earth anchors
- Available with galvanized steel or aluminum angle frame



- Most flexible design option
- Easily adapted to hillsides and uneven terrain
- Wide flange steel shape fabrication
- Hot-dipped galvanized after fabrication for better corrosion protection
- Anchored to concrete foundation during installation



- Flexible option for level or sloped sites
- Decreases the cost of the larger angle frames by eliminating the need for a large concrete slab foundation
- Steel angle columns are placed at every stringer line
- Hot-dipped galvanized after fabrication
- Anchored to concrete pier foundation or concrete slab


Features: All choices have extruded aluminum seating and decking options. Designed for low maintenance.

Permanent Grandstands




21 Row x 300' 
Angle Frame Structure
3,300 Net Seats




16 Row x 216'
1,975 Net Seats
with (2) Double
Stair Towers






15 Row x 252' • 1,947 Net Seats, Hillside Design over Existing Concrete Stadium



15 Row • 8,940 Net Seats with Two Roofing Structures and Rear Crosswalk surrounding entire complex



16 Row x 300' • 2,700 Net Seats including 8' x 12' Pre-Fab Modular Press Box


Seat Options



Optional Powder Coated Finish



Fixed Chairs



Contour Seats with Back Rests



Radius Edge Seats



Self-Rising Chairs



Powder Coated Back Rests

- Basic Bench Seating
- Radius Edge Seating
- Bench Seating with Back Rests
- Contoured Bench Seating
 - Unique shape provides added comfort to bench seats

- Fixed Stadium Chairs
- Fixed Stadium Chairs with self-rising seat bottoms
 - Allows for additional spacing between rows when seats are not in use
 - Facilitates cleaning
 - Eliminates standing water in seats


- Customize Your Grandstand with:
- Powder coated finishes to coordinate with team colors
 - Donor plates for individual and corporate sponsors who donate funds to your organization
 - Row plates and seat numbers available for all individual chair options

Decking System Options


- All decking consists of aluminum extrusions
 - Naturally protect from corrosion
 - High strength to weight ratio 6061-T6 alloy
- Customizable rise and tread dimensions to meet sightline requirements
- Walking Surfaces: standard mill finish or optional nonslip, abraded finish available
- Powder coated aluminum colors available for riser planks
- Interlocking deck system design:
 - Provides added rigidity
 - Aids in moisture protection
 - Is available with an integral gutter system



Semi-Closed Deck



Interlocking Deck



Welded Deck



Closed Deck

Grand Stand Press Boxes

- Pre-manufactured and shipped to your site
- Pre-wired for easy installation
- Standard depth = 8'
- Standard width = increments of 6'
- Custom sizes available
- Conventional wood or metal stud framing available
- Exterior options = vertical vinyl or steel rib panels



Optional Features:

- Camera decks for filming
- Security shutters
- Multiple interior finishes



Additional Grandstand Design Options

- Metal Panel Enclosure
- Mitered Layout
- Integrated Buildings Beneath
- Rear Exiting
- Vertical Picket Guardrail
- Ramped ADA Access



GT Grandstands Angle Frame Bleachers

Bleacher options for the most specific of needs...compare standard features from each series:

Series	Seat Width	Rise	Tread	Rows	Length	Frame	Guardrail	Deck System	Front Row Seat Height	Aisle
Low Rise Series	10"	6"	24"	3, 4	15, 21, 27	Aluminum	N/A	Single	12"	None
Universal Series	12"	6"	24"	3, 4, 5	15, 21, 27	Aluminum	Optional	Single	12"	None
NRS Series	10"	8"	24"	2, 3, 4, 5, 8, 10, 15	15, 21, 27	Aluminum	Chain Link	Modified	17"	None
GTG Series	10"	8"	24"	4, 5, 8, 10, 15	21, 27, 33	Aluminum	Chain Link	Semi-Closed	17"	Standard
Prestige Series	12"	8"	30"	3, 5	21, 27, 33	Aluminum	Chain Link	Semi-Closed	17"	Optional
Luxury Series	12"	14"	36"	4, 8	19, 25, 31	Aluminum	Vert. Picket	Closed	17"	Standard
Elevated Series	10"	8"	24"	5, 8, 10, 15	21, 27, 33	Aluminum	Chain Link	Semi-Closed	17"	Standard



Low Rise

Universal

NRS

GTG

Prestige

Luxury

Elevated

Low Rise Bleacher Series

Economic portable seating perfect for a variety of venues



3 Row x 15' - Model LR-0315AS

Key Features at a Glance

10" Seat Planks

6" Rise/24" Tread

5 Year Warranty!

Standard Features:

- 3 and 4 Row Units
- 6" Rise/24" Tread
- 10" Seat Planks
- 12" Front Row Seat Height
- Available in 15', 21' and 27' Lengths
- Aluminum Frame
- Single Footboards

Additional Options:

- Galvanized Frame
- Double Footboards
- Mud Sills (Wood Sleepers)
- Rubber Bumpers
- Tip N Roll (3 and 4 Row Units)

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
LR-0315AS	LR-0315GS	30	3	15'	5'-0"	x	x
LR-0321AS	LR-0321GS	42	3	21'	5'-0"	x	x
LR-0327AS	LR-0327GS	54	3	27'	5'-0"	x	x
LR-0415AS	LR-0415GS	40	4	15'	7'-0"	x	x
LR-0421AS	LR-0421GS	56	4	21'	7'-0"	x	x
LR-0427AS	LR-0427GS	72	4	27'	7'-0"	x	x



Compact, space saving design

Note

In many areas of the country, there are local building and fire codes which require the use of guardrails along with extra footboards and risers on rows higher than 30". Please check your local codes to determine if guardrail assemblies are required in your community.

x - Not Available

Universal Bleacher Series

Portable, low maintenance code-compliant bleacher seating



4 Row x 15' - Model LU-0415AS

Key Features at a Glance

12" Seat Planks

6" Rise/24" Tread

Tip N Roll Options

5 Year Warranty!

Standard Features:

- 3, 4, and 5 Row Units
- 6" Rise/24" Tread
- 12" Seat Planks
- 12" Front Row Seat Height
- Available in 15', 21' and 27' Lengths
- Aluminum Frame
- Single Footboards

Additional Options:

- Galvanized Frame
- Double Footboards
- Aluminum or Galvanized Vertical Picket Guardrail
- Chain link guardrail on 5 row units
- Mud Sills (Wood Sleepers)
- Rubber Bumpers
- Tip N Roll (3 and 4 Row Units)

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
LU-0315AS	LU-0315GS	30	3	15'	5'-0"	X	X
LU-0321AS	LU-0321GS	42	3	21'	5'-0"	X	X
LU-0327AS	LU-0327GS	54	3	27'	5'-0"	X	X
LU-0415AS	LU-0415GS	40	4	15'	7'-0"	X	X
LU-0421AS	LU-0421GS	56	4	21'	7'-0"	X	X
LU-0427AS	LU-0427GS	72	4	27'	7'-0"	X	X
LU-0515ASC	LU-0515GSC	50	5	15'	9'-6"	X	X
LU-0521ASC	LU-0521GSC	70	5	21'	9'-6"	X	X
LU-0527ASC	LU-0527GSC	90	5	27'	9'-6"	X	X

X - Not Available


Ask About
24 Hour Quick-Ship
Bleachers



Slim Profile for Efficient Storage



Tip N Roll Wheels for 3 & 4 Row Units



Perfect for Indoor Use Too!



Mud Sills (Wood Sleepers) Available

National Rep Series Bleachers

Quality, economical stationary bleacher seating



**NRS Series
Ships in 7
Days or Less!**

5 Row x 15' - Model NR-0515AMC

Key Features at a Glance

- 8" Rise/24" Tread
- Modified Decking
- Guardrail System

5 Year Warranty!



Standard Chain Link Guardrail on 4 Row & Higher

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
NR-0215AS	NR-0215GS	20	2	15'	3'-0"	x	x
NR-0221AS	NR-0221GS	28	2	21'	3'-0"	x	x
NR-0227AS	NR-0227GS	36	2	27'	3'-0"	x	x
NR-0315AS	NR-0315GS	30	3	15'	5'-0"	x	x
NR-0321AS	NR-0321GS	42	3	21'	5'-0"	x	x
NR-0327AS	NR-0327GS	54	3	27'	5'-0"	x	x
NR-0415AMC	NR-0415GMC	40	4	15'	7'-0"	Chain Link	x
NR-0421AMC	NR-0421GMC	56	4	21'	7'-0"	Chain Link	x
NR-0427AMC	NR-0427GMC	72	4	27'	7'-0"	Chain Link	x
NR-0515AMC	NR-0515GMC	50	5	15'	9'-5"	Chain Link	●
NR-0521AMC	NR-0521GMC	70	5	21'	9'-5"	Chain Link	●
NR-0527AMC	NR-0527GMC	90	5	27'	9'-5"	Chain Link	●
NR-0815AMC	NR-0815GMC	80	8	15'	15'-2"	Chain Link	●
NR-0821AMC	NR-0821GMC	112	8	21'	15'-2"	Chain Link	●
NR-0827AMC	NR-0827GMC	144	8	27'	15'-2"	Chain Link	●
NR-1015AMC	NR-1015GMC	100	10	15'	19'-5"	Chain Link	●
NR-1021AMC	NR-1021GMC	140	10	21'	19'-5"	Chain Link	●
NR-1027AMC	NR-1027GMC	180	10	27'	19'-5"	Chain Link	●
NR-1515AMC	NR-1515GMC	150	15	15'	29'-5"	Chain Link	●
NR-1521AMC	NR-1521GMC	210	15	21	29'-5"	Chain Link	●
NR-1527AMC	NR-1527GMC	270	15	27'	29'-5"	Chain Link	●

Standard Features:

- 2, 3, 4, 5, 8, 10, and 15 Row Units
- 8" Rise/24" Tread
- 10" Seat Plank
- 17" Front Row Seat Height
- Available in 15', 21' and 27' Lengths
- Aluminum Frame
- Single Footboards on Rows 2 and 3; Double Footboards with Riser on Rows 4 and Higher
- Chain Link Guardrail on 4 Row Units and Higher

Additional Options:

- Galvanized Frame
- Double Footboards
- Aluminum or Galvanized Vertical Picket Guardrail
- ADA
- Mud Sills
- Rubber Bumpers
- Tip N Roll (2 and 3 Row Units)
- Towable (5 Row and Higher)

Note
Please check your local codes to determine if guardrail assemblies are required in your community.



Transport Kit Available

GTG Bleacher Series

Code-compliant bleacher seating for any venue



5 Row x 21' - Model GS-0521ADV-A

Key Features at a Glance

8" Rise/24" Tread

Semi-Closed Decking

Aisle with Mid-Aisle Grab Rail

5 Year Warranty!

Standard Features:

- 4, 5, 8, 10 and 15 Row Units
- 8" Rise/24" Tread
- 10" Seat Plank
- 17" Front Row Seat Height
- Available in 21', 27' and 33' Lengths
- Aluminum Frame
- Double Footboards and Risers
- Chain Link Guardrail
- Aisle With Handrails

Additional Options:

- Galvanized Frame
- Aluminum or Galvanized Vertical Pickett Guardrail
- ADA
- Mud Sills (Wood Sleepers)
- Towable (21' and 27' Lengths)

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
GS-0421ADC-A	GS-0421GDC-A	50	4	21'	7'-0"	Chain Link	●
GS-0427ADC-A	GS-0427GDC-A	66	4	27'	7'-0"	Chain Link	●
GS-0433ADC-A	GS-0433GDC-A	82	4	33'	7'-0"	Chain Link	×
GS-0521ADC-A	GS-0521GDC-A	58	5	21'	9'-5"	Chain Link	●
GS-0527ADC-A	GS-0527GDC-A	78	5	27'	9'-5"	Chain Link	●
GS-0533ADC-A	GS-0533GDC-A	102	5	33'	9'-5"	Chain Link	×
GS-0821ADC-A	GS-0821GDC-A	98	8	21'	15'-2"	Chain Link	●
GS-0827ADC-A	GS-0827GDC-A	130	8	27'	15'-2"	Chain Link	●
GS-0833ADC-A	GS-0833GDC-A	162	8	33'	15'-2"	Chain Link	×
GS-1021ADC-A	GS-1021GDC-A	113	10	21'	19'-5"	Chain Link	●
GS-1027ADC-A	GS-1027GDC-A	153	10	27'	19'-5"	Chain Link	●
GS-1033ADC-A	GS-1033GDC-A	202	10	33'	19'-5"	Chain Link	×
GS-1521ADC-A	GS-1521GDC-A	168	15	21'	29'-5"	Chain Link	●
GS-1527ADC-A	GS-1527GDC-A	228	15	27'	29'-5"	Chain Link	●
GS-1533ADC-A	GS-1533GDC-A	302	15	33'	29'-5"	Chain Link	×



5 Row x 21' - Model GS-0521ADC-A



10 Row x 21' - Model GS-1021ADC-A



15 Row x 21' - Model GS-1521ADC-A

Prestige Bleacher Series


Offering more leg room with wider seats



5 Row x 21' - Model PT-0521ADC



Wide 30" Double Footboards & Semi-Closed Decking



Standard Features:

- 3 and 5 Row Units
- 8" Rise/30" Tread
- 12" Seat Plank
- 17" Front Row Seat Height
- Available in 21', 27' and 33' Lengths
- Aluminum Frame
- Semi-Closed Deck
- Chain Link Guardrail (5 row units)


Additional Options:

- Galvanized Frame
- Aluminum or Galvanized Vertical Picket Guardrail (5 row units)
- Aisles with Handrails (5 row units)
- Mud Sills (Wood Sleepers)
- ADA

Key Features at a Glance



12" Seat Planks



8" Rise/30" Tread

5 Year Warranty!

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
PT-0321AD	PT-0321GD	42	3	21'	6'-6"	X	X
PT-0327AD	PT-0327GD	54	3	27'	6'-6"	X	X
PT-0333AD	PT-0333GD	66	3	33'	6'-6"	X	X
PT-0521ADC	PT-0521GDC	50	5	21'	11'-6"	Chain Link	X
PT-0527ADC	PT-0527GDC	90	5	27'	11'-6"	Chain Link	X
PT-0533ADC	PT-0533GDC	110	5	33'	11'-6"	Chain Link	X



Chain Link Guardrail Standard on 5 Row Units



Aluminum Angle Frame Understructure

Note

Please check your local codes to determine if guardrail assemblies are required in your community.

Luxury Bleacher Series

Your VIPs will love the comfort offered by this high-end series



8 Row x 19' - Model LT-0819ADVA

Key Features at a Glance

12" Seats with
7" Back Rests

14" Rise/36" Tread

Closed Decking System

5 Year Warranty!

Standard Features:

- 4 and 8 Row Units
- 14" Rise/36" Tread
- 12" Seat Plank
- 17" Front Row Seat Height
- Available in 19', 25' and 31' Lengths
- Aluminum Frame
- Aluminum Vertical Picket Guardrail
- Closed Deck With Sub Steps
- 7" Backrest
- Aisle

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
LT-0419ADVA	LT-0419GDVA	42	4	19'	11'-8"	Picket	x
LT-0425ADVA	LT-0425GDVA	58	4	25'	11'-8"	Picket	x
LT-0431ADVA	LT-0431GDVA	74	4	31'	11'-8"	Picket	x
LT-0819ADVA	LT-0819GDVA	82	8	19'	23'-8"	Picket	x
LT-0825ADVA	LT-0825GDVA	114	8	25'	23'-8"	Picket	x
LT-0831ADVA	LT-0831GDVA	146	8	31'	23'-8"	Picket	x

Additional Options:

- Galvanized Frame
- Chain Link Guardrail
- Galvanized Vertical Picket Guardrail
- Mud Sills (Wood Sleepers)

Ultimate Comfort!



36" Tread for Added Leg Room



Center Aisle with Handrail and Sub Steps

Elevated Bleacher Series

Step up and enhance your sightlines

Key Features at a Glance

10" Seat Planks

30" Elevation Above Finished Grade

ADA Options Available

5 Year Warranty!



5 Row x 27' - Elevated Bleacher with ADA Option

Standard Features:

- 5, 8, 10, and 15 Row Units
- 8" Rise/24" Tread
- 10" Seat Plank
- 17" Front Row Seat Height
- Available in 21', 27' and 33' Lengths
- Aluminum Frame
- Double Footboards and Risers
- 30" Elevated Above Finished Grade
- Chain Link Guardrail
- Aisles with Handrail
- Accessed via stairs and ramps

Additional Options:

- Galvanized Frame
- Aluminum or Galvanized Vertical Picket Guardrail
- ADA
- Mud Sills (Wood Sleepers)



10 Row x 27' - Model EL-1027ADC-A

Aluminum Frame Model	Galvanized Frame Model	Seats	Rows	Length	Depth	Guardrail	Towable
EL-0521ADC-A	EL-0521GDC-A	58	5	21'	14'-6"	Chain Link	x
EL-0527ADC-A	EL-0527GDC-A	78	5	27'	14'-6"	Chain Link	x
EL-0533ADC-A	EL-0533GDC-A	98	5	33'	14'-6"	Chain Link	x
EL-0821ADC-A	EL-0821GDC-A	91	8	21'	20'-6"	Chain Link	x
EL-0827ADC-A	EL-0827GDC-A	123	8	27'	20'-6"	Chain Link	x
EL-0833ADC-A	EL-0833GDC-A	155	8	33'	20'-6"	Chain Link	x
EL-1021ADC-A	EL-1021GDC-A	113	10	21'	24'-6"	Chain Link	x
EL-1027ADC-A	EL-1027GDC-A	153	10	27'	24'-6"	Chain Link	x
EL-1033ADC-A	EL-1033GDC-A	193	10	33'	24'-6"	Chain Link	x
EL-1521ADC-A	EL-1521GDC-A	168	15	21'	34'-6"	Chain Link	x
EL-1527ADC-A	EL-1527GDC-A	228	15	27'	34'-6"	Chain Link	x
EL-1533ADC-A	EL-1533GDC-A	288	15	33'	34'-6"	Chain Link	x



ADA Options Available

Team Benches

	Aluminum Frame Model	Galvanized Frame Model	Length	Seat Type	Back Rest	Mount Type
Spartan Series 2" H x 10" D seat no back rest	SSA7.5	SSG7.5	7'-6"	2" x 10"	X	Surface
	SSA15	SSG15	15'	2" x 10"	X	Surface
	SSA21	SSG21	21'	2" x 10"	X	Surface
	---	SIG7.5	7'-6"	2" x 10"	X	In-ground
	---	SIG15	15'	2" x 10"	X	In-ground
Titan Series 2" H x 10" D seat 7" back rest	TSA7.5	TSG7.5	7'-6"	2" x 10"	●	Surface
	TSA15	TSGA15	15'	2" x 10"	●	Surface
	TSA21	TSG21	21'	2" x 10"	●	Surface
	---	TIG7.5	7'-6"	2" x 10"	●	In-ground
	---	TIGA15	15'	2" x 10"	●	In-ground
Deluxe Team Bench with 20" Rear Shelf 10" Seat 10" back rest	DSA7.5	DSG7.5	7'-6"	2" x 10"	●	Surface
	DSA15	DSG15	15'	2" x 10"	●	Surface
	DSA21	DSG21	21'	2" x 10"	●	Surface

Design Options:

- Portable surface-mount or permanent in ground styles
- With or without back rests

Materials:

- Extruded aluminum seating and back rests
- Galvanized steel or aluminum frames
- Standard lengths: 7'6", 15', and 21'
- Custom lengths are available by request



Site Amenities by **ultra site**
A PLAYCORE company

Round out your facility with commercial-quality outdoor site amenities. Choose from:

- Picnic Tables
- Benches
- Chairs
- Trash Receptacles
- Custom Logo Items
- Shade Structures
- Bike Racks
- Grills
- Shade Umbrellas
- Early Childhood Tables & Benches
- Shelters

1675 Locust Street, Red Bud, IL 62278
Toll Free: **(800) 458-5872**
Office: (618) 282-8200 Fax: (618) 282-8202
Visit us online at: ultra-site.com





Permanent Grandstands



Angle Frame Bleachers



Team Benches



A **PLAYCORE** Company

2810 Sydney Road, Plant City, FL 33566

Toll Free: **(866) 550-5511**

Office: (813) 305-1415 Fax: (813) 305-1419

Visit us online at: **gtgrandstands.com**