

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Pizza Hut Carryout Inwood	Facility Type Food Service Establishment	
Licensee Name ADF Mid Atlantic LLC	Facility Telephone # 304 229-7200	
Facility Address 4976 Gerrardstown Rd Inwood , WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date 08/01/2017	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	37
Pizza Prep	40
Hot Hold	40
Traulsen Refrigerator	
Beverage Air (small)	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishwasher	Chemical		300100	QuatChlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 11 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: Clean dish storage shelving needs cleaned (grease/food debris)</p>

ObservedNon-CriticalViolations
<p>Total # 19 Repeated # 11 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Henny Penny hot hold not working at time of inspection (work order called in)</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Walk-In freezer needs defrosted (ice on shelving)</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION REPEAT OBSERVATION Gaskets on Walk-In refrigerator/Pizza Prep unit need replaced (torn)</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Door on Henny Penny hot hold needs repaired (top)</p>

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Tracking on Pepsi refrigerator in front lobby needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Proofing carts need cleaned (green wire)

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

REPEAT OBSERVATION Clean dishes are being stored without air drying first (need to be dry before storing)

5-501.113 - COVERING RECEPTACLES

OBSERVATION: Outside dumpster lids needs to stay closed at all times (open at time of inspection)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Drain cover on drain beside pizza prep unit needs replaced (cracked)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Coving on wall underneath pizza box storage needs replaced/repared (pulling away from wall)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION White storage platform needs repaired/replaced (edges cracked off)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light cover in back storage room needs repaired/replaced (missing)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Numerous floor tiles throughout establishment needs replaced/repared (broken/cracked)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Drain on handsink in front area needs repaired (leaking from underneath)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Hole in wall behind bathroom door needs repaired (door handle damage)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Dumpster area needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling vent covers throughout building need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Air handler room needs cleaned and organized

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION Oven hood vents and hood need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Shelley O'Neil

Sanitarian



Keith Allison