

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Berkeley Springs High School	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 149 Concord Ave Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date October 29, 2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Back Milk Cooler	39
Back Walk-In Freezer	14
Walk-In Cooler	38
Walk-In Freezer	4.5
Milk Cooler (1)	38
Milk Cooler (2)	38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 1
Repeated # 0
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR Observation: Three bay sink faucet is leaking. Corrective Action(s): Maintain the physical facilities so they are in good repair at all times.

Inspection Outcome

Comments

Disclaimer

Person in Charge

Yvira M. Stoller

Sanitarian

Tim Zeigler