

1. THE CEILING PAINT COLOR IS INTENDED TO ENCOMPASS THE ROOF FRAMING STRUCTURE. WALL/CEILING TRANSITION PAINT LINE TO BE A STRAIGHT LINE PARALLEL TO THE FINISHED FLOOR ELEVATION THAT EXTENDS 2" BELOW THE LOWEST STRUCTURAL ROOF MEMBER OR MOST COMMON STRUCTURAL ELEMENT IF A SINGLE BEAM IS CONSIDERED LOGICALLY. THEN THE MAJORITY OF THE MEMBERS - THIS DOES NOT INCLUDE ANY WALL KICKERS OR MISCELLANEOUS FRAMING MEMBERS - WALL PAINT TO EXTEND A MINIMUM OF 12"-0" ABOVE FINISHED FLOOR ELEVATION - VERIFY EXACT TRANSITION WITH OWNER
2. GENERAL CONTRACTOR TO PAINT ALL WALLS TO UNDERSIDE OF ROOF DECK, UNLESS THE FOLLOWING CONDITIONS ARE MET:
 - SPACE IS ENTIRELY ENCLOSED BY 4 WALLS WITH SHEATHING TO ROOF DECK
 - DROPPED CEILING IS INSTALLED THROUGHOUT SPACE
 - NO POSSIBILITY OF VIEWING ANY WALL AREA ABOVE CEILING FROM ANY POINT
3. CEILING PAINT IS TO ACHIEVE 100% COVERAGE WITH NO BLEED THROUGH - CONTRACTOR TO PROVIDE PRIMER AND AS MANY COATS NECESSARY TO ACHIEVE 100% COVERAGE. THIS INCLUDES ALL DUCTWORK, PIPING, AND ELECTRICAL
4. ENSURE ALL PAINTED SURFACE ACHIEVE COMPLETE COVERAGE - ALL SURFACES PREVIOUSLY UNFINISHED TO RECEIVE PRIMER AND 2 COATS OF PAINT MINIMUM - WALL PAINT TO BE EGGSHELL - CEILING PLANK TO BE EGGSHELL
5. GENERAL CONTRACTOR TO PAINT ALL WALLS PRIOR TO INSTALLATION OF ANY WALL FINISHES ON PERPENDICULAR INTERSECTING WALLS TO ALLOW FOR A CLEAN FINISH EDGE
6. IF FIBERGLASS SHOWER INSERTS ARE USED, PAINT WALLS ABOVE DOOR & WINDOW FRAMES TO MATCH ADJ. WALL FINISHES - SEE DTL. 5/7.4/1

1. GENERAL CONTRACTOR TO INSTALL ALL VINYL FLOORING SO THAT THE PLANK LINE IS ORIENTED IN THE LONG DIRECTION OF THE ROOM - TYPICAL
2. RUBBER FLOORING IS MANUFACTURED IN ROLLS THAT ARE 4'-0" WIDE, AND IN CUSTOM LENGTHS FOR EACH CLUB. CONTRACTOR IS TO ORDER MATERIAL IN THE PROPER LENGTH TO ELIMINATE BUTT JOINTS WITHIN A 4'-0" WIDE RUN. THE ONLY SEAMS THAT ARE ALLOWED ARE SEAMS BETWEEN THE 4'-0" ROLLS. THIS IS A CUSTOM PRODUCT AND MUST BE ORDERED A MINIMUM OF (4) FOUR WEEKS PRIOR TO INSTALLATION.
3. TURF FLOORING IS MANUFACTURED IN ROLLS THAT ARE 6'-0" WIDE, AND IN CUSTOM LENGTHS FOR EACH CLUB. CONTRACTOR IS TO ORDER MATERIAL IN THE PROPER LENGTH TO ELIMINATE BUTT JOINTS WITHIN A 6'-0" WIDE RUN. THE ONLY SEAMS THAT ARE ALLOWED ARE SEAMS BETWEEN THE 6'-0" ROLLS. THIS IS A CUSTOM PRODUCT AND MUST BE ORDERED A MINIMUM OF (4) FOUR WEEKS PRIOR TO INSTALLATION. ORDER TURF IN FOOT INCREMENTS.
4. FLOORING AND WALL PROTECTION PANELS TO BE ACCUMULATED TO SPACE CONDITIONS FOR A MINIMUM OF 48 HOURS PRIOR TO INSTALLATION.

- 1 TILE FLOOR TRANSITION - REFER TO 2/A4.0
- 2 SHOWER FLOOR TRANSITION - REFER TO 1/A7.1 - TYPICAL
- 3 TILE T-4 AT SHOWER FLOOR - TYPICAL
- 4 FLOOR TRANSITION STRIP - REFER TO 8/A7.2
- 5 ALIGN FLOORING TRANSITION AT CORNER OF WALL
- 6 'AFTI NATION' WALL GRAPHIC - COORDINATE PLACEMENT WITH OWNER


$$1/4'' = 1'-0''$$

INTERIOR DECOR PLAN

© COPYRIGHT MICHAEL J. WILKUS, ARCHITECT