

// Retail Price List & Product Info Guide

ALTA
WINDOW FASHIONS

 PORTER
PRESTON
Quality Wholesale Window Coverings
Contract • Hospitality • Residential



HONEYCOMB

SHADES

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits	2
• Pattern Information	3
• Fabric and Rail Color Charts	4-9

Pricing for Standard Rectangular, Options, RemoteLift 2.0, Simplicity Surcharges

• Price Groups 1-12 Honeycomb Fabrics	10-21
• Price Group 13 – 2" Hybrid Pleat – Semi-Opaque	22
• Price Group 14 – 2" Hybrid Pleat – Blackout	23
• Linen Allure-Dimensions	24
• Linen Allure-Hybrid Pleat	25
• Motorization Surcharges and Options.	26

Product Configuration Specifications

• Standard Cordlock	27
• Two-on-One Headrail	28
• Top-Down or Top-Down/Bottom-Up	29
• Two-Fabric Combination	30
• Cut-Outs	30
• Cordless Lift	31
• Cordless Lift & Lock	32
• Continuous Cord Loop	33-34

TriLight Shades®

• Features & Benefits	35
• Selecting a TriLight Shade	35
• Sheer Pleated Color Chart	36
• Pricing Groups and Options	37
• Configuration Specifications	38-40
• Stacking Information	38-40

Product Configuration Specifications

• RemoteLift™ 2.0 Motorization	41-45
• Simplicity and PowerWand™	46-51
• Vertical Application.	52-56
• Classic Skylight & Skylight with Simplicity Motorization	57-60
• Arches	61-62
• Specialty Shapes	63-64
• Size Standards Summary	65-70
• Product Components Diagrams.	71-82

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical Applications over 96" in height) are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Their distinctive cellular construction helps insulate homes and reduce heating and cooling bills.
- Their superior sound absorption helps make surroundings quieter and more comfortable.
- 100% stain-resistant polyester fabric is wrinkle-resistant and easy to clean and maintain – most fabric styles are completely washable.
- Color choices include over 200 options from neutrals and bold colors to exclusive prints and solids.
- Multiple cell size choices, including 2" Hybrid Pleat, cover small- to large-scale windows, plus sliding glass doors.
- Fabric opacities range from sheer and semi-sheer to blackout, offering privacy and light control versatility. FR fabrics are also available.
- The neutral white backing on most fabric styles provides a consistent appearance to the outside of the home.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, vertical application and motorized control, to fit any need.
- Cordless lift, cordless lift & lock, continuous cord loop, RemoteLift 2.0 shades, and Simplicity shades are available with Fabric Covered rails for a surcharge.
- Optional color-coordinated rails are available at no additional cost.
- Features TriLight Shades® for enhanced versatility.
- Limited lifetime warranty ensures your customers' satisfaction.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Price Group (Standard)	Winter R-Values	Summer Solar Heat Gain Coefficient	Care Code	Light Control	Hardware Restrictions	Hardware Options
3/8" Marcella	H44	Single	2	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	• Standard Cordlock • Continuous Cord Loop System • Continuous Cord Loop Top-Down/ Bottom-Up • Cordless Lift System • Cordless Lift & Lock • Two-Fabric Combination • Top-Down • Top-Down/ Bottom-Up • Two-On-One Headrail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight
3/8" Opulence	H40	Single	3	4.45	0.35	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Opulence Blackout	H41	Single	10	5.89	0.21	1, 2 & 3	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/4" Cardiff	H91	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Glimmer	HS3	Single	6	5.00	0.41	1, 2 & 3	C	—	
3/4" Linen	H27	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Marcella	H45	Single	4	5.00	0.41	1, 2 & 3	C	—	
3/4" Marcella Blackout	H46	Single	9	5.88	0.20	1, 2 & 3	E	—	
3/4" Melodic	HX6	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Mirada	H92	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence	H28	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence Blackout	H29	Single	11	4.87	0.25	1, 2 & 3	E	—	
3/4" Peaceful	H96	Single	12	4.49	0.36	1, 2 & 3	C	Arches	
3/4" Radiance	HF6	Single	1	4.49	0.36	1, 2 & 3	C	—	
3/4" Radiance Blackout	HF7	Single	7	5.88	0.20	1, 2 & 3	E	—	
3/4" Serene FR*	H62	Single	6	5.16	0.36	1, 2 & 3	C	—	
3/4" Serene FR Blackout*	H60	Single	11	5.74	0.25	1, 2 & 3	E	—	
3/4" Tiffany Sheer	H25	Single	11	3.72	0.22	1, 2 & 3	A	TriLight	
3/4" Tranquility Semi-Sheer	H24	Single	11	4.07	0.41	1, 2 & 3	B	TriLight, Vertical Application	
1/2" Marcella Double Cell	H47	Double	5	5.26	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Opulence Double Cell	H39	Double	8	4.78	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
3/8" Tricella Triple Cell	H58	Triple	11	5.78	0.20	1, 2 & 3	C	Cordless, Cordless Lift & Lock, Cordless TDBU, Cordless Two-Fabric Combo, Vertical App, Skylight, Top-Down Arch, Motorization, TriLight	
2" Hybrid Pleat – Semi-Opaque	HPF	Single	13	4.53	N/A	1, 2 & 3	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Singe	14	4.78	N/A	1, 2 & 3	E	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	

* Flame Resistant – Passes Flame Test NFPA 701

Winter R-Values

R-Value measures resistance to heat loss. The higher the R-Value, the more insulation the product provides. In winter, higher insulation means less heat loss and a warmer room. (Double glaze window.)

Summer Solar Heat Gain Coefficient

Coefficient measures the products ability to reduce heat gain from the sun. The lower the number, the less solar energy it transmits. In summer, less heat transmitted means a cooler room. (Double glaze window.)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Semi-Opaque (Price Group 2)				
H44	807	Almond Glaze	630	N/A
H44	808	Brown Sugar	083	
H44	804	Crepe Souffle	882	
H44	803	Jasmine Wisp	674	
H44	802	Mountain Mist	862	
H44	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 10)				
H41	628	Cloud Puff	661	N/A
H41	703	Doe	674	
H41	702	Soft White	785	
H41	632	Tranquil Tea	954	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 3)				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	608	Cocoa	810	
H40	603	Doe	862	
H40	604	Fallen Snow	882	
H40	612	Gentle White	661	
H40	615	Sagebrush	621	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	361	

CODE KEY: HEADRAIL	
STD = Standard Cordlock (Cordless Lift, Continuous Cord Loop, Simplicity and RemoteLift shades with coordinated rail.)	
VA = Vertical Application shades	

Hardware Colors			
		STD	VA
018	Satin Silver	X	N/A
048	Black	X	X
082	Camel	N/A	X
083	Cocoa	X	X
127	Cameo	X	N/A
135	Whisper Heather	X	N/A
276	Silverado	N/A	X
320	Rich Cream	X	N/A
361	Tender Taupe	X	N/A
405	Gray Flannel	X	N/A
450	Skyline	X	N/A
621	Putty	X	N/A
630	Gold Leaf	X	N/A
661	White Tiara	X	X
674	Bamboo Stalk	X	N/A
685	Blue Sky	X	N/A
765	Silver Maple	X	N/A
785	Aspen White	X	X
810	Mushroom	X	X
841	Dark Blonde	N/A	X
849	Mocha	X	N/A
862	Gardenia White	X	X
882	Honey Bisque	X	X
885	Flex White	X	N/A
952	Pristine Beach	X	N/A
954	Tranquil Tea	X	N/A
956	Renaissance Clay	X	N/A
958	Velvet Fern	X	N/A
960	Terra Cotta Urn	X	N/A

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Semi-Opaque, Semi-Sheer & Sheer)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
CARDIFF Semi-Opaque (Price Group 6)				
H91	3002	Distant Range	320	862
H91	3003	Haystack	954	661
H91	3006	Riverfront	810	810
H91	3005	Skipping Stones	765	276
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	083	083
GLIMMER Semi-Opaque (Price Group 6)				
HS3	854	Copper Blaze	960	083
HS3	668	Copper Radiance	954	082
HS3	911	Copper Sage	958	785
HS3	989	Gold Brilliance	882	882
HS3	468	Gold Leaf	630	862
HS3	955	Gold Shimmer	862	862
HS3	682	Silver Birch	862	862
HS3	829	Silver River	765	661
HS3	686	Silver Truffle	810	810
LINEN Semi-Opaque (Price Group 6)				
H27	454	Dried Sage	621	862
H27	451	French Vanilla	882	882
H27	452	Harvest	630	841
H27	453	Khaki	630	841
MARCELLA Semi-Opaque (Price Group 4)				
H45	807	Almond Glaze	630	862
H45	808	Brown Sugar	083	083
H45	804	Crepe Souffle	882	882
H45	805	Fresh Toffee	952	082
H45	822	Grey Linen	765	276
H45	803	Jasmine Wisp	674	862
H45	8701	Mocha Brownie	810	810
H45	802	Mountain Mist	862	862
H45	821	Pearly Beige	862	862
H45	8703	Serious Gray	405	276
H45	8700	Spanish Olive	621	862
H45	801	Sugar Cane	661	661
MELODIC Semi-Opaque (Price Group 6)				
HX6	1053	Ballet	862	862
HX6	1051	Bravado	661	661
HX6	1089	Charango	862	862
HX6	1018	Ginger	320	862
HX6	1465	Jade	135	785
HX6	1469	Jave	849	810
HX6	1084	Meseno	810	810
HX6	1016	Padoanna	450	661
HX6	1055	Timbre	810	810
MIRADA Semi-Opaque (Price Group 6)				
H92	3021	Bungalow Brown	361	810
H92	3022	Lazy Day	785	785
H92	3025	Marina Gray	765	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	862	862

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL	
STD	Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)
VA	Vertical Application shades

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 6)				
H28	651	Accent Grey	765	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	608	Cocoa	810	810
H28	622	Country Road	621	862
H28	603	Doe	862	862
H28	604	Fallen Snow	882	882
H28	635	Fudge Truffle	954	082
H28	621	Gentle White	661	661
H28	653	Golden Sage	630	841
H28	652	Grey Stone	765	276
H28	5021	Nantucket Gray	405	276
H28	5022	Newport Gray	405	276
H28	631	Pristine Beach	954	082
H28	5020	Regal Taupe	810	810
H28	634	Renaissance Clay	956	862
H28	615	Sagebrush	621	785
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	607	Taupe	127	862
H28	632	Tranquil Tea	954	082
H28	637	Warm Cocoa	361	810
H28	618	White Azalea	661	661
PEACEFUL Semi-Opaque (Price Group 12)				
H96	2222	Barely Beige	862	862
H96	2228	Blue Skies	450	661
H96	2225	Canyon Walls	954	082
H96	2229	Casting Pond	450	661
H96	2224	Country Crossing	882	882
H96	2223	Desert Dunes	862	862
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	810	810
H96	2227	Fallen Leaves	862	862
H96	2230	Mountain Meadow	135	785
H96	2220	Zephyr	661	661
RADIANCE Semi-Opaque (Price Group 1)				
HF6	445	Aged Brass	621	785
HF6	444	Aged Leather	083	083
HF6	439	Golden	630	862
HF6	458	Pewter	765	661
HF6	416	Primrose	630	862
HF6	448	Rosemary	958	785
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SERENE FR Semi-Opaque (Price Group 6)				
H62	263	Blanched Almond	862	862
H62	261	Lemon Chiffon	785	785
H62	262	Pearl Shell	882	882
H62	260	Snow White	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer (Price Group 11)				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer (Price Group 11)				
H24	273	Desert Sand	320	N/A
H24	272	Pale Rose	320	
H24	274	Soft Buttercup	674	
H24	271	White Linen	661	

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Blackout (Price Group 9)				
H46	807	Almond Glaze	630	862
H46	808	Brown Sugar	954	083
H46	804	Crepe Souffle	882	882
H46	822	Grey Linen	765	276
H46	803	Jasmine Wisp	674	862
H46	802	Mountain Mist	862	862
H46	821	Pearly Beige	862	862
H46	801	Sugar Cane	661	661
OPULENCE Blackout (Price Group 11)				
H29	606	Biscuit	882	882
H29	628	Cloud Puff	661	661
H29	652	Deep Slate	685	661
H29	603	Doe	862	862
H29	690	Grey Stone	765	276
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	785	785
H29	617	Sunbeam	862	862
H29	607	Taupe	127	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	849	810
H29	618	White Azalea	885	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
RADIANCE Blackout (Price Group 7)				
HF7	445	Aged Brass	621	785
HF7	444	Aged Leather	083	083
HF7	439	Golden	630	862
HF7	458	Pewter	765	661
HF7	416	Primrose	630	862
HF7	448	Rosemary	958	785
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout (Price Group 11)				
H60	163	Blanched Almond	862	785
H60	160	Cool White	661	661
H60	161	Lemon Chiffon	785	785
H60	162	Pearl Shell	882	882

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell & 3/8" Triple Cell Fabrics

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell (Price Group 5)				
H47	807	Almond Glaze	630	N/A
H47	808	Brown Sugar	083	
H47	804	Crepe Souffle	882	
H47	822	Grey Linen	765	
H47	803	Jasmine Wisp	674	
H47	802	Mountain Mist	862	
H47	821	Pearly Beige	862	
H47	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell (Price Group 8)				
H39	651	Accent Grey	765	N/A
H39	606	Biscuit	882	
H39	636	Chocolate Bliss	083	
H39	608	Cocoa	810	
H39	603	Doe	862	
H39	604	Fallen Snow	882	
H39	635	Fudge Truffle	954	
H39	652	Grey Stone	765	
H39	615	Sagebrush	621	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	361	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TRICELLA Triple Cell (Price Group 11)				
H58	100	Cotton Bloom	661	N/A
H58	108	Dreamy Sunset	952	
H58	110	Foxy Gray	765	
H58	106	Malibu Coast	630	
H58	104	Sand Castle	862	
H58	102	Sun Glow	862	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 13)				
<i>Coordinates with Opulence colors of the same name</i>				
HPF	851	Accent Gray	765	276
HPF	808	Cocoa	810	810
HPF	803	Doe	862	862
HPF	852	Grey Stone	765	276
HPF	801	Soft White	661	661
HPF	817	Sunbeam	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 14)				
<i>Coordinates with Opulence colors of the same name</i>				
HPR	828	Cloud Puff	661	661
HPR	812	Deep Slate	450	661
HPR	803	Doe	862	862
HPR	807	Taupe	127	862
HPR	832	Tranquil Tea	954	082
HPR	837	Warm Cocoa	810	810

CODE KEY: HEADRAIL	
OPTION	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.
VA	= Vertical Application shades

LINEN ALLURE FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - 2" HYBRID PLEAT - Semi-Opaque				
HP85	6080	Sunshine	674	862
HP85	6081	Coastal Bluff	882	882
HP85	6082	Fall Meadow	882	882
HP85	6083	Icy Pond	018	276
HP85	6084	Country Road	405	276
HP85	6085	Stepping Stone	405	276

TRIMBELLE - 2" - HYBRID PLEAT - Semi-Opaque				
HP84	6070	White Bouquet	785	785
HP84	6071	Seawall	810	810
HP84	6072	Hidden Lake	450	276
HP84	6073	Desert Grasslands	882	882
HP84	6074	Ocean Trails	630	841
HP84	6075	Boardwalk	621	841

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - DIMENSIONS - Semi-Opaque				
DM85	7080	Sunshine	674	N/A
DM85	7081	Coastal Bluff	882	
DM85	7082	Fall Meadow	882	
DM85	7083	Icy Pond	018	
DM85	7084	Country Road	405	
DM85	7085	Stepping Stone	405	

TRIMBELLE - DIMENSIONS - Semi-Opaque				
DM84	7070	White Bouquet	785	N/A
DM84	7071	Seawall	810	
DM84	7072	Hidden Lake	450	
DM84	7073	Desert Grasslands	882	
DM84	7074	Ocean Trails	630	
DM84	7075	Boardwalk	621	

LINEN ALLURE INHERENT CHARACTERISTICS


Linen Allure fabrics contain unique fibers which can create variations in the weave.

Inherent Characteristics include:

Loose threads along the edge of the fabric – Because threads are dispersed randomly, occasionally one will land along the edge of the shade. Simply trim these threads after installation.

More prominent threading –

The material is less uniform than traditional honeycomb fabric. This can lead to areas of more prominent threading. While part of the beauty of Linen Allure, it is more apparent on the darker colors.



Puckering – Due to the unique cell structure of the Dimensions fabric slight dimpling can occur across the front of the cascading profile. This phenomenon is more noticeable on larger shades and darker colors.



We think you will agree these characteristics create a beautiful, free flowing look.

ORDERING NOTES: Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order.

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

GROUP 1 (Standard Rectangular)

• 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$132	149	167	189	207	226	245	263	283	323	364	407	448
42"	141	160	182	207	226	246	269	291	311	358	402	449	497
48"	151	175	197	221	245	269	292	317	341	390	444	490	544
54"	159	185	211	239	263	289	316	343	369	423	479	536	591
60"	169	194	226	253	281	310	336	368	399	458	516	580	637
66"	180	207	241	270	301	332	362	394	424	490	556	619	686
72"	189	218	253	286	321	354	386	421	453	525	593	663	735
78"	197	230	266	299	340	373	411	447	485	555	631	706	783
84"	205	242	280	317	356	390	428	467	505	583	665	740	825
90"	214	252	292	332	373	414	452	496	536	619	702	786	871
96"	221	262	306	347	390	429	476	516	558	646	736	825	914
108"	242	284	331	376	426	470	517	567	616	710	805	902	1003
120"	256	307	361	411	463	512	566	618	668	770	879	985	1082

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 2 (Standard Rectangular)

• 3/8" Marcella (H44)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$132	149	167	189	207	226	245	263	283	323	364	407	448	490	528
42"	141	160	182	207	226	246	269	291	311	358	402	449	497	543	587
48"	151	175	197	221	245	269	292	317	341	390	444	490	544	593	644
54"	159	185	211	239	263	289	316	343	369	423	479	536	591	649	704
60"	169	194	226	253	281	310	336	368	399	458	516	580	637	700	758
66"	180	207	241	270	301	332	362	394	424	490	556	619	686	752	817
72"	189	218	253	286	321	354	386	421	453	525	593	663	735	801	874
78"	197	230	266	299	340	373	411	447	485	555	631	706	783	855	931
84"	205	242	280	317	356	390	428	467	505	583	665	740	825	902	983
90"	214	252	292	332	373	414	452	496	536	619	702	786	871	956	1038
96"	221	262	306	347	390	429	476	516	558	646	736	825	914	1001	
108"	242	284	331	376	426	470	517	567	616	710	805	902	1003		
120"	256	307	361	411	463	512	566	618	668	770	879	985			
132"	275	329	384	441	499	553	611	666	721	835	952				
144"	291	349	413	470	535	592	653	712	771	896					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**.....\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 3 (Standard Rectangular)

• 3/8" Opulence (H40)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$139	158	177	200	221	239	259	280	299	343	386	432	475	520	561
42"	148	169	194	219	239	262	286	307	330	377	426	476	527	575	621
48"	160	182	207	232	259	286	309	335	361	414	468	523	577	632	684
54"	168	194	225	253	280	306	334	363	392	450	507	567	629	687	746
60"	178	205	239	266	297	329	359	389	421	486	548	615	678	744	804
66"	192	221	255	288	320	354	384	418	450	520	592	656	730	798	868
72"	200	230	266	304	341	374	411	447	481	557	632	705	782	854	928
78"	207	243	283	319	360	395	436	474	514	591	671	751	829	909	988
84"	217	256	295	335	376	414	455	498	537	618	706	788	876	958	1045
90"	227	266	310	354	395	439	480	526	568	655	745	834	925	1016	1104
96"	232	278	323	370	414	457	503	548	595	686	783	875	969	1062	
108"	256	301	350	401	451	500	552	600	652	754	856	958	1064		
120"	271	325	382	436	492	543	598	654	709	818	932	1046			
132"	290	347	407	467	530	589	647	707	764	887	1010				
144"	307	372	438	500	566	631	693	758	822	954					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
- **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**.....\$22
- **5' to 10' Cordless Extension Pole #400036-81511**.....\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 4 (Standard Rectangular)

•3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$139	154	177	197	217	233	253	276	293	334	377	419	460	501	541	646
42"	149	169	192	217	239	262	283	307	330	375	422	468	517	566	614	726
48"	156	181	207	232	256	280	306	330	358	407	459	510	563	617	666	795
54"	164	190	218	246	276	299	329	355	383	435	496	551	613	663	721	861
60"	178	205	237	264	294	325	354	385	415	477	538	598	665	724	787	936
66"	189	219	252	284	318	351	384	416	450	516	585	652	721	788	854	1022
72"	201	228	264	299	335	369	405	441	477	546	620	695	763	837	905	1087
78"	211	246	285	323	363	399	436	477	516	592	673	752	832	912	988	1183
84"	221	258	299	342	384	422	463	504	546	628	712	797	884	965	1049	1259
90"	230	273	317	361	407	448	490	536	581	669	757	847	936	1026	1116	1339
96"	241	284	330	376	424	467	515	562	611	704	799	892	988	1083	1176	1357
108"	258	307	361	411	463	512	562	617	668	767	873	978	1083	1183	1290	1547
120"	284	335	395	452	511	567	622	680	737	850	966	1083	1200	1312	1429	1715
132"	306	368	428	494	557	619	680	744	805	933	1061	1189	1320	1440	1572	
144"	322	390	459	528	593	661	726	796	866	1001	1136	1271	1411	1546	1679	
156"	343	418	496	566	643	713										
168"	366	446	528	605	686											
174"	384	470	558	644	726											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
– **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
– **Two-On-One Headrail*** price as 2 separate shades and add \$174
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Three-On-One Headrail*** price as 3 separate shades and add \$260
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Top-Down/Bottom-Up***add \$174
 - **Cordless Lift & Lock**add \$44
– **Cordless Lift & Lock Two-On-One Headrail**add \$87
– **Cordless Lift & Lock Three-On-One Headrail**add \$130
– **Top-Down/Bottom-Up***add \$130
– **Premium Headrail Upgrade***add \$15
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 5 (Standard Rectangular)

• 1/2" MARCELLA (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$146	163	186	208	230	247	269	291	311	356	401	445	489	531	574
42"	158	179	202	230	252	277	298	325	348	397	449	498	549	597	650
48"	165	193	219	246	273	295	323	349	377	429	487	541	596	653	704
54"	175	201	232	262	291	319	347	375	405	462	526	584	646	701	762
60"	189	217	251	281	312	344	374	408	441	504	570	636	702	765	832
66"	200	233	266	299	335	371	407	444	477	548	620	689	762	834	908
72"	211	243	281	319	358	392	428	466	504	580	658	735	811	886	959
78"	224	262	302	343	385	422	463	504	548	628	713	796	882	966	1048
84"	234	276	319	362	407	449	492	536	580	667	757	847	936	1022	1114
90"	244	288	334	383	429	474	519	568	616	709	800	895	995	1089	1182
96"	254	299	349	400	451	497	546	595	645	745	848	946	1048	1147	1244
108"	276	325	383	434	492	544	595	653	707	815	925	1035	1147	1256	1369
120"	299	358	419	479	541	598	661	722	784	902	1023	1147	1271	1393	1515
132"	323	388	455	525	591	656	723	789	854	990	1126	1260	1398	1528	1666
144"	342	414	487	557	629	700	769	845	918	1060	1203	1349	1495	1640	1780

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

- 3/4" CARDIFF (H91) • 3/4" MELODIC (HX6) • 3/4" SERENE FR (H62)
- 3/4" GLIMMER (HS3) • 3/4" MIRADA (H92)
- 3/4" LINEN (H27) • 3/4" OPULENCE (H28)

GROUP 6 (Standard Rectangular)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$160	180	206	230	254	275	297	322	344	393	446	491	541	589	635	760
42"	175	198	224	254	280	306	331	360	386	441	497	552	610	665	721	853
48"	182	213	243	273	301	328	359	387	419	478	538	597	663	724	783	934
54"	193	223	255	289	322	354	385	416	449	512	582	646	717	780	847	1012
60"	208	241	278	310	346	380	415	452	488	558	632	705	782	850	922	1101
66"	221	256	294	332	373	413	450	489	528	607	686	764	847	925	1006	1201
72"	234	267	310	354	394	433	476	516	558	642	728	814	897	983	1063	1276
78"	247	289	334	379	426	467	514	558	607	698	792	882	978	1071	1162	1393
84"	257	304	354	401	450	497	545	592	642	738	838	936	1039	1134	1232	1481
90"	269	319	371	422	477	526	577	629	680	787	889	995	1101	1206	1311	1575
96"	282	332	387	445	499	551	605	661	714	826	939	1049	1162	1270	1382	1594
108"	304	360	422	483	545	602	661	724	786	904	1024	1149	1270	1393	1518	1822
120"	332	394	463	531	598	666	731	798	867	999	1135	1270	1410	1544	1679	2018
132"	359	429	504	581	657	726	799	875	948	1097	1248	1398	1551	1696	1846	
144"	377	458	538	619	699	776	853	935	1017	1176	1335	1495	1660	1819	1974	
156"	402	490	582	665	757	840										
168"	428	523	620	711	808											
174"	451	553	658	758	853											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 7 (Standard Rectangular)

• 3/4" RADIANCE BLACKOUT (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$172	192	219	245	270	291	317	342	366	418	470	520	576
42"	185	210	237	270	295	325	351	380	411	466	528	585	645
48"	195	226	256	289	321	347	379	413	446	507	570	635	702
54"	205	236	273	307	342	374	410	444	476	544	617	684	760
60"	223	254	294	329	368	403	441	480	516	592	671	750	826
66"	234	275	315	354	395	436	477	517	558	643	728	813	896
72"	249	284	329	374	419	460	504	548	592	680	771	864	955
78"	263	307	356	402	452	497	545	592	643	739	841	935	1037
84"	276	323	374	424	477	528	580	629	680	785	889	995	1102
90"	285	340	394	449	505	556	613	669	723	832	942	1055	1168
96"	298	354	413	468	530	584	642	701	759	876	997	1114	1231
108"	323	380	449	511	580	639	701	766	830	959	1088	1219	1348
120"	354	419	492	563	636	705	776	848	919	1060	1203	1348	1495

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 8 (Standard Rectangular)

• 1/2" OPULENCE (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$172	192	219	245	270	291	317	342	366	418	470	520	576	626	673
42"	185	210	237	270	295	325	351	380	411	466	528	585	645	704	763
48"	195	226	256	289	321	347	379	413	446	507	570	635	702	766	827
54"	205	236	273	307	342	374	410	444	476	544	617	684	760	825	896
60"	223	254	294	329	368	403	441	480	516	592	671	750	826	902	979
66"	234	275	315	354	395	436	477	517	558	643	728	813	896	980	1065
72"	249	284	329	374	419	460	504	548	592	680	771	864	955	1043	1129
78"	263	307	356	402	452	497	545	592	643	739	841	935	1037	1135	1231
84"	276	323	374	424	477	528	580	629	680	785	889	995	1102	1202	1307
90"	285	340	394	449	505	556	613	669	723	832	942	1055	1168	1279	1390
96"	298	354	413	468	530	584	642	701	759	876	997	1114	1231	1348	1464
108"	323	380	449	511	580	639	701	766	830	959	1088	1219	1348	1475	1608
120"	354	419	492	563	636	705	776	848	919	1060	1203	1348	1495	1636	1780
132"	379	458	536	616	698	769	849	927	1006	1163	1323	1484	1644	1797	1959
144"	401	487	570	657	740	824	906	994	1079	1247	1415	1585	1759	1928	2096

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
– **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
– **Two-On-One Headrail*** price as 2 separate shades and add \$174
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Three-On-One Headrail*** price as 3 separate shades and add \$260
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Top-Down/Bottom-Up***add \$174
 - **Cordless Lift & Lock**add \$44
– **Cordless Lift & Lock Two-On-One Headrail**add \$87
– **Cordless Lift & Lock Three-On-One Headrail**add \$130
– **Top-Down/Bottom-Up***add \$130
– **Premium Headrail Upgrade***add \$15
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 9 (Standard Rectangular)

• 3/4" MARCELLA BLACKOUT (H46)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$176	197	223	246	273	297	322	347	373	424	483	536	591	644	697	835
42"	189	213	242	270	298	330	355	384	414	476	536	595	660	721	783	934
48"	205	233	267	299	331	364	395	429	463	532	603	673	749	814	884	1061
54"	218	247	285	323	360	394	428	467	504	582	658	736	814	890	967	1160
60"	239	264	306	347	384	423	460	504	546	628	712	796	881	967	1048	1261
66"	247	281	325	368	413	453	496	541	585	673	765	858	952	1038	1131	1359
72"	264	301	349	397	446	490	536	588	632	732	835	932	1034	1134	1231	1486
78"	278	317	368	419	470	520	569	623	673	782	887	994	1102	1206	1315	1584
84"	289	332	387	446	497	549	598	660	712	827	938	1052	1168	1283	1397	1686
90"	306	354	414	468	528	587	642	704	763	884	1005	1129	1253	1373	1498	1806
96"	317	368	429	491	554	616	673	739	800	928	1060	1189	1321	1453	1580	1908
108"	342	400	470	539	611	676	740	814	882	1023	1167	1311	1459	1603	1747	2106
120"	368	434	510	585	679	735	811	889	964	1118	1273	1434	1594	1754	1933	2339
132"	397	470	555	639	740	801	886	970	1055	1225	1399	1573	1749	1924	2128	
144"	421	504	592	682	801	867	956	1046	1136	1320	1505	1696	1872	2064	2274	
156"	455	544	642	740	870	936										
168"	486	582	684	795	931											
174"	512	615	726	840	985											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 10 (Standard Rectangular)

• 3/8" OPULENCE BLACKOUT (H41)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"									
HEIGHT TO:																								
36"	\$198	221	249	278	307	335	362	393	420	479	545	605	670	728	787									
42"	213	239	272	306	338	371	400	433	467	535	605	674	743	814	882									
48"	231	264	303	340	373	411	446	486	525	602	682	762	844	920	999									
54"	245	280	321	364	405	445	485	529	568	655	741	832	920	1007	1092									
60"	269	298	345	393	434	478	520	569	617	710	805	900	995	1092	1183									
66"	280	316	366	414	466	512	559	610	660	762	867	970	1075	1175	1279									
72"	298	341	395	447	501	555	605	663	714	828	943	1053	1170	1281	1394									
78"	314	357	414	473	531	589	643	704	762	880	1004	1123	1247	1364	1486									
84"	327	375	438	501	561	619	678	743	805	934	1061	1189	1321	1448	1579									
90"	345	399	467	530	596	661	726	796	862	999	1136	1276	1415	1553	1694									
96"	357	414	486	556	627	695	762	837	906	1049	1196	1344	1492	1641	1787									
108"	386	450	531	609	687	764	839	920	997	1155	1320	1482	1646	1810	1974									
120"	413	490	575	660	766	830	915	1006	1089	1264	1440	1621	1804	1982	2187									
132"	447	531	628	723	839	908	1003	1097	1192	1384	1581	1776	1979	2176	2403									
144"	476	568	671	771	908	979	1081	1180	1284	1491	1703	1917	2118	2336	2572									
156"	514	614	726	838	981	1059																		
168"	548	655	773	899	1051																			
174"	579	694	819	948	1114																			

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
 - Top-Down/Bottom-Up*add \$141
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 11

- 3/8" TRICELLA (H58)
- 3/4" TIFFANY (H25)
- 3/4" TRANQUILITY (H24)
- 3/4" OPULENCE BLACKOUT (H29)
- 3/4" SERENE FR BLACKOUT (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$205	230	258	289	319	348	376	408	436	499	567	629	697	758	818	981
42"	221	249	283	318	351	386	416	450	486	556	629	701	772	847	918	1098
48"	241	275	315	354	388	427	463	505	545	626	709	792	878	957	1039	1247
54"	255	291	334	379	421	462	504	551	591	681	771	866	957	1047	1136	1363
60"	280	310	359	408	451	498	541	592	642	738	838	935	1035	1136	1231	1485
66"	291	329	380	431	485	532	582	635	686	792	902	1009	1118	1221	1330	1599
72"	310	355	411	464	520	577	629	689	743	862	981	1096	1217	1332	1449	1746
78"	327	371	431	491	553	613	669	732	792	915	1044	1167	1297	1419	1545	1864
84"	340	390	455	520	583	644	705	772	838	971	1103	1237	1374	1505	1642	1980
90"	359	415	486	552	620	687	756	827	896	1039	1181	1326	1472	1615	1762	2128
96"	371	431	505	579	652	723	792	870	942	1091	1244	1398	1552	1707	1858	2245
108"	401	468	553	633	714	795	873	957	1037	1202	1373	1542	1712	1882	2053	2478
120"	429	510	597	686	797	864	952	1046	1133	1315	1498	1686	1877	2061	2274	2750
132"	464	553	653	752	873	945	1043	1140	1240	1439	1644	1848	2058	2262	2500	
144"	496	591	698	801	945	1018	1124	1228	1335	1551	1772	1994	2203	2429	2675	
156"	535	639	756	871	1020	1101										
168"	569	681	804	934	1094											
174"	602	722	852	986	1159											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, SEMI-SHEER AND TRIPLE CELL FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 12 (Standard Rectangular)

• 3/4" PEACEFUL (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$245	276	309	345	382	416	450	488	523	595	678	753	834	906	979	1174
42"	264	297	340	380	421	461	498	538	582	666	753	839	925	1013	1097	1313
48"	288	328	376	422	464	511	555	604	653	749	848	947	1050	1144	1242	1492
54"	305	348	399	452	503	554	603	657	707	815	922	1035	1144	1252	1358	1632
60"	334	371	429	488	539	594	647	708	766	882	1001	1120	1238	1358	1472	1776
66"	348	393	455	515	581	637	696	759	821	947	1078	1206	1337	1462	1590	1913
72"	371	423	491	556	622	692	753	825	889	1031	1174	1311	1456	1593	1734	2087
78"	389	444	515	588	661	732	799	875	947	1095	1248	1397	1552	1697	1849	2229
84"	406	467	545	622	698	770	843	925	1001	1162	1320	1478	1643	1800	1965	2369
90"	429	497	582	658	741	823	904	990	1072	1242	1412	1586	1760	1932	2106	2544
96"	444	515	604	693	780	864	947	1042	1126	1305	1489	1671	1856	2040	2222	2685
108"	479	559	661	758	854	951	1044	1144	1240	1437	1642	1843	2048	2252	2455	2963
120"	514	610	714	821	954	1033	1138	1251	1355	1572	1791	2017	2245	2464	2721	3288
132"	556	661	782	900	1044	1130	1247	1364	1484	1722	1967	2208	2461	2706	2989	
144"	592	707	835	959	1130	1217	1345	1467	1598	1854	2118	2384	2635	2905	3200	
156"	640	763	904	1043	1220	1318										
168"	681	815	961	1117	1308											
174"	721	863	1019	1179	1385											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 13 – 2" HYBRID (Standard Rectangular)

NOTE: A control option must be selected.

• 2" Hybrid Pleat – Semi-Opaque (HPF)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$171	177	194	203	211	236	250	268	282	340	358	380	398	413	433	516	604
36"	177	180	202	211	223	246	265	284	303	361	382	405	423	442	463	552	644
42"	180	197	210	218	232	257	277	299	318	383	405	429	448	471	492	589	686
48"	187	203	216	229	243	270	308	317	336	402	428	454	476	499	520	627	726
54"	190	211	224	237	251	281	317	328	351	425	449	479	502	529	552	657	765
61"	194	217	234	250	264	295	336	348	367	448	474	510	536	564	588	696	810
66"	211	232	252	268	281	307	338	359	385	471	494	530	555	588	614	731	849
73"	212	241	259	276	289	320	345	379	405	492	520	559	590	623	646	769	
78"	246	279	299	321	344	374	406	444	476	510	541	577	609	645	674	803	
84"	252	285	308	329	351	386	423	463	494	530	566	604	635	672	707		
90"	259	295	318	344	363	401	436	478	515	551	589	630	665	702	735		
96"	265	304	327	351	377	413	452	496	533	572	610	653	689	728			
108"	288	333	362	392	423	467	515	566	610	655	704	752					
120"	309	362	400	434	468	520	575	633	687	740	793						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

GROUP 14 – 2" HYBRID (Standard Rectangular)NOTE: A control option
must be selected.

• 2" Hybrid Pleat – Blackout (HPR)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$215	230	244	253	266	295	311	340	357	425	449	476	500	522	541	648	758
36"	221	239	252	265	280	309	330	358	379	454	478	506	531	556	580	695	812
42"	227	247	262	279	291	324	346	377	401	480	505	540	564	593	618	743	862
48"	231	253	275	286	303	340	363	398	421	505	536	570	597	630	656	786	914
54"	239	264	284	298	319	353	382	413	442	533	564	604	632	666	695	829	962
61"	244	276	293	311	328	370	401	436	459	564	596	640	672	708	735	878	1017
66"	264	291	320	337	351	384	413	453	484	588	627	666	701	736	772	920	1068
73"	270	299	325	346	362	401	433	474	505	618	654	705	740	783	813	969	
78"	309	349	377	403	433	471	511	559	597	640	679	728	769	809	850	1009	
84"	330	379	409	442	473	522	568	627	672	720	769	823	867	917	965		
90"	363	415	451	485	522	571	629	686	738	789	848	901	956	1009	1061		
96"	388	455	501	544	588	655	723	799	862	932	999	1072	1138	1206			
108"	451	542	597	656	719	804	895	992	1077	1165	1259	1351					
120"	497	607	675	749	824	932	1040	1156	1263	1367	1481						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Top-Down & Top-Down/Bottom-Upadd \$87
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

LINEN ALLURE – DIMENSIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$198	221	249	278	307	335	362	393	420	479	545	605	670
42"	213	239	272	306	338	371	400	433	467	535	605	674	743
48"	231	264	303	340	373	411	446	486	525	602	682	762	844
54"	245	280	321	364	405	445	485	529	568	655	741	832	920
60"	269	298	345	393	434	478	520	569	617	710	805	900	995
66"	280	316	366	414	466	512	559	610	660	762	867	970	1075
72"	298	341	395	447	501	555	605	663	714	828	943	1053	1170
78"	314	357	414	473	531	589	643	704	762	880	1004	1123	
84"	327	375	438	501	561	619	678	743	805	934	1061		
90"	345	399	467	530	596	661	726	796	862	999	1136		
96"	357	414	486	556	627	695	762	837	906	1049			
108"	386	450	531	609	687	764	839	920	997				
120"	413	490	575	660	766	830	915	1006	1089				

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Top-Down & Top-Down/Bottom-Upadd \$87
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$250	259	283	295	308	344	366	392	411	496	522	554	580	604	632	754	881
36"	259	264	294	308	324	360	386	415	441	528	557	592	618	647	676	806	940
42"	264	288	307	319	341	376	405	437	463	559	592	629	655	687	720	861	1003
48"	272	295	315	334	354	396	451	461	490	589	628	665	696	728	761	916	1061
54"	279	308	327	346	367	410	461	479	515	621	657	700	734	773	806	961	1117
61"	283	318	343	366	385	432	490	510	537	655	693	745	784	825	858	1019	1185
66"	308	341	369	392	410	449	493	524	563	687	723	774	812	858	897	1069	1241
73"	310	350	379	402	422	466	504	553	592	720	761	817	862	910	944	1124	
78"	360	406	437	468	502	548	593	648	696	745	790	844	891	942	987	1173	
84"	369	418	451	481	515	564	618	676	723	774	826	881	930	983	1033		
90"	379	432	463	502	531	587	637	698	753	805	861	920	971	1026	1075		
96"	386	444	477	515	551	604	661	725	780	838	893	955	1008	1065			
108"	421	489	529	574	618	684	753	826	893	958	1027	1100					
120"	453	529	583	634	686	761	841	926	1004	1083	1162						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Top-Down & Top-Down/Bottom-Upadd \$87
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$22
- 5' to 10' Cordless Extension Pole #400036-81511.....\$37
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

SIMPLICITY SURCHARGE AND OPTIONS
EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE HONEYCOMB SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each
- **Simplicity Rechargeable Motorization**add \$262 per shade
 - 2-on-1 Headrailprice as 2 separate shades
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **Simplicity Rechargeable Top-Down/Bottom-Up**add \$262 per shade + TD/BU Surcharge \$76 per shade
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **PowerWand™**add \$120 per shade
 - PowerWand™ Options (must be specified): **No Charge**
 - 1) Control Side (Left or Right)
 - 2) Wand Color (Black or White)
 - 3) Wand Length:
 - 1 foot (12")
 - 2 feet (24")
 - 3 feet (36")
 - 4 feet (48")
 - 5 feet (60")
 - Plug-In Charger (Part #CS5199)add \$33 each

Note: 2" Hybrid Pleat is Not Available with PowerWand™ Motorization
REMOTELIFT 2.0 SURCHARGE AND OPTIONS


- **RemoteLift 2.0**add \$302
- **Remote Control** #2984495100add \$57
- **Wireless Wall Switch** #2986350100add \$78
- **RemoteLift Top-Down***add \$47
- **Satellite Battery Pack** #KIT2520 – select with wire length below:
 - Satellite Battery Pack (15" Wire) #2989899000add \$67
 - Satellite Battery Pack (4' Wire) #2989900000add \$72
 - Satellite Battery Pack (10' Wire) #2989901000add \$84
 - Satellite Battery Pack (20' Wire) #2989902000add \$93
- **18V DC Power Supply** #7806000000 – select with wire length below:
 - DC Power Supply (15" Wire) #2989899000add \$97
 - DC Power Supply (4' Wire) #2989900000add \$99
 - DC Power Supply (10' Wire) #2989901000add \$103
 - DC Power Supply (20' Wire) #2989902000add \$107
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$48
 - (with 4' cable) #2989900000add \$55
 - (with 10' cable) #2989901000add \$59
 - (with 20' cable) #2989902000add \$64
- **Momenta** (must be submitted as part order)
 - **Momenta App Bridge Kit** #2920072100add \$128 NET Cost
 - **Momenta Extender Kit** #2920075100add \$47 NET Cost

 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE
 VERIFY SIZE RESTRICTIONS ON PAGE 43 PRIOR TO ORDERING.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



- Features snap-in bracket
- Headrail Color – color coordinated with fabric
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	8"	8"	8"	8"	8"	8"	8"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	40

* For shades under 12" widths, the maximum height is 80"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single Cell
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single Cell
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – 2-ON-1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

NOTE: Measurements may vary $\pm 1/8$ "

STANDARD TWO-ON-ONE – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (per panel)	8"	8"	8"	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"	16"	16"	16"
Max. Width (per panel)	60"	60"	60"	60"	60"	60"	60"
Max. Width (overall)	120"	120"	120"	120"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60


Controls must be on opposite ends of the headrail. Standard cord length is 40% of the height of the shade unless otherwise specified.

RECTANGULAR CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TOP-DOWN OR TOP-DOWN/BOTTOM-UP

(2-cell fabric insert)



(2-cell fabric insert)



Conveniently open shades from the top down or from both top and bottom.

Top-Down/Bottom-Up features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$

NOTES:

- The standard control positions for TD/BU are:
RIGHT operates the center moving rail and LEFT operates the bottomrail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

TOP-DOWN – SIZE STANDARDS

	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60

* For shades under 12" widths, the maximum height is 80"

TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb						
	All 3/4" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	108"	108"	108"	108"	108"	108"	108"
Max. Area (sq. ft.)	48	40	48	48	40	40	48


* For shades under 12" widths, the maximum height is 80"

Cut-outs are not available on Top-Down or Top-Down/Bottom-Up shades.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TWO-FABRIC COMBINATION (PRICE AS 2 SEPARATE SHADES)



Headrail, Middle Rail, and Bottomrail will coordinate with the bottom fabric unless otherwise specified.

Combines two fabrics in the same shade for function, beauty and total versatility. Consider a sheer shade to filter light, combined with a blackout shade for maximum darkness. Easily adjust shade to cover the window with one fabric or with some of each fabric. Standard cord length is 40% of the height of the shade unless otherwise specified.

Shade features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$


TWO-FABRIC COMBO – SIZE STANDARDS

	Honeycomb					
	All 3/4" Semi-Opaque Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height*	96"	96"	96"	96"	90"	90"
Max. Area (sq. ft.)	48	48	48	40	40	40

* For shades under 12" widths, the maximum height is 80"

Not available with 3/8" single cell fabrics, SoftStyle or 2" Hybrid Pleat fabrics.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles. Single handle available*, must be selected during order entry.
*Single handle option over 42" in width is not available with 3/8" fabric
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift Top-Down/Bottom-Up is not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS	
	All Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 3/8" blackout, 1/2" double cell, triple cell, or 2" Hybrid Pleat fabrics

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS TWO-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	32"	32"
Max Width (per panel)	120"	100"
Max Width (overall)	174"	120"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.


	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	9-1/2"	9-1/2"	9-1/2"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS

	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	2" Hybrid Pleat
Two-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

* Cordless Lift & Lock not available with any 3/8" or triple cell fabrics.

Note: End mount not available with 2-on-1 or 3-on-1

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Standard Headrail		
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
with Premium Rail option		
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

Note: End mount not available.

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	8"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

Right control operates the center moving rail; left control operates the bottomrail.
Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat*

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/
Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade. Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer or triple cell fabrics.
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 10-25 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 37 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
 - TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottom rail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$52	58	63	73	81	87	94	100	108	123	138
42"	56	62	69	81	87	94	102	112	119	136	153
48"	59	65	76	85	94	102	112	121	129	150	167
54"	62	69	82	91	100	111	121	129	141	161	182
60"	64	75	87	96	107	119	128	139	152	175	197
66"	68	81	93	102	116	125	137	151	162	186	213
72"	73	84	96	111	123	135	147	160	173	198	225
78"	76	88	102	115	129	142	156	168	185	213	239
84"	80	93	106	121	136	150	163	178	192	220	252
90"	83	96	112	125	142	158	173	188	204	236	266
96"	85	100	117	133	150	163	180	197	214	245	279

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$61	68	80	87	96	104	114	121	132	148	167
42"	64	74	85	96	104	114	124	135	143	164	186
48"	69	81	91	102	114	124	135	146	158	180	204
54"	74	85	97	111	121	134	146	159	168	195	221
60"	80	90	104	117	128	143	156	168	182	211	238
66"	84	96	112	124	139	153	166	181	195	225	256
72"	87	101	117	133	148	163	178	194	210	242	275
78"	91	106	122	138	158	173	189	205	223	256	291
84"	95	112	128	146	163	180	198	216	232	267	305
90"	100	117	135	153	173	191	207	227	246	284	321
96"	102	121	141	161	180	198	218	238	257	298	338

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color-Coordinated Rails


CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$44
- Cordless Lift System.....add \$87
- Continuous Cord Loopadd \$55
- Fabric-Wrapped Rail optionadd \$22

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, or Triple Cell fabrics

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64	50	50	60

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"


Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.



CORDLESS LIFT SIZE STANDARDS

	Honeycomb	2" Hybrid Pleat
	All Fabrics*	All Fabrics
Min. Width (net)	16"	16"
Max. Width**	83" - 96"	83" - 96"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* 3/8" single, sheer/semi-sheer and triple cell fabrics are not available with TriLight.

**The bottom panel max. width can be reduced by the ordered sheer fabric (top panel), if the sheer max. width is less than the bottom panel max. width. Willa Sheer maximum width is 83".

See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"


Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"
Max. Width	84"	84"	84"	84"
Max. Width - End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49

* 3/8" single, 3/4" sheer/semi-sheer and triple cell fabrics are not available with TriLight.

** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

**Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"**

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION





- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and Simplicity. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

REMOTELIFT 2.0 – SIZE STANDARDS

	All Honeycomb Fabrics *	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 43	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 43	

* RemoteLift not available with 3/8" triple cell fabrics

** Max square footage for 2" Hybrid Pleat is 60 sq. feet





FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$



MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Inside mount with Hold-Down Bracket deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length - 15", 4', 10' or 20'.
- If ordering the DC power supply, specify wire length - 15", 4', 10' or 20'.
- Daisy-Chain requires the DC power supply and you must specify which wire length (15", 4', 10' or 20') at the time the order is placed. You can Daisy-Chain up to 3 blinds per DC power supply.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.



18V Battery Wand
(Part #7520066000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part #KIT2791)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																				
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"		
Max Square Footage:		90 Square Feet															70 Square Feet			
H44	3/8" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"		
Max Square Footage:		80 Square Feet															70 Square Feet		50 Square Feet	
H40	3/8" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	92"	84"	54"	50"	
Max Square Footage:		50 Square Feet															30 Square Feet			
H41	3/8" OPULENCE BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		50 Square Feet															30 Square Feet			
H91	3/4" CARDIFF SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		80 Square Feet															65 Square Feet		40 Square Feet	
HS3	3/4" GLIMMER SEMI OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	86"	78"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H27	3/4" LINEN	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H45	3/4" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
HX6	3/4" Melodic Semi-Opague	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H92	3/4" Mirada Semi-Opague	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H28	3/4" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H96	3/4" PEACEFUL SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
HF6	3/4" RADIANCE SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		30 Square Feet																		
H62	3/4" SERENE FR	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		35 Square Feet																		
H46	3/4" MARCELLA BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
H29	3/4" OPULENCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
HF7	3/4" RADIANCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
H60	3/4" SERENE FR BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		90 Square Feet																	55 Square Feet	
H25	3/4" TIFFANY SHEER	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	60"	54"		
Max Square Footage:		50 Square Feet															35 Square Feet			
H24	3/4" TRANQUILITY SEMI-SHEER	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	46"	42"	n/a			
Max Square Footage:		45 Square Feet															30 Square Feet			
H47	1/2" MARCELLA DOUBLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	40"	36"	n/a			
Max Square Footage:		40 Square Feet															25 Square Feet			
H39	1/2" OPULENCE DOUBLE CELL	108"	108"	108"	108"	108"	106"	96"	86"	80"	72"	68"	64"	60"	32"	30"	n/a			
Max Square Footage:		35 Square Feet																		
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					

NOTE: TRIPLE CELL FABRICS NOT AVAILABLE WITH REMOTELIFT 2.0.

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.


Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.

Operational Distance of Infrared Signals


The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.

Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY MOTORIZATION SPECIFICATIONS

POWERWAND™ MOTORIZATION SPECIFICATIONS

SIMPLICITY AND POWERWAND MOTORIZATION

- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



SIMPLICITY & POWERWAND - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width - Bottom-Up	18"	18"
Minimum NET Width - Top-Down/Bottom-Up	24"	24"
Maximum Width	96"	96"
Maximum Width, End Mount ***	36"	36"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

** PowerWand **not available** with 3/8" triple cell or 2" Hybrid Pleat fabrics

*** Rechargeable Simplicity Top-Down/Bottom-Up **not available** as End Mount

NOTE: Size Standards are the same for standard Simplicity, Rechargeable Simplicity **Bottom-Up**, and PowerWand

NOTE: Min Width for **Rechargeable Simplicity Top-Down/Bottom-Up** is 24"

NOTE: Max height varies by width and fabric type. Refer to chart on page 51

SIMPLICITY 2-on-1 HEADRAIL - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	96"	96"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

NOTE: Simplicity 2-on-1 **ONLY** available with **Rechargeable** battery.

Not available with standard Simplicity, PowerWand or Top-Down/Bottom-Up.

FINISHED DIMENSIONS

Standard, Rechargeable Bottom-Up and Top-Down/Bottom-Up, and PowerWand

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
End (EB) Mount*		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1/8"

* End Mount is **not available** with Top-Down/Bottom-Up

Simplicity Rechargeable ONLY

2-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: 2-on-1 Headrail is **not available** with Top-Down/Bottom-Up

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat fabrics

MOUNTING REQUIREMENTS

Standard, Rechargeable Bottom-Up, and PowerWand

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Rechargeable Top-Down/Bottom-Up

Mounting Requirements

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount	
Over 36" wide	2-1/4"
Under 36" wide (spacer blocks required)	3"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

STANDARD SIMPLICITY MOTORIZATION: OVERVIEW

Standard Simplicity Motorization


- Standard Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or 12 Volt DC power supply/transformer is available. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long. The DC power supply is white and comes with a 80" wire, must be plugged into a standard outlet to power the motor and can power a single shade.
- A 48" extension wire is available (Part #CS5133Z).



SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Charging Port

Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



(Part #CS5199)

Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand™). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

SIMPLICITY RECHARGEABLE TOP-DOWN/BOTTOM-UP: OVERVIEW

Rechargeable Simplicity Motors

- The Simplicity TDBU Motor program features a battery powered motor utilizing a rechargeable battery hidden inside the shade head rail. If shades are less than 36" in width, an external snap-on battery pack is necessary.

Top-Down/Bottom-Up Simplicity 14 Channel Remote

- The TDBU remote has 14-channels and an ALL option. Each channel has a setting able to operate the middle rail and a setting able to operate the bottom rail. The TDBU remote is required for TDBU motors, but can be used with other motors as well. The 14 Channel TDBU remote can operate up to fourteen shades individually or 14 groups (not recommended). Simplicity Rechargeable Motorized Cellular Shades are programmed at the factory with the "up and down" limits. Please ensure each shade is linked to the remote prior to installation.
- Simplicity TDBU remotes and holders are white in color. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet. The 14 Channel remote can be utilized on all Simplicity motorized shades.



(Part #CS52136)

Simplicity Rechargeable Battery for Top-Down/Bottom-Up

- For shades 36" and wider the rechargeable battery is fully concealed in the head rail and is recharged via a charging port on the back of the shade. Shades under 36" in width require an externally mounted battery pack. Both the internal and external rechargeable batteries come fully charged from the factory.



Internal Battery
charging port



External Battery Pack

Battery Charger

- Utilizes the same 8.4 Volt charger as Simplicity Rechargeable Bottom-Up and PowerWand



(Part #CS5199)

Solar Panel Recharge Option

- Uses the same Solar Panel recharge option as Simplicity Rechargeable Bottom-up.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

PowerWand™ Motorization

- Honeycomb Shades can be fabricated with the PowerWand™ Rechargeable Push Button Control option. The PowerWand™ Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand™ Rechargeable uses Simplicity motors and components.

PowerWand™ Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand™ as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.

PowerWand™ Appearance

- The PowerWand™ Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand™ Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with
Plug-In Charger

PowerWand™ Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand™ motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



(Part #CS5199)

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION (Bottom-Up and Top-Down/Bottom-Up*) & POWERWAND - MAXIMUM HEIGHTS				
CODE	SHADE NET WIDTH TO:	18" – 72" **	84"	96"
H44	3/8" Marcella Semi-Opaque	96"	96"	96"
H40	3/8" Opulence Semi-Opaque	96"	96"	96"
H41	3/8" Opulence Blackout	96"	96"	96"
H91	3/4" Cardiff Semi-Opaque	96"	90"	72"
HS3	3/4" Glimmer Semi Opaque	96"	96"	96"
H27	3/4" Linen Semi-Opaque	96"	96"	96"
H45	3/4" Marcella Semi-Opaque	96"	96"	96"
HX6	3/4" Melodic Semi-Opaque	96"	90"	72"
H92	3/4" Mirada Semi-Opaque	96"	90"	72"
H28	3/4" Opulence Semi-Opaque	96"	90"	72"
H96	3/4" Peaceful Semi-Opaque	96"	90"	72"
HF6	3/4" Radiance Semi-Opaque	96"	90"	72"
H60	3/4" Serene FR Semi-Opaque	96"	90"	72"
H46	3/4" Marcella Blackout	96"	90"	72"
H29	3/4" Opulence Blackout	96"	90"	72"
HF7	3/4" Radiance Blackout	96"	90"	72"
H62	3/4" Serene FR Blackout	96"	90"	72"
H25	3/4" Tiffany Sheer	96"	96"	96"
H24	3/4" Tranquility Semi-Sheer	96"	90"	72"
H39	Opulence 1/2" Double Cell	96"	90"	72"
H47	1/2" Marcella Double Cell	96"	96"	96"
HPF	2" Hybrid Pleat Semi-Opaque***	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout***	96"	90"	72"

* 2-on-1 Minimum Panel Width 20" (available with Bottom-Up Simplicity Rechargeable ONLY)

* Top-Down/Bottom-Up Minimum Panel Width 24" (available with Simplicity Rechargeable ONLY)

*** 2" Hybrid Pleat is Not Available with PowerWand Motorization

NOTE: Triple Cell fabric is not Available with motorization

HONEYCOMB VERTICAL APPLICATION A

• 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$383	413	450	483	515	548	582	614	647	681	709	771	829	886	935	992	1048	1109
42"	407	446	485	524	558	596	637	672	707	745	779	840	897	965	1019	1087	1150	1227
48"	434	475	519	562	600	642	682	731	763	800	842	907	968	1056	1104	1177	1232	1315
54"	455	507	554	602	643	681	725	766	808	844	886	955	1031	1108	1179	1248	1328	1408
60"	483	536	589	641	681	725	770	814	857	902	941	1024	1105	1189	1260	1345	1428	1520
66"	511	566	620	680	728	770	817	868	909	961	1004	1095	1181	1270	1349	1445	1532	1644
72"	539	597	658	721	767	813	858	922	966	1016	1066	1165	1253	1351	1439	1542	1641	1755
78"	567	628	696	752	804	848	902	965	1009	1068	1116	1222	1317	1419	1515	1618	1727	1849
84"	596	660	730	789	847	897	954	1017	1065	1127	1179	1292	1398	1501	1599	1718	1827	1961
90"	619	694	761	824	884	941	999	1069	1124	1186	1243	1363	1474	1586	1694	1811	1934	2067
96"	647	723	789	855	918	978	1039	1114	1170	1238	1293	1422	1532	1658	1774	1889	2020	2152
102"	674	751	824	890	954	1022	1094	1162	1230	1293	1352	1490	1614	1736	1856	1985	2125	2273
108"	701	782	856	928	996	1063	1142	1220	1285	1357	1419	1560	1690	1822	1949	2083	2231	2387
114"	730	811	889	966	1035	1107	1189	1269	1343	1414	1478	1636	1771	1906	2046	2175	2339	2489
120"	752	842	954	1032	1104	1180	1267	1352	1427	1504	1563	1726	1867	2011	2151	2291	2454	2611

- 3/4" Cardiff (H91)
- 3/4" Glimmer (HS3)
- 3/4" Linen (H27)
- 3/4" Marcella Blackout (H46)
- 3/4" Melodic (HX6)
- 3/4" Mirada (H92)
- 3/4" Opulence (H28)
- 3/4" Radiance Blackout (HF7)
- 3/4" Serene (H62)

HONEYCOMB VERTICAL APPLICATION B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$448	485	530	568	604	643	683	723	762	800	835	906	977	1039	1098	1164	1230	1306
42"	478	523	569	615	656	699	744	789	830	877	914	986	1056	1133	1196	1278	1351	1441
48"	509	556	611	660	704	754	802	857	896	941	988	1068	1137	1239	1297	1383	1448	1544
54"	536	595	648	706	757	800	850	902	947	992	1039	1122	1212	1305	1385	1468	1559	1654
60"	567	628	694	752	800	850	906	956	1008	1060	1107	1202	1299	1398	1484	1580	1679	1787
66"	602	665	731	799	854	906	961	1022	1071	1129	1181	1287	1388	1493	1585	1698	1804	1933
72"	635	701	772	847	903	954	1010	1084	1134	1193	1253	1371	1473	1586	1693	1811	1929	2066
78"	667	737	815	882	945	996	1060	1133	1188	1256	1311	1436	1547	1669	1778	1904	2031	2173
84"	699	774	856	929	994	1056	1120	1194	1252	1324	1385	1519	1643	1767	1881	2019	2150	2307
90"	730	813	893	968	1038	1105	1177	1258	1321	1394	1461	1604	1734	1866	1991	2129	2274	2431
96"	761	848	928	1005	1077	1151	1224	1307	1376	1456	1521	1671	1805	1950	2083	2223	2374	2531
102"	791	882	968	1045	1121	1200	1284	1365	1446	1523	1589	1751	1897	2040	2184	2335	2498	2671
108"	824	918	1007	1090	1170	1250	1345	1434	1513	1595	1669	1836	1987	2141	2292	2451	2623	2806
114"	855	952	1043	1134	1217	1302	1398	1492	1578	1664	1738	1920	2080	2241	2407	2560	2751	2927
120"	882	988	1120	1212	1297	1387	1489	1588	1677	1771	1838	2030	2196	2364	2530	2694	2883	3072

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

HONEYCOMB VERTICAL APPLICATION C

- 3/4" Opulence Blackout (H29)
- 3/4" Serene Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$520	575	637	692	735	769	816	863	907	954	995	1079	1190	1283	1374	1473	1567	1633
42"	566	628	696	744	795	840	890	941	994	1039	1091	1181	1302	1404	1513	1622	1727	1805
48"	613	672	737	795	848	896	952	1010	1066	1118	1175	1278	1407	1523	1641	1758	1876	1962
54"	653	723	791	856	912	973	1034	1098	1159	1221	1280	1393	1537	1664	1793	1929	2054	2156
60"	698	763	843	912	975	1037	1103	1177	1243	1311	1376	1494	1651	1792	1933	2079	2217	2333
66"	736	805	895	974	1037	1105	1172	1255	1323	1400	1469	1602	1771	1920	2073	2230	2379	2503
72"	779	849	942	1032	1100	1172	1248	1332	1404	1490	1565	1709	1891	2053	2215	2387	2551	2685
78"	817	891	996	1088	1162	1241	1324	1412	1492	1583	1666	1812	2004	2181	2360	2539	2713	2862
84"	854	934	1043	1139	1217	1300	1394	1487	1573	1669	1754	1916	2119	2309	2494	2687	2875	3035
90"	893	978	1095	1195	1277	1370	1469	1563	1658	1760	1850	2022	2236	2436	2635	2843	3040	3211
96"	932	1022	1140	1255	1335	1437	1543	1646	1742	1851	1947	2129	2361	2569	2781	2996	3206	3389
102"	970	1066	1192	1305	1389	1505	1615	1724	1823	1940	2035	2223	2460	2682	2903	3129	3353	3548
108"	1009	1109	1240	1358	1441	1576	1686	1803	1900	2021	2122	2323	2573	2807	3041	3280	3513	3718
114"	1044	1160	1289	1414	1499	1642	1758	1879	1985	2106	2209	2427	2691	2933	3183	3430	3681	3894
120"	1121	1247	1381	1517	1602	1747	1869	1997	2106	2233	2339	2570	2843	3101	3358	3617	3877	4106

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION D

- 3/4" Peaceful (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$589	649	721	782	830	869	921	975	1025	1077	1124	1220	1345	1448	1552	1664	1771	1844
42"	641	710	786	842	899	948	1006	1063	1123	1175	1233	1335	1471	1586	1709	1833	1953	2039
48"	693	759	834	899	958	1012	1076	1142	1205	1264	1326	1443	1589	1721	1854	1987	2118	2218
54"	737	816	895	968	1031	1100	1168	1241	1308	1380	1446	1573	1736	1881	2026	2179	2321	2435
60"	788	863	952	1031	1102	1173	1246	1330	1406	1481	1555	1689	1866	2025	2184	2349	2504	2636
66"	832	909	1010	1101	1173	1250	1323	1416	1495	1581	1661	1810	2000	2169	2342	2519	2689	2829
72"	879	959	1065	1165	1242	1323	1410	1505	1586	1683	1768	1932	2137	2320	2502	2698	2881	3035
78"	925	1007	1126	1230	1313	1403	1497	1596	1686	1790	1882	2048	2264	2466	2667	2869	3066	3232
84"	966	1056	1178	1287	1375	1469	1576	1680	1777	1885	1983	2166	2396	2609	2818	3037	3248	3429
90"	1009	1104	1237	1351	1442	1547	1661	1766	1872	1989	2089	2284	2528	2753	2977	3213	3435	3629
96"	1052	1154	1289	1416	1508	1623	1742	1862	1969	2090	2201	2404	2668	2903	3142	3386	3624	3830
102"	1097	1205	1347	1474	1571	1701	1825	1947	2059	2192	2301	2513	2780	3029	3280	3536	3790	4010
108"	1140	1253	1402	1534	1630	1780	1905	2037	2147	2283	2398	2626	2907	3171	3436	3708	3969	4201
114"	1179	1311	1456	1599	1694	1855	1987	2122	2244	2379	2498	2742	3040	3314	3597	3877	4158	4400
120"	1266	1409	1559	1713	1810	1973	2112	2257	2379	2525	2643	2904	3213	3504	3793	4088	4381	4640

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

2" HYBRID PLEAT VERTICAL APPLICATION G

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$396	473	474	501	518	554	574	671	697	745	782	910	1026	1129	1231	1342	1440
42"	447	480	491	515	540	568	594	694	721	776	811	933	1056	1161	1267	1380	1485
48"	470	497	504	544	594	601	621	739	758	816	858	984	1129	1242	1355	1476	1586
54"	486	526	530	568	617	620	644	763	789	843	883	1021	1154	1270	1385	1510	1621
60"	489	541	542	594	641	643	667	786	813	878	925	1068	1206	1326	1446	1576	1694
66"	526	574	576	609	641	656	680	813	835	896	955	1099	1242	1368	1490	1624	1746
72"	538	598	598	635	653	688	713	856	874	955	1011	1154	1307	1437	1567	1709	1836
78"	621	680	692	721	748	783	813	853	877	951	1016	1166	1316	1448	1578	1719	1850
84"	640	698	711	743	776	813	842	883	914	988	1061	1217	1368	1502	1638	1787	1919
90"	661	724	726	759	790	836	873	914	947	1021	1100	1261	1417	1558	1699	1853	1992
96"	675	743	748	779	811	862	895	936	975	1053	1130	1296	1464	1610	1753	1914	2056
108"	748	834	836	876	919	971	1031	1077	1124	1221	1321	1511	1697	1867	2035	2217	2385
120"	801	902	935	984	1034	1097	1156	1220	1276	1383	1499	1711	1915	2106	2295	2503	2689

2" HYBRID PLEAT VERTICAL APPLICATION H

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$450	479	484	512	530	565	585	685	710	762	796	930	1047	1151	1255	1368	1469
42"	459	492	500	526	551	581	603	712	736	790	825	954	1079	1188	1295	1411	1517
48"	477	509	515	553	618	623	632	754	773	834	876	1003	1152	1268	1380	1505	1617
54"	494	539	538	582	636	632	654	779	804	862	903	1046	1179	1297	1414	1541	1656
60"	500	551	553	603	674	659	679	802	830	896	939	1087	1227	1349	1469	1604	1723
66"	533	587	587	619	678	673	696	834	851	918	971	1121	1266	1391	1517	1653	1776
72"	551	611	613	644	688	700	725	874	891	973	1027	1177	1331	1464	1595	1739	1869
78"	636	694	702	734	762	800	829	870	896	969	1035	1189	1337	1472	1605	1749	1880
84"	689	757	772	809	845	891	928	973	1009	1097	1177	1348	1513	1664	1812	1976	2124
90"	758	835	841	880	919	970	1012	1063	1101	1193	1285	1474	1657	1824	1987	2166	2329
96"	832	933	951	1001	1051	1121	1175	1239	1293	1410	1521	1739	1957	2153	2348	2559	2751
108"	905	1035	1056	1124	1189	1268	1355	1426	1495	1641	1788	2035	2281	2509	2734	2981	3204
120"	960	1116	1181	1264	1339	1436	1527	1618	1706	1863	2038	2318	2583	2841	3098	3376	3629

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

VERTICAL APPLICATION – LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$579	689	693	732	759	810	839	981	1019	1090	1143	1331	1500
42"	654	702	718	753	790	829	868	1013	1053	1134	1185	1364	1544
48"	685	725	737	797	868	879	908	1081	1108	1193	1256	1439	1651
54"	711	769	774	829	902	906	941	1116	1153	1233	1293	1493	1687
60"	714	791	793	868	936	940	975	1150	1188	1284	1352	1559	1763
66"	769	839	842	890	936	959	994	1188	1219	1311	1396	1607	1816
72"	787	876	876	928	954	1007	1043	1252	1277	1396	1477	1687	1911
78"	908	994	1010	1053	1092	1144	1188	1247	1283	1388	1486	1706	1923
84"	934	1020	1039	1087	1134	1188	1232	1293	1336	1445	1551	1779	1998
90"	968	1059	1062	1109	1155	1220	1276	1336	1384	1493	1609	1844	2074
96"	987	1087	1092	1139	1185	1260	1308	1370	1426	1541	1653	1895	2140
108"	1092	1217	1220	1280	1344	1420	1505	1576	1644	1787	1932	2207	2482
120"	1173	1319	1369	1439	1512	1604	1690	1785	1865	2023	2192	2502	2800

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



VERTICAL APPLICATION - SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	Sheer Fabric	All Other 3/4" Fabrics	All 3/4" Blackout Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width Side Stack	120"	168"	168"	168"
Max. Width Split Stack	168"	190"	190"	190"
Min. Height	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"
Max Sq. ft. Side Stack	100	140	120	100
Max Sq. ft. Split Stack	100	140	140	120

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, 1/2" double cell, or 3/8" triple cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 3/8" styles, 3/4" Semi Sheer, Double Cell, or Triple Cell honeycomb styles.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- *Override height location will be the center of the handle.
- Standard installation hardware (brackets) provided.
- 2" Hybrid Pleat handles will be clear.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

HONEYCOMB CLASSIC SKYLIGHT A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$243	276	307	347	374	414	446	480	510
42"	255	293	333	371	410	447	485	514	546
48"	269	315	351	394	446	480	526	563	592
54"	288	334	377	422	479	507	563	600	639
60"	297	355	403	450	516	552	603	654	
66"	316	374	426	480	545	584	633		
72"	329	393	450	505	569	614	673		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT B

• 3/8" Opulence (H40) • 3/4" Mirada (H92)
• 3/4" Cardiff (H91) • 3/4" Opulence (H28)
• 3/4" Glimmer (HS3) • 3/4" Serene FR (H62)
• 3/4" Linen (H27) • 1/2" Marcella (H47)
• 3/4" Melodic (HX6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$285	323	361	407	438	486	523	566	597
42"	299	343	392	435	480	525	568	603	642
48"	317	368	414	462	523	563	616	663	699
54"	340	393	446	496	562	595	663	707	752
60"	349	416	471	529	607	646	709	765	
66"	370	438	501	566	639	684	745		
72"	386	460	529	593	669	720	791		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$262 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
- 48" Extension Wire (Part #CS5133Z)add \$8 each
- DC Power Supply (Part #CS5151)add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$262 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
- 48" Extension Wire (Part #CS5133Z)add \$8 each
- Solar Panel (Part #CS52096)add \$159 each
- Plug-In Charger (Part #CS5199)add \$33 each

HONEYCOMB CLASSIC SKYLIGHT C

- 1/2" Opulence (H39)
- 3/4" Marcella Blackout (H46)
- 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$298	343	384	426	466	512	553	591	626
42"	319	362	413	460	511	555	600	643	681
48"	332	390	441	492	552	595	650	697	737
54"	360	416	474	526	598	628	701	751	796
60"	373	444	500	558	640	686	754	804	
66"	393	462	527	593	676	727	799		
72"	414	491	556	628	714	767	840		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT D

- 3/8" Opulence Blackout (H41)
- 3/4" Opulence Blackout (H29)
- 3/4" Peaceful (H96)
- 3/4" Serene FR Blackout (H60)
- 3/4" Tiffany (H25)
- 3/4" Tranquility (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$348	400	448	496	539	592	640	683	727
42"	373	424	479	536	592	643	697	749	792
48"	392	452	512	569	636	684	751	800	851
54"	414	480	552	610	687	737	804	862	918
60"	429	507	580	645	736	790	861	925	
66"	458	538	620	696	780	845	926		
72"	480	562	649	726	815	887	988		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER


USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.

- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top	 Vertical
 Bottom	 Sloped
 Side	 Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



CLASSIC SKYLIGHT – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25



* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts		3/8" Single
Minimum mounting depth IB:		1"
Minimum mounting depth, flush mount:		1-11/16"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mounts		3/4" Single and 1/2" Double
Minimum mounting depth IB:		1-1/4"
Minimum mounting depth, flush mount:		2-1/2"
Outside (OB) Mount		3/4" Single and 1/2" Double
Minimum flat vertical surface		1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Skylights with Simplicity Motorization will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

NOTE: Measurements may vary $\pm 1/8$ "

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"



SKYLIGHT SIMPLICITY - SIZE STANDARDS

	All Honeycomb Fabrics *
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight with Simplicity not available with 3/8" triple cell fabrics or 2" Hybrid Pleat

NOTE: Size Standards are the same for Skylight with standard Simplicity and Rechargeable Simplicity

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

Standard Motorization


Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

Rechargeable Motorization

Inside (IB) Mounts	
Minimum mounting depth, IB	
Over 20" wide	2-1/2"
Under 20" wide	3"

NOTE:

Skylight shades with Rechargeable Motorization **over 20" wide** feature an internal battery with charging port. Skylight shades with Rechargeable Motorization **under 20" wide** require an external battery pack which accounts for the additional mounting depth



HONEYCOMB ARCH A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$100	116	132	153	178	203	233	266	301	342	386
Movable*	148	169	193	219	252	289	327	370	414	476	545

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 • 3/8" Opulence (H40)
 • 3/4" Cardiff (H91)
 • 3/4" Glimmer (HS3)
 • 3/4" Linen (H27)
 • 3/4" Melodic (HX6)

 • 3/4" Mirada (H92)
 • 3/4" Opulence (H28)
 • 3/4" Serene FR (H62)
 • 1/2" Marcella (H47)

HONEYCOMB ARCH B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$119	135	153	180	207	239	275	312	354	401	452
Movable*	172	198	225	256	294	340	383	434	487	557	640

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH C

 • 1/2" Opulence (H39)
 • 3/4" Marcella Blackout (H46)
 • 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$139	159	180	210	244	281	321	366	415	471	531
Movable*	201	232	264	302	346	399	450	510	570	656	753

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH D

 • 3/8" Opulence Blackout (H41)
 • 3/4" Opulence Blackout (H29)
 • 3/4" Serene FR Blackout (H60)
 • 3/4" Tiffany (H25)
 • 3/4" Tranquility (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$160	185	210	246	285	329	376	429	488	554	622
Movable*	234	273	310	355	405	466	528	596	669	766	884

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 NOTE: TRIPLE CELL FABRIC NOT AVAILABLE AS A TOP-DOWN ARCH
 2" HYBRID AND 3/4" PEACEFUL ARE NOT AVAILABLE AS ARCHES

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')\$37
- **Movable Arch Extension Pole**
(extends 18"-36") Part #24-213 TEP-2L13091.....\$22
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)




	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	1/2 width	1/2 width	1/2 width


Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Max height of straight sides is 10". Heights must be at least 25% of total width after the straight sides.


TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	6"	6"	6"
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Straight Side Specifications

- * 3/8" & 3/4": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 72", the max height = 48"
- * Non-perfect arch: heights must be at least 25% of total width



Optional Top-Down Movable Arch
Extension Pole
Extends 5' to 10' (Part #400037-0007)


Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:
661 Tiara White
320 Rich Cream


NOTE: Top-Down Arch not available in Triple Cell fabrics

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.

Arch trim kit included with Top-Down arches – available in White Tiara (661) & Rich Cream (320) – See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)


Height: Measure desired height(s)

Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)




	All 3/8" & 3/4" Semi-Opaque Fabrics & All 1/2" Double Cell	3/8" Blackout	All Other
Min. Width	12"	12"	12"
Max. Width	48"	68"	60"
NON-OPERABLE			



	All 3/8" Semi-Opaque Fabrics	All Other
Min. Width	12"	12"
Max. Width	30"	42"
NON-OPERABLE		

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	All 3/8" Semi-Opaque Fabrics	All 3/4" Sheer, Semi-Sheer, Semi-Opaque Fabrics	All 3/8" & 3/4" Blackout Fabrics	All 1/2" Double Cell, 3/8" Triple Cell Fabrics
Maximum Height	84	84	72	84
Maximum Area (sq ft)	60	60	40	30
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12	12	12	12
30 - 45 Angle	14	14	14	14
45 - 60 Angle	17	N/A	17	N/A
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	83	55	83	60
30 - 45 Angle	84	67	84	60
45 - 60 Angle	84	N/A	84	N/A
Minimum Width	12	12	12	12
Maximum width	* up to 45 angle only			
0 - 30 Angle	70	48	70	48
30 - 45 Angle	60	48	60	48
45 - 60 Angle	42	N/A	42	N/A


* 1/2" Up to 45 angle only

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$122
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

Max width for end mount is 36"

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth		1-1/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth		1-7/8"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Standard Cordlock

Min Width (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	72"	72"	72"	72"	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	108"	108"	108"	108"	108"	108"	108"	
Max Area (Sq/Ft)	48	40	48	48	40	40	48	

* If width < 12", max height = 80"

Standard Cordlock - Two-Fabric Combo

Min Width (net) *	N/A	N/A	10"	10"	10"	10"	10"	N/A
Max Width	N/A	N/A	72"	72"	72"	60"	60"	
Max Width - End Mount	N/A	N/A	36"	36"	36"	36"	36"	
Min Height	N/A	N/A	6"	6"	6"	6"	6"	
Max Height	N/A	N/A	96"	96"	96"	90"	90"	
Max Area (Sq/Ft)	N/A	N/A	48	48	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	16"	16"	16"	16"	
Max Width (per panel)	60"	60"	60"	60"	60"	60"	60"	
Max Width (overall)	120"	120"	120"	120"	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	18"	18"	18"	18"
Max Width	144"	144"	174"	174"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	24"	24"	24"	24"
Max Width	144"	144"	144"	144"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	8"	8"	8"	8"	8"	8"	8"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Cordless Lift System

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		32"	32"	32"	32"		32"
Max Width (per panel)	120"		120"	120"	120"	120"		100"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		48"	48"	48"	48"		48"
Max Width (per panel)	120"		120"	120"	120"	120"		104"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Two Fabric Combo

Min Width (net)	N/A	N/A	16"	16"	16"	N/A	N/A	N/A
Max Width			84"	84"	84"	N/A		
Max Width - End Mount			36"	36"	36"	N/A		
Min Height			12"	12"	12"	N/A		
Max Height			84"	84"	84"	N/A		
Max Area (Sq/Ft)			42	42	42	N/A		

Cordless Lift & Lock

Min Width (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		48"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			20"	20"	20"	20"		20"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			30"	30"	30"	30"		30"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A	N/A	16"	16"	16"	16"	N/A	16"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		42"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area Overall (Sq/Ft)			49	49	49	49		49

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A	N/A	N/A	24"	24"	24"	N/A	24"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				96"	96"	96"		96"
Max Area (Sq/Ft)				64	50	50		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	N/A	N/A	N/A	16"	16"	16"	N/A	16"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				70	70	70		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	N/A	N/A	N/A	12"	12"	12"	N/A	12"
Max Width				84"	84"	84"		84"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				49	49	49		49

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	N/A	N/A	12"	12"	12"	N/A	N/A	12"
Max Width Side Stack			120"	168"	168"			168"
Max Width Split Stack			168"	190"	190"			190"
Min Height			24"	24"	24"			24"
Max Height			120"	120"	120"			120"
Max Area Side Stack			100	140	120			100
Max Area Split Stack			100	140	140			120

Note: Sheer only, not available on Semi-Sheer.

LINEN ALLURE DIMENSIONS – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	32"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	48"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift & Lock

Cordless Lift & Lock

Min Width (net)	9-1/2"
Max Width	84"
Max Width - End Mount	48"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Cordless Lift & Lock - Two-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	20"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Three-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	30"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop

Continuous Cord Loop

Min Width (net)	18"
Max Width	120"
Max Width – End Mount	42"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width – End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"
Min Width (overall)	36"
Max Width (per panel)	102"
Max Width (overall)	144"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

TriLight Shades - Cordless

Min Width (net)	16"
Max Width	84" - 96"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock

Min Width (net)	9.5"
Max Width	84"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Vertical Application

Vertical Application

		Side Stack / Split Stack
Min Width	N/A	
Max Width		
Min Height		
Max Height		
Max Area (Sq/Ft)		

Motorization Options

RemoteLift 2.0

Min Width (net)	18"
Max Width	96"
Max Width - End Mount	36"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	25

Width to:

24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
25 Square Feet												
96"	96"	96"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"

Simplicity Motorization - Bottom-Up

Min Width (net)	18"
Max Width	96"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	30

Simplicity Rechargeable Motorization - Two-on-One Headrail

Min Width (per panel)	20"
Min Width (overall)	40"
Max Width (per panel)	96"
Max Width (overall)	144"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft) per panel	30

Width to:

24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
30 Square Feet												
96"	96"	96"	96"	90"	80"	72"	64"	60"	54"	50"	48"	44"

ORDERING NOTES:

Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

LINEN ALLURE HYBRID PLEAT – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift System - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift - Two-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	32"
	Max Width (per panel)	104"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift - Three-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	48"
	Max Width (per panel)	104"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift & Lock

Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	48"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49
Cordless Lift & Lock - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49"
Cordless Lift & Lock - Two-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	20"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49
Cordless Lift & Lock - Three-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	30"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49

Continuous Cord Loop

Continuous Cord Loop	Min Width (net)	18"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60
Continuous Cord Loop - Top-Down/Bottom-Up	Min Width (net)	24"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60
Continuous Cord Loop - Two-On-One Headrail	Min Width (per panel) (net)	18"
	Min Width (overall)	36"
	Max Width (per panel)	102"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop	Min Width (net)	24"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	60
* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.		
TriLight Shades - Cordless	Min Width (net)	16"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.		
TriLight Shades - Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49

Vertical Application

Vertical Application		Side Stack
	Min Width	12"
	Max Width	120"
	Min Height	24"
	Max Height	120"
	Max Area (Sq/Ft)	100

	Split Stack
Min Width	12"
Max Width	190"
Min Height	24"
Max Height	120"
Max Area (Sq/Ft)	120

Motorization Options

RemoteLift 2.0	Min Width (net)	18"
	Max Width	120
	Max Width - End Mount	36"
	Min Height	12"
	Max Height	108"
	Max Area (Sq/Ft)	50

Width to:	18" - 54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
	50 Square Feet									
	108"	108"	108"	100"	90"	84"	80"	74"	66"	60"

Simplicity Motorization - Bottom-Up	Min Width (net)	18" / 20"
	Max Width	96"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	n/a

Simplicity Rechargeable Motorization - Two-on-One Headrail

Min Width (per panel)	20"
Min Width (overall)	40"
Max Width (per panel)	96"
Max Width (overall)	144"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft) per panel	n/a

ORDERING NOTES:

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Classic Skylight

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	60"	60"	60"	60"	60"	60"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Classic Skylight – Side Stack

Min Width	6"	6"	6"	6"	6"	6"	N/A	N/A
Max Width	72"	72"	72"	72"	72"	72"		
Min Height	18"	18"	18"	18"	18"	18"		
Max Height	60"	60"	60"	60"	60"	60"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Skylight with Simplicity Motorization

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	48"	48"	48"	48"	48"	48"		
Min Height	12"	12"	12"	12"	12"	12"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	N/A	N/A	N/A	N/A	N/A	N/A		

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	48"	48"	48"	48"	48"	48"		

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width		
Max Height	48"	48"	48"	48"	48"	48"		

Angle


Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Height	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Area (Sq/Ft)	60	40	60	60	40	30	30	

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown




Arch Trim – White (Part #2280364661)
 – Rich Cream (Part #2280364320)



Child Safety Kit (Cord Cleat)
 (Part #KIT2728)

PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5467PL-TDBU (Painted rails)
White: Part #CS5467PL-TDBU-W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474


PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit (Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #CS4317)




Dual Bottom Limiter (Part #500199000))

TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT



PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION

End Mount Bracket
(Part #40-0026-159)
Used with installation bracket

1/2" Spacer Block
Part #KIT2011 (2PK)
Part #KIT2012 (3PK)

Extension Bracket
Part #KIT2013 (2PK)

Installation Bracket
Part #KIT-CCCLHC-2PK

Black Washer
Lock Washer

Motor

Spool Cover
(Part #5241301)

Lift Station Support – RH
(Part #6281301)

Headrail End Cap
(Part #4024954-COLOR)

1/2" Spacer Block
Part #KIT2011 (2PK)
Part #KIT2012 (3PK)

3 Conductor Wire
to PCB Pigtail

3 Conductor
Extension Wire

Polycarb Lift Spool
(Part #2781211001)

Cable Twist Tie

Cable Tie

Cable Tie
Mounting Base

Charging Wire

Battery Pack

Spool Cover
(Part #5241301)

Lift Station Support – LH
(Part #6281303)

Cradle Support
(Part #19-179)

Cordless Headrail

Lift Rod V Shaft
(Part #50-0069-000)

Headrail Filler Strip
(Part #2974000000)

End Cap – 3/8" (Part #UEC-COLOR)
3/4" (Part #19-183-COLOR)

Hold Down Bracket (Part #XCS1101)

3/8" Rail (Part #UR-COLOR-16)
3/4" Rail (Part #ZUR-COLOR-16)

Shade Adjust
Spool (Part #12-128A)
Base (Part #12-129A)

Filler Strip – 3/8" Rail (Part #2954000000)
3/4" Rail (Part #2974000000)

Rail Weight – 5" With Tape (Part #40-0013-000)

End Cap – 3/8" (Part #UEC-COLOR)
3/4" (Part #19-183-COLOR)

Shade Adjust
Spool (Part #12-128A)
Base (Part #12-129A)

Hold Down Bracket (Part #XCS1101)


Remote
White (Part #CS5138W)
Black (Part #CS5138)

Plug-in Charger
(Part #CS5199)


Simplicity Top-Down/Bottom-Up Components

14 Channel Remote (Part #CS52136)
Primary Motor (Part #CS52138)
Secondary Motor (Part #CS52139)
Internal Battery Pack (Part #CS52134)
Exterior Battery Pack (Part #CS52105)
7 Conductor Extension Wire (Part #CS52140)

PRODUCT COMPONENTS – POWERWAND™ MOTORIZATION



PRODUCT COMPONENTS – VERTICAL APPLICATION



White Magnetic Strip
(split stack)
(2990133000)



Extension Bracket
(40-0026-159)



Installation Bracket with
Screws (2990934000)



Mounting Screws #6
x 1.5 (2980153000)




Shim (2990938785)




1/2" Spacer Block
KIT2011 = 2 Spacers/kit
KIT2012 = 3 Spacers/kit

PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT



Rechargeable Motor Components

Internal Battery Pack (Part #CS52101)
Exterior Battery Pack (Part #CS52105)
Plug-In Charger (Part #CS5199)
Solar Charger (Part #CS52096)