

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Foxy Lady Gentlemen's Club</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Mid-Atlantic Entertainment, LLC</b>	Facility Telephone # <b>304 229-0002</b>	
Facility Address <b>10491 Winchester Pike Bunker Hill , WV</b>	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>03/30/2018</b>	Total Time Spent <b>1.25</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Keg cooler	<b>39</b>
Beer cooler	<b>39</b>
Pepsi	<b>37</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 1</b>
<b>Repeated # 0</b>
<b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b>
<b>This is a critical violation</b>
<b>OBSERVATION: (CORRECTED DURING INSPECTION): Soda nozzle needs cleaned (mold)</b>

<b><i>Observed Non-Critical Violations</i></b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD</b>
<b>OBSERVATION: (CORRECTED DURING INSPECTION): Sour mix bottle needs labeled</b>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>
<b>OBSERVATION: Men's bathroom wall needs cleaned</b>

<b><i>Inspection Outcome</i></b>

<b><i>Comments</i></b>

Disclaimer

Person in Charge  
**Kimberly Moyer**

Sanitarian  
**Keith Allison**